

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF070718\
 Data File : BF107197.D
 Acq On : 7 Jul 2018 11:10
 Operator : JU/SJ
 Sample : PB110879BL
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB110879BL

Quant Time: Jul 09 02:10:34 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF061918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 29 14:38:29 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.94	152	59759	20.00	ng	-0.02
21) Naphthalene-d8	8.22	136	229573	20.00	ng	-0.02
38) Acenaphthene-d10	9.99	164	122397	20.00	ng	-0.02
63) Phenanthrene-d10	11.48	188	256889	20.00	ng	-0.02
75) Chrysene-d12	14.14	240	224186	20.00	ng	-0.03
86) Perylene-d12	15.67	264	191391	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.60	112	407402	115.44	ng	0.00
7) Phenol-d6	6.60	99	512976	116.40	ng	-0.02
23) Nitrobenzene-d5	7.51	82	334335	80.93	ng	-0.02
41) 2,4,6-Tribromophenol	10.78	330	186487	131.46	ng	-0.02
44) 2-Fluorobiphenyl	9.30	172	635028	88.41	ng	-0.02
78) Terphenyl-d14	13.07	244	810702	87.60	ng	-0.02
Target Compounds						
9) Benzaldehyde	6.72	77	8772	2.364	ng	89
19) n-Nitroso-di-n-propylamine	7.51	70	43214	14.875	ng	# 72
25) Isophorone	7.51	82	334333	45.929	ng	# 64
50) 2,6-Dinitrotoluene	9.99	165	15788	8.122	ng	# 24
56) 2,4-Dinitrotoluene	9.99	165	15788	6.222	ng	# 21
66) 4-Bromophenyl-phenylether	10.78	248	11253	3.670	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF070718\
Data File : BF107197.D
Acq On : 7 Jul 2018 11:10
Operator : JU/SJ
Sample : PB110879BL
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB110879BL

Quant Time: Jul 09 02:10:34 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF061918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 29 14:38:29 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.94 min Scan# 783
Delta R.T. -0.02 min
Lab File: BF107197.D
Acq: 7 Jul 2018 11:10

Instrument :
BNA_F
ClientSampleId :
PB110879BL

Tgt Ion:152 Resp: 59759
Ion Ratio Lower Upper
152 100
150 154.2 124.6 186.8
115 60.9 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 115.441 ng
RT: 5.60 min Scan# 554
Delta R.T. -0.01 min
Lab File: BF107197.D
Acq: 7 Jul 2018 11:10

Tgt Ion:112 Resp: 407402
Ion Ratio Lower Upper
112 100
64 57.1 47.9 71.9
63 28.2 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 116.396 ng

RT: 6.60 min Scan# 724

Delta R.T. -0.02 min

Lab File: BF107197.D

Acq: 7 Jul 2018 11:10

Instrument :

BNA_F

ClientSampleId :

PB110879BL


Tgt Ion: 99 Resp: 512976

Ion Ratio Lower Upper

99 100

42 15.6 14.5 21.7




71 33.6 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#9

Benzaldehyde

Concen: 2.364 ng

RT: 6.72 min Scan# 746

Delta R.T. 0.21 min

Lab File: BF107197.D

Acq: 7 Jul 2018 11:10


Tgt Ion: 77 Resp: 8772

Ion Ratio Lower Upper

77 100

105 87.8 81.1 121.1



106 85.3 74.5 114.5






Abundance Ion 77.00 (76.70 to 77.70): BF1

Ion 105.00 (104.70 to 105.70): BF1

Ion 106.00 (105.70 to 106.70): BF1








#19
n-Nitroso-di-n-propylamine
Concen: 14.875 ng
RT: 7.51 min Scan# 880
Delta R.T. 0.13 min
Lab File: BF107197.D
Acq: 7 Jul 2018 11:10


Instrument :
BNA_F
ClientSampleId :
PB110879BL


Tgt Ion:	70	Resp:	43214
Ion	Ratio	Lower	Upper
70	100		
42	41.7	47.5	71.3#
101	0.0	7.4	11.2#
130	1.9	16.6	25.0#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.22 min Scan# 1001
Delta R.T. -0.02 min
Lab File: BF107197.D
Acq: 7 Jul 2018 11:10

Tgt Ion:	136	Resp:	229573
Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.9	13.3
54	8.4	6.6	9.8
68	6.7	5.0	7.4









#23
Nitrobenzene-d5
Concen: 80.934 ng
RT: 7.51 min Scan# 880
Delta R.T. -0.02 min
Lab File: BF107197.D
Acq: 7 Jul 2018 11:10

Instrument :
BNA_F
ClientSampleId :
PB110879BL

Tgt Ion: 82 Resp: 334335
Ion Ratio Lower Upper
82 100
128 44.9 36.1 54.1
54 48.0 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): BF1
Ion 54.00 (53.70 to 54.70): BF1






#25
Isophorone
Concen: 45.929 ng
RT: 7.51 min Scan# 880
Delta R.T. -0.28 min
Lab File: BF107197.D
Acq: 7 Jul 2018 11:10

Tgt Ion: 82 Resp: 334333
Ion Ratio Lower Upper
82 100
95 0.0 5.2 7.8#
138 0.0 14.9 22.3#



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 95.00 (94.70 to 95.70): BF1
Ion 138.00 (137.70 to 138.70): BF1









#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.99 min Scan# 1301
 Delta R.T. -0.02 min
 Lab File: BF107197.D
 Acq: 7 Jul 2018 11:10

Instrument :
 BNA_F
 ClientSampleId :
 PB110879BL

Tgt Ion:164 Resp: 122397
 Ion Ratio Lower Upper
 164 100
 162 96.8 86.1 129.1
 160 43.9 38.3 57.5




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E





#41
 2,4,6-Tribromophenol
 Concen: 131.457 ng
 RT: 10.78 min Scan# 1436
 Delta R.T. -0.02 min
 Lab File: BF107197.D
 Acq: 7 Jul 2018 11:10

Tgt Ion:330 Resp: 186487
 Ion Ratio Lower Upper
 330 100
 332 96.4 77.0 115.6
 141 22.3 29.9 44.9#



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 88.410 ng
 RT: 9.30 min Scan# 1184
 Delta R.T. -0.02 min
 Lab File: BF107197.D
 Acq: 7 Jul 2018 11:10




Instrument :
 BNA_F
 ClientSampleId :
 PB110879BL

Tgt Ion:172 Resp: 635028
 Ion Ratio Lower Upper
 172 100
 171 36.5 29.7 44.5
 170 24.5 19.6 29.4



#50
 2,6-Dinitrotoluene
 Concen: 8.122 ng
 RT: 9.99 min Scan# 1301
 Delta R.T. 0.19 min
 Lab File: BF107197.D
 Acq: 7 Jul 2018 11:10

Tgt Ion:165 Resp: 15788
 Ion Ratio Lower Upper
 165 100
 63 0.0 44.7 67.1#
 89 0.0 44.0 66.0#








#56
2,4-Dinitrotoluene
Concen: 6.222 ng
RT: 9.99 min Scan# 1301
Delta R.T. -0.21 min
Lab File: BF107197.D
Acq: 7 Jul 2018 11:10




Instrument :
BNA_F
ClientSampleId :
PB110879BL

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	36.4	54.6#
89	0.0	57.8	86.6#
182	0.0	1.6	2.4#



#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.48 min Scan# 1555
Delta R.T. -0.02 min
Lab File: BF107197.D
Acq: 7 Jul 2018 11:10

Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.1	8.5	12.7#
80	9.1	9.2	13.8#









#66
4-Bromophenyl-phenylether
Concen: 3.670 ng
RT: 10.78 min Scan# 1436
Delta R.T. -0.25 min
Lab File: BF107197.D
Acq: 7 Jul 2018 11:10




Instrument :
BNA_F
ClientSampleId :
PB110879BL

Tgt Ion:248 Resp: 11253
Ion Ratio Lower Upper
248 100
250 193.1 76.9 115.3#
141 346.8 74.4 111.6#



#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.14 min Scan# 2006
Delta R.T. -0.03 min
Lab File: BF107197.D
Acq: 7 Jul 2018 11:10

Tgt Ion:240 Resp: 224186
Ion Ratio Lower Upper
240 100
120 8.9 9.5 14.3#
236 26.3 20.7 31.1









#78
 Terphenyl-d14
 Concen: 87.595 ng
 RT: 13.07 min Scan# 1824
 Delta R.T. -0.02 min
 Lab File: BF107197.D
 Acq: 7 Jul 2018 11:10

Instrument :
 BNA_F
 ClientSampleId :
 PB110879BL

Tgt Ion: 244 Resp: 810702
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.4 8.0
 122 9.2 11.0 16.4#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.67 min Scan# 2267
 Delta R.T. -0.05 min
 Lab File: BF107197.D
 Acq: 7 Jul 2018 11:10

Tgt Ion: 264 Resp: 191391
 Ion Ratio Lower Upper
 264 100
 260 23.9 19.2 28.8
 265 21.8 17.5 26.3

