

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF070918\
 Data File : BF107260.D
 Acq On : 10 Jul 2018 6:10
 Operator : JU/SJ
 Sample : J3890-04
 Misc :
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 070518-TIPC-E-U-M

Quant Time: Jul 10 07:56:23 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF061918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 29 14:38:29 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.94	152	36424	20.00	ng	-0.02
21) Naphthalene-d8	8.23	136	126522	20.00	ng	-0.02
38) Acenaphthene-d10	9.99	164	56274	20.00	ng	-0.02
63) Phenanthrene-d10	11.48	188	104780	20.00	ng	-0.02
75) Chrysene-d12	14.14	240	82642	20.00	ng	-0.02
86) Perylene-d12	15.68	264	58786	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.58	112	92260	42.89	ng	-0.02
7) Phenol-d6	6.59	99	68875	25.64	ng	-0.02
23) Nitrobenzene-d5	7.51	82	213889	93.95	ng	-0.02
41) 2,4,6-Tribromophenol	10.79	330	59894	91.83	ng	-0.01
44) 2-Fluorobiphenyl	9.30	172	378515	119.91	ng	-0.02
78) Terphenyl-d14	13.07	244	400924	117.51	ng	-0.01
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.51	70	27365	15.454	ng	# 72
25) Isophorone	7.51	82	213888	53.315	ng	# 64
49) Dimethylphthalate	9.70	163	12104	2.868	ng	# 99
50) 2,6-Dinitrotoluene	9.99	165	6880	7.698	ng	# 24
56) 2,4-Dinitrotoluene	9.99	165	6880	5.898	ng	# 21
66) 4-Bromophenyl-phenylether	10.79	248	3663	2.929	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF070918\
Data File : BF107260.D
Acq On : 10 Jul 2018 6:10
Operator : JU/SJ
Sample : J3890-04
Misc :
ALS Vial : 39 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
070518-TIPC-E-U-M

Quant Time: Jul 10 07:56:23 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF061918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 29 14:38:29 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.94 min Scan# 783
Delta R.T. -0.02 min
Lab File: BF107260.D
Acq: 10 Jul 2018 6:10

Instrument :
BNA_F
ClientSampleId :
070518-TIPC-E-U-M

Tgt Ion:152 Resp: 36424
Ion Ratio Lower Upper
152 100
150 155.7 124.6 186.8
115 61.0 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 42.891 ng
RT: 5.58 min Scan# 552
Delta R.T. -0.02 min
Lab File: BF107260.D
Acq: 10 Jul 2018 6:10

Tgt Ion:112 Resp: 92260
Ion Ratio Lower Upper
112 100
64 60.8 47.9 71.9
63 29.6 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 25.640 ng

RT: 6.59 min Scan# 723

Delta R.T. -0.02 min

Lab File: BF107260.D

Acq: 10 Jul 2018 6:10

Instrument :

BNA_F

ClientSampleId :

070518-TIPC-E-U-M


Tgt Ion: 99 Resp: 68875

Ion Ratio Lower Upper

99 100

42 18.0 14.5 21.7




71 36.3 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 15.454 ng

RT: 7.51 min Scan# 880

Delta R.T. 0.13 min

Lab File: BF107260.D

Acq: 10 Jul 2018 6:10

Tgt Ion: 70 Resp: 27365


Ion Ratio Lower Upper

70 100

42 40.8 47.5 71.3#

101 0.0 7.4 11.2#

130 1.9 16.6 25.0#





Abundance Ion 70.00 (69.70 to 70.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 101.00 (100.70 to 101.70): BF1

Ion 130.00 (129.70 to 130.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.23 min Scan# 1002
Delta R.T. -0.02 min
Lab File: BF107260.D
Acq: 10 Jul 2018 6:10

Instrument :
BNA_F
ClientSampleId :
070518-TIPC-E-U-M

Tgt Ion:	136	Resp:	126522
Ion	Ratio	Lower	Upper
136	100		
137	10.7	8.9	13.3
54	7.8	6.6	9.8
68	6.1	5.0	7.4




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
Nitrobenzene-d5
Concen: 93.949 ng
RT: 7.51 min Scan# 880
Delta R.T. -0.02 min
Lab File: BF107260.D
Acq: 10 Jul 2018 6:10

Tgt Ion:	82	Resp:	213889
Ion	Ratio	Lower	Upper
82	100		
128	44.2	36.1	54.1
54	48.6	41.4	62.2



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1





#25

Isophorone

Concen: 53.315 ng

RT: 7.51 min Scan# 880

Delta R.T. -0.28 min

Lab File: BF107260.D

Acq: 10 Jul 2018 6:10

Instrument :

BNA_F

ClientSampleId :

070518-TIPC-E-U-M


Tgt Ion: 82 Resp: 213888

Ion Ratio Lower Upper




82 100

95 0.0 5.2 7.8#

138 0.0 14.9 22.3#



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 95.00 (94.70 to 95.70): BF1
Ion 138.00 (137.70 to 138.70): BF1



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.99 min Scan# 1301

Delta R.T. -0.02 min

Lab File: BF107260.D

Acq: 10 Jul 2018 6:10


Tgt Ion: 164 Resp: 56274

Ion Ratio Lower Upper



164 100

162 93.6 86.1 129.1

160 42.8 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): BF1
Ion 162.00 (161.70 to 162.70): BF1
Ion 160.00 (159.70 to 160.70): BF1









#41
 2,4,6-Tribromophenol
 Concen: 91.829 ng
 RT: 10.79 min Scan# 1437
 Delta R.T. -0.01 min
 Lab File: BF107260.D
 Acq: 10 Jul 2018 6:10

Instrument :
 BNA_F
 ClientSampleId :
 070518-TIPC-E-U-M

Tgt Ion:330 Resp: 59894
 Ion Ratio Lower Upper
 330 100
 332 95.8 77.0 115.6
 141 23.0 29.9 44.9#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 119.909 ng
 RT: 9.30 min Scan# 1184
 Delta R.T. -0.02 min
 Lab File: BF107260.D
 Acq: 10 Jul 2018 6:10

Tgt Ion:172 Resp: 378515
 Ion Ratio Lower Upper
 172 100
 171 35.7 29.7 44.5
 170 24.1 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 2.868 ng

RT: 9.70 min Scan# 1251

Delta R.T. -0.03 min

Lab File: BF107260.D

Acq: 10 Jul 2018 6:10

Instrument :

BNA_F

ClientSampleId :

070518-TIPC-E-U-M


Tgt Ion:163 Resp: 12104

Ion Ratio Lower Upper

163 100

194 3.7 2.7 4.1




164 10.6 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#50

2,6-Dinitrotoluene

Concen: 7.698 ng

RT: 9.99 min Scan# 1301

Delta R.T. 0.19 min

Lab File: BF107260.D

Acq: 10 Jul 2018 6:10


Tgt Ion:165 Resp: 6880

Ion Ratio Lower Upper

165 100

63 0.0 44.7 67.1#



89 0.0 44.0 66.0#



Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1

Ion 89.00 (88.70 to 89.70): BF1








#56
2,4-Dinitrotoluene
Concen: 5.898 ng
RT: 9.99 min Scan# 1301
Delta R.T. -0.21 min
Lab File: BF107260.D
Acq: 10 Jul 2018 6:10




Instrument :
BNA_F
ClientSampleId :
070518-TIPC-E-U-M

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	36.4	54.6#
89	0.0	57.8	86.6#
182	0.0	1.6	2.4#



#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.48 min Scan# 1555
Delta R.T. -0.02 min
Lab File: BF107260.D
Acq: 10 Jul 2018 6:10

Tgt Ion	Ratio	Lower	Upper
188	100		
94	9.4	8.5	12.7
80	9.9	9.2	13.8









#66
4-Bromophenyl-phenylether
Concen: 2.929 ng
RT: 10.79 min Scan# 1437
Delta R.T. -0.25 min
Lab File: BF107260.D
Acq: 10 Jul 2018 6:10

Instrument :
BNA_F
ClientSampleId :
070518-TIPC-E-U-M

Tgt Ion:248 Resp: 3663
Ion Ratio Lower Upper
248 100
250 188.7 76.9 115.3#
141 311.4 74.4 111.6#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E





#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.14 min Scan# 2007
Delta R.T. -0.02 min
Lab File: BF107260.D
Acq: 10 Jul 2018 6:10

Tgt Ion:240 Resp: 82642
Ion Ratio Lower Upper
240 100
120 9.5 9.5 14.3#
236 25.0 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 117.514 ng

RT: 13.07 min Scan# 1825

Delta R.T. -0.01 min

Lab File: BF107260.D

Acq: 10 Jul 2018 6:10

Instrument :

BNA_F

ClientSampleId :

070518-TIPC-E-U-M


Tgt Ion:244 Resp: 400924

Ion Ratio Lower Upper




244 100

212 6.4 5.4 8.0

122 8.5 11.0 16.4#



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.68 min Scan# 2269

Delta R.T. -0.04 min

Lab File: BF107260.D

Acq: 10 Jul 2018 6:10


Tgt Ion:264 Resp: 58786

Ion Ratio Lower Upper

264 100

260 23.5 19.2 28.8

265 21.1 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

