

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF071119\
 Data File : BF115507.D
 Acq On : 11 Jul 2019 21:08
 Operator : HP/JU
 Sample : K3751-01
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MANHOLE-TEST-PIT

Quant Time: Jul 12 05:44:53 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF070519.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 10 16:47:05 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.89	152	145608	20.00	ng	0.00
21) Naphthalene-d8	8.17	136	572600	20.00	ng	0.00
39) Acenaphthene-d10	9.93	164	289027	20.00	ng	-0.01
64) Phenanthrene-d10	11.42	188	589483	20.00	ng	0.00
76) Chrysene-d12	14.05	240	459719	20.00	ng	-0.02
87) Perylene-d12	15.53	264	418496	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.52	112	866020	91.89	ng	0.00
7) Phenol-d6	6.52	99	1153041	96.20	ng	0.00
23) Nitrobenzene-d5	7.45	82	697329	71.95	ng	0.00
42) 2,4,6-Tribromophenol	10.72	330	345075	107.98	ng	-0.01
45) 2-Fluorobiphenyl	9.25	172	1236983	75.10	ng	0.00
79) Terphenyl-d14	13.00	244	1542398	68.70	ng	0.00
Target Compounds						
50) Dimethylphthalate	9.64	163	359446	16.569	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF071119\
Data File : BF115507.D
Acq On : 11 Jul 2019 21:08
Operator : HP/JU
Sample : K3751-01
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MANHOLE-TEST-PIT

Quant Time: Jul 12 05:44:53 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF070519.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 10 16:47:05 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.89 min Scan# 817
 Delta R.T. -0.01 min
 Lab File: BF115507.D
 Acq: 11 Jul 2019 21:08

Instrument :
 BNA_F
 ClientSampleId :
 MANHOLE-TEST-PIT

Tot Ion:152 Resp: 145608
 Ion Ratio Lower Upper
 152 100
 150 155.1 127.4 191.2
 115 60.1 46.2 69.4




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 91.892 ng
 RT: 5.52 min Scan# 583
 Delta R.T. 0.00 min
 Lab File: BF115507.D
 Acq: 11 Jul 2019 21:08

Tgt Ion:112 Resp: 866020
 Ion Ratio Lower Upper
 112 100
 64 54.2 44.2 66.2
 63 27.4 22.1 33.1



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF1
 Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 96.201 ng

RT: 6.52 min Scan# 753

Delta R.T. -0.01 min

Lab File: BF115507.D

Acq: 11 Jul 2019 21:08

Instrument :

BNA_F

ClientSampleId :

MANHOLE-TEST-PIT


Tot Ion: 99 Resp: 1153041

Ion Ratio Lower Upper




99 100

42 16.3 12.8 19.2

71 34.3 26.5 39.7



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.17 min Scan# 1035

Delta R.T. -0.01 min

Lab File: BF115507.D

Acq: 11 Jul 2019 21:08

Tgt Ion: 136 Resp: 572600


Ion Ratio Lower Upper

136 100



137 11.4 8.8 13.2


54 6.8 5.4 8.0

68 6.0 4.8 7.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
Nitrobenzene-d5
Concen: 71.953 ng
RT: 7.45 min Scan# 912
Delta R.T. -0.01 min
Lab File: BF115507.D
Acq: 11 Jul 2019 21:08




Instrument :
BNA_F
ClientSampleId :
MANHOLE-TEST-PIT


Tot Ion	Ratio	Lower	Upper
82	100		
128	47.1	36.7	55.1
54	43.5	35.6	53.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.93 min Scan# 1333
Delta R.T. -0.01 min
Lab File: BF115507.D
Acq: 11 Jul 2019 21:08

Tgt Ion	Ratio	Lower	Upper
164	100		
162	100.6	82.3	123.5
160	45.6	37.2	55.8






#42
 2,4,6-Tribromophenol
 Concen: 107.982 ng
 RT: 10.72 min Scan# 1467
 Delta R.T. -0.01 min
 Lab File: BF115507.D
 Acq: 11 Jul 2019 21:08

Instrument :
 BNA_F
 ClientSampleId :
 MANHOLE-TEST-PIT

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.8	77.4	116.0
141	30.2	24.7	37.1






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 75.100 ng
 RT: 9.25 min Scan# 1218
 Delta R.T. -0.01 min
 Lab File: BF115507.D
 Acq: 11 Jul 2019 21:08

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.1	29.8	44.8
170	24.6	20.0	30.0






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#50
Dimethylphthalate
Concen: 16.569 ng
RT: 9.64 min Scan# 1284
Delta R.T. -0.02 min
Lab File: BF115507.D
Acq: 11 Jul 2019 21:08

Instrument :
BNA_F
ClientSampleId :
MANHOLE-TEST-PIT

Tot Ion:163 Resp: 359446
Ion Ratio Lower Upper
163 100
194 4.0 3.1 4.7
164 10.4 8.6 13.0




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.42 min Scan# 1586
Delta R.T. -0.01 min
Lab File: BF115507.D
Acq: 11 Jul 2019 21:08

Tgt Ion:188 Resp: 589483
Ion Ratio Lower Upper
188 100
94 9.3 7.8 11.8
80 9.9 8.4 12.6



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1





#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.05 min Scan# 2034

Delta R.T. -0.02 min

Lab File: BF115507.D

Acq: 11 Jul 2019 21:08

Instrument :

BNA_F

ClientSampleId :

MANHOLE-TEST-PIT


Tot Ion:240 Resp: 459719

Ion Ratio Lower Upper

240 100

120 12.0 10.2 15.4




236 27.2 21.1 31.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 68.696 ng

RT: 13.00 min Scan# 1856

Delta R.T. -0.01 min

Lab File: BF115507.D

Acq: 11 Jul 2019 21:08


Tgt Ion:244 Resp: 1542398

Ion Ratio Lower Upper

244 100

212 6.9 5.7 8.5



122 11.2 9.1 13.7




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.53 min Scan# 2285
 Delta R.T. -0.04 min
 Lab File: BF115507.D
 Acq: 11 Jul 2019 21:08

Instrument :
 BNA_F
 ClientSampleId :
 MANHOLE-TEST-PIT

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.5	20.1	30.1
265	22.1	17.8	26.6

