

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF071218\
 Data File : BF107345.D
 Acq On : 12 Jul 2018 18:01
 Operator : JU/SJ
 Sample : J3828-03 5X
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 EO-01-071018-B

Quant Time: Jul 12 19:08:16 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 11 16:39:37 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.92	152	62355	20.00	ng	0.00
21) Naphthalene-d8	8.21	136	239934	20.00	ng	0.00
38) Acenaphthene-d10	9.98	164	108683	20.00	ng	0.00
63) Phenanthrene-d10	11.47	188	185322	20.00	ng	0.00
75) Chrysene-d12	14.14	240	183989	20.00	ng	0.00
86) Perylene-d12	15.68	264	137417	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.57	112	100057	27.17	ng	0.00
7) Phenol-d6	6.57	99	125766	27.35	ng	0.00
23) Nitrobenzene-d5	7.50	82	74449	17.24	ng	0.00
41) 2,4,6-Tribromophenol	10.78	330	26455	21.00	ng	0.00
44) 2-Fluorobiphenyl	9.29	172	147271	9.90	ng	0.00
78) Terphenyl-d14	13.06	244	142682	18.78	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	9.68	163	30446	3.735	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF071218\
Data File : BF107345.D
Acq On : 12 Jul 2018 18:01
Operator : JU/SJ
Sample : J3828-03 5X
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
EO-01-071018-B

Quant Time: Jul 12 19:08:16 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 11 16:39:37 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.92 min Scan# 780
Delta R.T. -0.01 min
Lab File: BF107345.D
Acq: 12 Jul 2018 18:01

Instrument :
BNA_F
ClientSampleId :
EO-01-071018-B

Tot Ion:152 Resp: 62355
Ion Ratio Lower Upper
152 100
150 157.0 124.6 186.8
115 61.0 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 27.172 ng
RT: 5.57 min Scan# 549
Delta R.T. 0.00 min
Lab File: BF107345.D
Acq: 12 Jul 2018 18:01

Tgt Ion:112 Resp: 100057
Ion Ratio Lower Upper
112 100
64 61.0 47.9 71.9
63 27.7 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 27.349 ng

RT: 6.57 min Scan# 720

Delta R.T. -0.01 min

Lab File: BF107345.D

Acq: 12 Jul 2018 18:01

Instrument :

BNA_F

ClientSampleId :

EO-01-071018-B





Tot Ion: 99 Resp: 125766

Ion Ratio Lower Upper

99 100

42 17.0 14.5 21.7

71 32.5 25.4 38.0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.21 min Scan# 999

Delta R.T. -0.01 min

Lab File: BF107345.D

Acq: 12 Jul 2018 18:01

Tgt Ion: 136 Resp: 239934




Ion Ratio Lower Upper

136 100

137 10.6 8.9 13.3

54 7.7 6.6 9.8

68 6.5 5.0 7.4








#23
 Nitrobenzene-d5
 Concen: 17.244 ng
 RT: 7.50 min Scan# 877
 Delta R.T. -0.01 min
 Lab File: BF107345.D
 Acq: 12 Jul 2018 18:01

Instrument :
 BNA_F
 ClientSampleId :
 EO-01-071018-B

Tot Ion: 82 Resp: 74449
 Ion Ratio Lower Upper
 82 100
 128 44.8 36.1 54.1
 54 47.0 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1





#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.98 min Scan# 1299
 Delta R.T. -0.01 min
 Lab File: BF107345.D
 Acq: 12 Jul 2018 18:01

Tgt Ion:164 Resp: 108683
 Ion Ratio Lower Upper
 164 100
 162 96.5 86.1 129.1
 160 44.5 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): BF1
 Ion 162.00 (161.70 to 162.70): BF1
 Ion 160.00 (159.70 to 160.70): BF1








#41
 2,4,6-Tribromophenol
 Concen: 21.002 ng
 RT: 10.78 min Scan# 1435
 Delta R.T. -0.01 min
 Lab File: BF107345.D
 Acq: 12 Jul 2018 18:01

Instrument :
 BNA_F
 ClientSampleId :
 EO-01-071018-B

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.6	77.0	115.6
141	26.5	29.9	44.9#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 9.903 ng
 RT: 9.29 min Scan# 1182
 Delta R.T. -0.01 min
 Lab File: BF107345.D
 Acq: 12 Jul 2018 18:01

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.0	29.7	44.5
170	22.9	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 3.735 ng

RT: 9.68 min Scan# 1249

Delta R.T. -0.01 min

Lab File: BF107345.D

Acq: 12 Jul 2018 18:01

Instrument :

BNA_F

ClientSampleId :

EO-01-071018-B


Tot Ion:163 Resp: 30446

Ion Ratio Lower Upper

163 100

194 4.0 2.7 4.1



164 10.8 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.47 min Scan# 1553

Delta R.T. -0.01 min

Lab File: BF107345.D

Acq: 12 Jul 2018 18:01


Tgt Ion:188 Resp: 185322

Ion Ratio Lower Upper

188 100

94 9.6 8.5 12.7



80 9.9 9.2 13.8




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.14 min Scan# 2006

Delta R.T. -0.01 min

Lab File: BF107345.D

Acq: 12 Jul 2018 18:01

Instrument :

BNA_F

ClientSampleId :

EO-01-071018-B


Tot Ion:240 Resp: 183989

Ion Ratio Lower Upper

240 100

120 8.9 9.5 14.3#



236 26.1 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 18.785 ng

RT: 13.06 min Scan# 1823

Delta R.T. -0.01 min

Lab File: BF107345.D

Acq: 12 Jul 2018 18:01


Tgt Ion:244 Resp: 142682

Ion Ratio Lower Upper

244 100

212 5.7 5.4 8.0



122 7.9 11.0 16.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.68 min Scan# 2268
Delta R.T. 0.00 min
Lab File: BF107345.D
Acq: 12 Jul 2018 18:01

Instrument :
BNA_F
ClientSampleId :
EO-01-071018-B

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.9	19.2	28.8
265	22.3	17.5	26.3



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

