

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071224\
 Data File : BF138544.D
 Acq On : 12 Jul 2024 13:56
 Operator : CG\JU
 Sample : PB161988BS
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB161988BS

Quant Time: Jul 12 14:49:08 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF070924.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 09 16:58:40 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.869	152	134752	20.000	ng	0.00
21) Naphthalene-d8	8.151	136	564116	20.000	ng	0.00
39) Acenaphthene-d10	9.904	164	318857	20.000	ng	0.00
64) Phenanthrene-d10	11.392	188	551470	20.000	ng	0.00
76) Chrysene-d12	14.027	240	258149	20.000	ng	0.00
86) Perylene-d12	15.492	264	252487	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.510	112	1045301	122.855	ng	0.02
7) Phenol-d6	6.516	99	1366241	120.707	ng	0.01
23) Nitrobenzene-d5	7.439	82	910285	79.226	ng	0.00
42) 2,4,6-Tribromophenol	10.704	330	364618	122.354	ng	0.01
45) 2-Fluorobiphenyl	9.227	172	1584892	77.685	ng	0.00
79) Terphenyl-d14	12.974	244	1518382	95.822	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.757	88	117485	31.177	ng	98
3) Pyridine	3.504	79	289907	31.196	ng	99
4) n-Nitrosodimethylamine	3.469	42	249619	41.263	ng	91
6) Aniline	6.533	93	283564	26.747	ng	# 76
8) 2-Chlorophenol	6.657	128	417644	46.422	ng	98
9) Benzaldehyde	6.416	77	97323	16.064	ng	96
10) Phenol	6.528	94	510394	42.483	ng	96
11) bis(2-Chloroethyl)ether	6.610	93	399631	44.180	ng	97
12) 1,3-Dichlorobenzene	6.810	146	407521	40.298	ng	98
13) 1,4-Dichlorobenzene	6.886	146	414434	40.357	ng	99
14) 1,2-Dichlorobenzene	7.039	146	402560	42.089	ng	98
15) Benzyl Alcohol	7.016	79	391807	46.126	ng	98
16) 2,2'-oxybis(1-Chloropr...	7.139	45	727190	40.881	ng	93
17) 2-Methylphenol	7.128	107	324030	43.946	ng	# 94
18) Hexachloroethane	7.375	117	156884	41.556	ng	95
19) n-Nitroso-di-n-propyla...	7.292	70	308343	44.088	ng	93
20) 3+4-Methylphenols	7.281	107	400014	43.082	ng	# 85
22) Acetophenone	7.281	105	566125	41.321	ng	# 94
24) Nitrobenzene	7.457	77	467131	40.008	ng	96
25) Isophorone	7.692	82	848360	42.996	ng	100
26) 2-Nitrophenol	7.769	139	223302	44.621	ng	98
27) 2,4-Dimethylphenol	7.804	122	288031	46.829	ng	99
28) bis(2-Chloroethoxy)met...	7.898	93	498745	42.295	ng	99
29) 2,4-Dichlorophenol	8.010	162	345831	43.298	ng	99
30) 1,2,4-Trichlorobenzene	8.092	180	380405	40.884	ng	100
31) Naphthalene	8.175	128	1197548	40.818	ng	100
32) Benzoic acid	7.963	122	257700	43.929	ng	97
33) 4-Chloroaniline	8.222	127	236207	22.946	ng	98
34) Hexachlorobutadiene	8.286	225	226304	39.497	ng	98
35) Caprolactam	8.616	113	66458	25.785	ng	97
36) 4-Chloro-3-methylphenol	8.716	107	380042	42.502	ng	96
37) 2-Methylnaphthalene	8.863	142	774224	41.007	ng	100
38) 1-Methylnaphthalene	8.963	142	715645	38.839	ng	100
40) 1,2,4,5-Tetrachloroben...	9.027	216	363392	40.892	ng	99
41) Hexachlorocyclopentadiene	9.016	237	305523	105.920	ng	100
43) 2,4,6-Trichlorophenol	9.145	196	237920	41.971	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071224\
 Data File : BF138544.D
 Acq On : 12 Jul 2024 13:56
 Operator : CG\JU
 Sample : PB161988BS
 Misc :
 ALS Vial : 6 Sample Multiplier: 1


Instrument :
 BNA_F
 ClientSampleId :
 PB161988BS


Quant Time: Jul 12 14:49:08 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF070924.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 09 16:58:40 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.198	196	252080	40.431	ng	95
46) 1,1'-Biphenyl	9.327	154	980568	40.579	ng	99
47) 2-Chloronaphthalene	9.357	162	735043	40.265	ng	99
48) 2-Nitroaniline	9.457	65	269408	42.588	ng	97
49) Acenaphthylene	9.769	152	1137650	43.894	ng	100
50) Dimethylphthalate	9.633	163	899088	43.607	ng	100
51) 2,6-Dinitrotoluene	9.698	165	197070	41.513	ng	95
52) Acenaphthene	9.945	154	692066	40.170	ng	99
53) 3-Nitroaniline	9.863	138	136594	28.074	ng	92
54) 2,4-Dinitrophenol	9.974	184	220368	86.115	ng	96
55) Dibenzofuran	10.116	168	1019786	40.809	ng	99
56) 4-Nitrophenol	10.039	139	295232	82.235	ng	99
57) 2,4-Dinitrotoluene	10.104	165	255225	41.552	ng	# 98
58) Fluorene	10.457	166	802576	40.590	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.233	232	214915	43.677	ng	98
60) Diethylphthalate	10.333	149	850980	42.813	ng	99
61) 4-Chlorophenyl-phenyle...	10.445	204	405536	40.845	ng	94
62) 4-Nitroaniline	10.486	138	188452	38.651	ng	99
63) Azobenzene	10.610	77	900431	42.136	ng	97
65) 4,6-Dinitro-2-methylph...	10.510	198	153756	48.287	ng	80
66) n-Nitrosodiphenylamine	10.569	169	705739	42.714	ng	99
67) 4-Bromophenyl-phenylether	10.939	248	240649	42.457	ng	93
68) Hexachlorobenzene	11.004	284	262744	41.727	ng	93
69) Atrazine	11.098	200	207132	37.812	ng	98
70) Pentachlorophenol	11.198	266	306858	82.356	ng	97
71) Phenanthrene	11.421	178	1165084	41.818	ng	99
72) Anthracene	11.468	178	1172577	42.398	ng	98
73) Carbazole	11.627	167	1001939	40.313	ng	99
74) Di-n-butylphthalate	11.951	149	1268550	44.280	ng	99
75) Fluoranthene	12.604	202	1104322	38.845	ng	99
77) Benzidine	12.721	184	68967	10.589	ng	98
78) Pyrene	12.833	202	1101743	42.042	ng	100
80) Butylbenzylphthalate	13.445	149	393792	49.954	ng	99
81) Benzo(a)anthracene	14.015	228	740945	42.775	ng	99
82) 3,3'-Dichlorobenzidine	13.980	252	182724	40.938	ng	98
83) Chrysene	14.057	228	709492	43.297	ng	99
84) Bis(2-ethylhexyl)phtha...	13.998	149	484321	57.606	ng	99
85) Di-n-octyl phthalate	14.609	149	777101	58.509	ng	99
87) Indeno(1,2,3-cd)pyrene	16.974	276	776407	45.780	ng	100
88) Benzo(b)fluoranthene	15.062	252	670383	47.146	ng	99
89) Benzo(k)fluoranthene	15.098	252	611393	44.087	ng	99
90) Benzo(a)pyrene	15.433	252	596900	47.786	ng	99
91) Dibenzo(a,h)anthracene	16.992	278	636540	45.883	ng	99
92) Benzo(g,h,i)perylene	17.421	276	602792	40.976	ng	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Jul 12 14:49:08 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF070924.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 09 16:58:40 2024
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.869 min Scan# 81
 Delta R.T. -0.000 min
 Lab File: BF138544.D
 Acq: 12 Jul 2024 13:56




Instrument :
 BNA_F
 ClientSampleId :
 PB161988BS


Tgt Ion:152 Resp: 134752
 Ion Ratio Lower Upper
 152 100
 150 158.4 126.2 189.4
 115 62.2 50.3 75.5



#2
 1,4-Dioxane
 Concen: 31.177 ng
 RT: 2.757 min Scan# 114
 Delta R.T. 0.123 min
 Lab File: BF138544.D
 Acq: 12 Jul 2024 13:56

Tgt Ion: 88 Resp: 117485
 Ion Ratio Lower Upper
 88 100
 58 91.7 74.6 112.0
 43 37.4 31.8 47.6





#3

Pyridine

Concen: 31.196 ng

RT: 3.504 min Scan# 241

Delta R.T. 0.112 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56

Instrument :

BNA_F

ClientSampleId :

PB161988BS





Tgt Ion: 79 Resp: 289907

Ion Ratio Lower Upper

79 100

52 96.5 77.4 116.2

51 47.4 37.4 56.0



#4

n-Nitrosodimethylamine

Concen: 41.263 ng

RT: 3.469 min Scan# 235

Delta R.T. 0.118 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56




Tgt Ion: 42 Resp: 249619


Ion Ratio Lower Upper

42 100

74 103.2 75.0 112.6

44 6.9 5.4 8.2









#5
2-Fluorophenol
Concen: 122.855 ng
RT: 5.510 min Scan# 51
Delta R.T. 0.018 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56




Instrument :
BNA_F
ClientSampleId :
PB161988BS


Tgt Ion:112 Resp: 1045301
Ion Ratio Lower Upper
112 100
64 70.7 55.1 82.7
63 37.8 29.0 43.6



#6
Aniline
Concen: 26.747 ng
RT: 6.533 min Scan# 756
Delta R.T. -0.000 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Tgt Ion: 93 Resp: 283564
Ion Ratio Lower Upper
93 100
66 60.1 35.4 53.0#
65 34.1 18.6 27.8#









#7
Phenol-d6
Concen: 120.707 ng
RT: 6.516 min Scan# 751
Delta R.T. 0.012 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56




Instrument :
BNA_F
ClientSampleId :
PB161988BS


Tgt Ion: 99 Resp: 1366241
Ion Ratio Lower Upper
99 100
42 24.0 19.7 29.5
71 37.4 29.9 44.9



#8
2-Chlorophenol
Concen: 46.422 ng
RT: 6.657 min Scan# 777
Delta R.T. -0.000 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Tgt Ion: 128 Resp: 417644
Ion Ratio Lower Upper
128 100
130 32.8 12.1 52.1
64 55.9 34.4 74.4









#9
Benzaldehyde
Concen: 16.064 ng
RT: 6.416 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56




Instrument :
BNA_F
ClientSampleId :
PB161988BS


Tgt Ion: 77 Resp: 97323
Ion Ratio Lower Upper
77 100
105 93.9 75.1 115.1
106 86.6 73.2 113.2



#10
Phenol
Concen: 42.483 ng
RT: 6.528 min Scan# 755
Delta R.T. 0.006 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Tgt Ion: 94 Resp: 510394
Ion Ratio Lower Upper
94 100
65 37.3 16.7 56.7
66 55.7 31.2 71.2









#11
bis(2-Chloroethyl)ether
Concen: 44.180 ng
RT: 6.610 min Scan# 768
Delta R.T. 0.006 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56




Instrument :
BNA_F
ClientSampleId :
PB161988BS


Tgt Ion: 93 Resp: 399631
Ion Ratio Lower Upper
93 100
63 85.8 68.8 108.8
95 32.5 11.8 51.8



#12
1,3-Dichlorobenzene
Concen: 40.298 ng
RT: 6.810 min Scan# 803
Delta R.T. -0.000 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Tgt Ion:146 Resp: 407521
Ion Ratio Lower Upper
146 100
148 64.0 52.4 78.6
75 34.3 27.8 41.8









#13
1,4-Dichlorobenzene
Concen: 40.357 ng
RT: 6.886 min Scan# 816
Delta R.T. -0.000 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56




Instrument :
BNA_F
ClientSampleId :
PB161988BS


Tgt Ion:146 Resp: 414434
Ion Ratio Lower Upper
146 100
148 63.0 51.6 77.4
111 43.8 34.9 52.3



#14
1,2-Dichlorobenzene
Concen: 42.089 ng
RT: 7.039 min Scan# 842
Delta R.T. -0.000 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Tgt Ion:146 Resp: 402560
Ion Ratio Lower Upper
146 100
148 64.7 50.1 75.1
111 44.1 35.5 53.3









#15
Benzyl Alcohol
Concen: 46.126 ng
RT: 7.016 min Scan# 811
Delta R.T. 0.006 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56




Instrument :
BNA_F
ClientSampleId :
PB161988BS


Tgt Ion: 79 Resp: 391807
Ion Ratio Lower Upper
79 100
108 70.7 54.3 81.5
77 61.7 50.0 75.0



#16
2,2'-oxybis(1-Chloropropane)
Concen: 40.881 ng
RT: 7.139 min Scan# 859
Delta R.T. -0.006 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Tgt Ion: 45 Resp: 727190
Ion Ratio Lower Upper
45 100
77 13.3 0.0 30.4
79 10.2 0.0 28.1









#17
2-Methylphenol
Concen: 43.946 ng
RT: 7.128 min Scan# 811
Delta R.T. -0.000 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56




Instrument :
BNA_F
ClientSampleId :
PB161988BS


Tgt Ion:107 Resp: 324030
Ion Ratio Lower Upper
107 100
108 111.2 89.0 133.4
77 61.1 40.3 60.5#
79 58.1 40.2 60.4



#18
Hexachloroethane
Concen: 41.556 ng
RT: 7.375 min Scan# 899
Delta R.T. -0.006 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Tgt Ion:117 Resp: 156884
Ion Ratio Lower Upper
117 100
119 94.5 76.6 114.8
201 94.0 81.4 122.0





#19

n-Nitroso-di-n-propylamine

Concen: 44.088 ng

RT: 7.292 min Scan# 885

Delta R.T. 0.012 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56

Instrument :

BNA_F

ClientSampleId :

PB161988BS

Tgt Ion: 70 Resp: 308343





Ion Ratio Lower Upper

70 100

42 70.7 62.4 93.6

101 9.9 7.2 10.8

130 21.5 15.7 23.5



#20

3+4-Methylphenols

Concen: 43.082 ng

RT: 7.281 min Scan# 883

Delta R.T. -0.000 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56

Tgt Ion: 107 Resp: 400014




Ion Ratio Lower Upper


107 100

108 88.6 73.7 113.7

77 116.3 126.0 166.0#

79 32.5 15.4 55.4









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.151 min Scan# 1031
Delta R.T. -0.000 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56




Instrument :
BNA_F
ClientSampleId :
PB161988BS


Tgt Ion:	136	Resp:	564116
Ion Ratio	Lower	Upper	
136	100		
137	11.0	8.5	12.7
54	10.9	8.1	12.1
68	6.2	4.7	7.1



#22
Acetophenone
Concen: 41.321 ng
RT: 7.281 min Scan# 883
Delta R.T. -0.000 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Tgt Ion:	105	Resp:	566125
Ion Ratio	Lower	Upper	
105	100		
71	6.4	7.4	11.2#
51	53.1	38.7	58.1
120	21.4	18.2	27.2









#23
Nitrobenzene-d5
Concen: 79.226 ng
RT: 7.439 min Scan# 910
Delta R.T. 0.006 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56




Instrument :
BNA_F
ClientSampleId :
PB161988BS


Tgt Ion: 82 Resp: 910285
Ion Ratio Lower Upper
82 100
128 42.5 32.3 48.5
54 61.6 51.4 77.0



#24
Nitrobenzene
Concen: 40.008 ng
RT: 7.457 min Scan# 913
Delta R.T. 0.006 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Tgt Ion: 77 Resp: 467131
Ion Ratio Lower Upper
77 100
123 43.8 32.4 48.6
65 15.1 11.8 17.8









#25
Isophorone
Concen: 42.996 ng
RT: 7.692 min Scan# 91
Delta R.T. 0.006 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56




Instrument :
BNA_F
ClientSampleId :
PB161988BS


Tgt Ion: 82 Resp: 848360
Ion Ratio Lower Upper
82 100
95 7.6 6.0 9.0
138 16.1 12.8 19.2



#26
2-Nitrophenol
Concen: 44.621 ng
RT: 7.769 min Scan# 966
Delta R.T. -0.000 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Tgt Ion:139 Resp: 223302
Ion Ratio Lower Upper
139 100
109 32.0 24.8 37.2
65 57.6 45.1 67.7









#27
2,4-Dimethylphenol
Concen: 46.829 ng
RT: 7.804 min Scan# 91
Delta R.T. -0.000 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56




Instrument :
BNA_F
ClientSampleId :
PB161988BS


Tgt Ion:122 Resp: 288031
Ion Ratio Lower Upper
122 100
107 118.9 96.3 144.5
121 57.5 46.7 70.1



#28
bis(2-Chloroethoxy)methane
Concen: 42.295 ng
RT: 7.898 min Scan# 988
Delta R.T. -0.000 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Tgt Ion: 93 Resp: 498745
Ion Ratio Lower Upper
93 100
95 33.3 27.0 40.6
123 11.1 9.1 13.7





#29

2,4-Dichlorophenol

Concen: 43.298 ng

RT: 8.010 min Scan# 1007

Delta R.T. -0.000 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56

Instrument :

BNA_F

ClientSampleId :

PB161988BS





Tgt Ion:162 Resp: 345831

Ion Ratio Lower Upper

162 100

164 62.9 42.6 82.6

98 42.0 20.1 60.1



#30

1,2,4-Trichlorobenzene

Concen: 40.884 ng

RT: 8.092 min Scan# 1021

Delta R.T. -0.000 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56




Tgt Ion:180 Resp: 380405


Ion Ratio Lower Upper

180 100

182 96.0 76.9 115.3

145 29.8 23.9 35.9





#31

Naphthalene

Concen: 40.818 ng

RT: 8.175 min Scan# 1

Delta R.T. -0.000 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56

Instrument :

BNA_F

ClientSampleId :

PB161988BS





Tgt Ion:128 Resp: 1197548

Ion Ratio Lower Upper

128 100

129 10.8 8.6 13.0

127 13.4 10.7 16.1



#32

Benzoic acid

Concen: 43.929 ng

RT: 7.963 min Scan# 999

Delta R.T. 0.035 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56




Tgt Ion:122 Resp: 257700


Ion Ratio Lower Upper

122 100

105 125.8 101.5 141.5

77 100.2 77.3 117.3









#33
4-Chloroaniline
Concen: 22.946 ng
RT: 8.222 min Scan# 1043
Delta R.T. -0.000 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56




Instrument :
BNA_F
ClientSampleId :
PB161988BS


Tgt Ion:	127	Resp:	236207
Ion	Ratio	Lower	Upper
127	100		
129	32.2	25.6	38.4
65	34.3	29.6	44.4
92	21.5	17.4	26.0



#34
Hexachlorobutadiene
Concen: 39.497 ng
RT: 8.286 min Scan# 1054
Delta R.T. -0.000 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Tgt Ion:	225	Resp:	226304
Ion	Ratio	Lower	Upper
225	100		
223	61.3	50.0	75.0
227	65.5	51.0	76.6









#35
 Caprolactam
 Concen: 25.785 ng
 RT: 8.616 min Scan# 1110
 Delta R.T. 0.018 min
 Lab File: BF138544.D
 Acq: 12 Jul 2024 13:56




Instrument :
 BNA_F
 ClientSampleId :
 PB161988BS


Tgt Ion:113 Resp: 66458
 Ion Ratio Lower Upper
 113 100
 55 210.7 192.5 232.5
 56 158.6 145.3 185.3



#36
 4-Chloro-3-methylphenol
 Concen: 42.502 ng
 RT: 8.716 min Scan# 1127
 Delta R.T. 0.012 min
 Lab File: BF138544.D
 Acq: 12 Jul 2024 13:56

Tgt Ion:107 Resp: 380042
 Ion Ratio Lower Upper
 107 100
 144 24.8 18.6 27.8
 142 76.3 58.6 88.0





#37

2-Methylnaphthalene

Concen: 41.007 ng

RT: 8.863 min Scan# 1152

Delta R.T. -0.000 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56

Instrument :

BNA_F

ClientSampleId :





PB161988BS

Tgt Ion:142 Resp: 774224

Ion Ratio Lower Upper

142 100

141 88.8 71.4 107.0



#38

1-Methylnaphthalene

Concen: 38.839 ng

RT: 8.963 min Scan# 1169

Delta R.T. -0.000 min

Lab File: BF138544.D




Acq: 12 Jul 2024 13:56


Tgt Ion:142 Resp: 715645

Ion Ratio Lower Upper

142 100

141 91.2 72.6 108.8









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.904 min Scan# 1180
Delta R.T. -0.000 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56




Instrument :
BNA_F
ClientSampleId :
PB161988BS


Tgt Ion:164 Resp: 318857
Ion Ratio Lower Upper
164 100
162 101.0 79.0 118.6
160 45.1 34.4 51.6



#40
1,2,4,5-Tetrachlorobenzene
Concen: 40.892 ng
RT: 9.027 min Scan# 1180
Delta R.T. -0.000 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Tgt Ion:216 Resp: 363392
Ion Ratio Lower Upper
216 100
214 79.2 62.8 94.2
179 22.9 17.7 26.5
108 21.1 15.5 23.3









#41
Hexachlorocyclopentadiene
Concen: 105.920 ng
RT: 9.016 min Scan# 1178
Delta R.T. 0.006 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56




Instrument :
BNA_F
ClientSampleId :
PB161988BS


Tgt Ion:237 Resp: 305523
Ion Ratio Lower Upper
237 100
235 63.4 43.3 83.3
272 12.8 0.0 32.3



#42
2,4,6-Tribromophenol
Concen: 122.354 ng
RT: 10.704 min Scan# 1465
Delta R.T. 0.012 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Tgt Ion:330 Resp: 364618
Ion Ratio Lower Upper
330 100
332 96.7 76.8 115.2
141 35.2 29.4 44.2





#43

2,4,6-Trichlorophenol

Concen: 41.971 ng

RT: 9.145 min Scan# 1199

Delta R.T. 0.006 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56

Instrument :

BNA_F

ClientSampleId :

PB161988BS





Tgt Ion:196 Resp: 237920

Ion Ratio Lower Upper

196 100

198 103.4 82.3 123.5

200 33.5 25.8 38.6



#44

2,4,5-Trichlorophenol

Concen: 40.431 ng

RT: 9.198 min Scan# 1209

Delta R.T. 0.012 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56

Tgt Ion:196 Resp: 252080




Ion Ratio Lower Upper


196 100

198 100.1 82.8 124.2

97 58.4 41.0 61.4

132 30.5 22.7 34.1





#45

2-Fluorobiphenyl

Concen: 77.685 ng

RT: 9.227 min Scan# 1214

Delta R.T. -0.000 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56

Instrument :

BNA_F

ClientSampleId :

PB161988BS





Tgt Ion:172 Resp: 1584892

Ion Ratio Lower Upper

172 100

171 36.7 28.9 43.3

170 24.1 18.9 28.3



#46

1,1'-Biphenyl

Concen: 40.579 ng

RT: 9.327 min Scan# 1231

Delta R.T. -0.000 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56




Tgt Ion:154 Resp: 980568


Ion Ratio Lower Upper

154 100

153 40.9 20.7 60.7

76 13.6 0.0 32.2





#47

2-Chloronaphthalene

Concen: 40.265 ng

RT: 9.357 min Scan# 11

Delta R.T. 0.006 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56

Instrument :

BNA_F

ClientSampleId :

PB161988BS





Tgt Ion:162 Resp: 735043

Ion Ratio Lower Upper

162 100

127 42.8 34.8 52.2

164 32.8 25.6 38.4



#48

2-Nitroaniline

Concen: 42.588 ng

RT: 9.457 min Scan# 1253

Delta R.T. 0.006 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56




Tgt Ion: 65 Resp: 269408


Ion Ratio Lower Upper

65 100

92 67.7 52.6 78.8

138 102.1 78.6 118.0









#49
Acenaphthylene
Concen: 43.894 ng
RT: 9.769 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56




Instrument :
BNA_F
ClientSampleId :
PB161988BS


Tgt Ion:152 Resp: 1137650
Ion Ratio Lower Upper
152 100
151 20.5 16.3 24.5
153 14.2 11.3 16.9



#50
Dimethylphthalate
Concen: 43.607 ng
RT: 9.633 min Scan# 1283
Delta R.T. 0.006 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Tgt Ion:163 Resp: 899088
Ion Ratio Lower Upper
163 100
194 4.0 3.0 4.6
164 10.0 8.1 12.1









#51
2,6-Dinitrotoluene
Concen: 41.513 ng
RT: 9.698 min Scan# 1293
Delta R.T. 0.006 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56




Instrument :
BNA_F
ClientSampleId :
PB161988BS


Tgt Ion:165 Resp: 197070
Ion Ratio Lower Upper
165 100
63 62.9 48.1 72.1
89 58.4 43.0 64.6



#52
Acenaphthene
Concen: 40.170 ng
RT: 9.945 min Scan# 1336
Delta R.T. 0.006 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Tgt Ion:154 Resp: 692066
Ion Ratio Lower Upper
154 100
153 112.4 90.4 135.6
152 51.1 41.1 61.7









#53
3-Nitroaniline
Concen: 28.074 ng
RT: 9.863 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56




Instrument :
BNA_F
ClientSampleId :
PB161988BS


Tgt Ion:138 Resp: 136594
Ion Ratio Lower Upper
138 100
108 11.9 8.3 12.5
92 125.1 92.6 138.8



#54
2,4-Dinitrophenol
Concen: 86.115 ng
RT: 9.974 min Scan# 1341
Delta R.T. 0.011 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Tgt Ion:184 Resp: 220368
Ion Ratio Lower Upper
184 100
63 84.9 70.6 106.0
154 70.3 53.8 80.6









#55
Dibenzofuran
Concen: 40.809 ng
RT: 10.116 min Scan# 11
Delta R.T. 0.006 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56




Instrument :
BNA_F
ClientSampleId :
PB161988BS


Tgt Ion:168 Resp: 1019786
Ion Ratio Lower Upper
168 100
139 40.0 32.4 48.6
169 13.1 10.9 16.3



#56
4-Nitrophenol
Concen: 82.235 ng
RT: 10.039 min Scan# 1352
Delta R.T. 0.018 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Tgt Ion:139 Resp: 295232
Ion Ratio Lower Upper
139 100
109 78.1 58.1 98.1
65 119.1 96.9 136.9









#57
2,4-Dinitrotoluene
Concen: 41.552 ng
RT: 10.104 min Scan# 11
Delta R.T. 0.012 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56




Instrument :
BNA_F
ClientSampleId :
PB161988BS


Tgt Ion:165 Resp: 255225
Ion Ratio Lower Upper
165 100
63 56.1 44.6 66.8
89 77.0 63.4 95.2
182 2.5 2.6 3.8#



#58
Fluorene
Concen: 40.590 ng
RT: 10.457 min Scan# 1423
Delta R.T. 0.006 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Tgt Ion:166 Resp: 802576
Ion Ratio Lower Upper
166 100
165 97.4 79.1 118.7
167 13.6 11.0 16.6









#59
2,3,4,6-Tetrachlorophenol
Concen: 43.677 ng
RT: 10.233 min Scan# 11
Delta R.T. 0.006 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56




Instrument :
BNA_F
ClientSampleId :
PB161988BS


Tgt Ion:232 Resp: 214915
Ion Ratio Lower Upper
232 100
131 48.7 37.5 56.3
130 2.5 2.0 3.0
166 30.7 25.3 37.9



#60
Diethylphthalate
Concen: 42.813 ng
RT: 10.333 min Scan# 1402
Delta R.T. 0.012 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Tgt Ion:149 Resp: 850980
Ion Ratio Lower Upper
149 100
177 23.4 18.5 27.7
150 12.7 10.3 15.5









#61
4-Chlorophenyl-phenylether
Concen: 40.845 ng
RT: 10.445 min Scan# 1421
Delta R.T. -0.000 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56




Instrument :
BNA_F
ClientSampleId :
PB161988BS


Tgt Ion:204 Resp: 405536
Ion Ratio Lower Upper
204 100
206 32.7 25.6 38.4
141 65.5 47.7 71.5



#62
4-Nitroaniline
Concen: 38.651 ng
RT: 10.486 min Scan# 1428
Delta R.T. 0.012 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Tgt Ion:138 Resp: 188452
Ion Ratio Lower Upper
138 100
92 53.3 35.8 75.8
108 79.8 59.8 99.8





#63

Azobenzene

Concen: 42.136 ng

RT: 10.610 min Scan# 1448

Delta R.T. 0.006 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56

Instrument :

BNA_F

ClientSampleId :

PB161988BS

Tgt Ion: 77 Resp: 900431





Ion Ratio Lower Upper

77 100

182 26.0 3.8 43.8

105 20.3 0.0 39.8

51 35.3 17.3 57.3



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.392 min Scan# 1582

Delta R.T. 0.006 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56




Tgt Ion: 188 Resp: 551470


Ion Ratio Lower Upper

188 100

94 9.1 8.7 13.1

80 10.2 9.0 13.4









#65
4,6-Dinitro-2-methylphenol
Concen: 48.287 ng
RT: 10.510 min Scan# 1432
Delta R.T. 0.006 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56




Instrument :
BNA_F
ClientSampleId :
PB161988BS


Tgt Ion:198 Resp: 153756
Ion Ratio Lower Upper
198 100
51 63.8 27.2 67.2
105 46.5 18.5 58.5



#66
n-Nitrosodiphenylamine
Concen: 42.714 ng
RT: 10.569 min Scan# 1442
Delta R.T. 0.006 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Tgt Ion:169 Resp: 705739
Ion Ratio Lower Upper
169 100
168 65.5 51.7 77.5
167 36.8 28.5 42.7









#67
4-Bromophenyl-phenylether
Concen: 42.457 ng
RT: 10.939 min Scan# 1505
Delta R.T. 0.006 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56




Instrument :
BNA_F
ClientSampleId :
PB161988BS


Tgt Ion:248 Resp: 240649
Ion Ratio Lower Upper
248 100
250 97.1 77.9 116.9
141 71.9 67.7 101.5



#68
Hexachlorobenzene
Concen: 41.727 ng
RT: 11.004 min Scan# 1516
Delta R.T. 0.006 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Tgt Ion:284 Resp: 262744
Ion Ratio Lower Upper
284 100
142 31.3 30.5 45.7
249 31.1 25.9 38.9





#69

Atrazine

Concen: 37.812 ng

RT: 11.098 min Scan# 1

Delta R.T. 0.006 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56

Instrument :

BNA_F

ClientSampleId :

PB161988BS





Tgt Ion:200 Resp: 207132

Ion Ratio Lower Upper

200 100

173 25.0 4.1 44.1

215 48.1 26.5 66.5



#70

Pentachlorophenol

Concen: 82.356 ng

RT: 11.198 min Scan# 1549

Delta R.T. 0.006 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56




Tgt Ion:266 Resp: 306858


Ion Ratio Lower Upper

266 100

268 62.2 50.9 76.3

264 64.0 53.5 80.3









#71
Phenanthrene
Concen: 41.818 ng
RT: 11.421 min Scan# 11
Delta R.T. 0.006 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56




Instrument :
BNA_F
ClientSampleId :
PB161988BS


Tgt Ion:178 Resp: 1165084
Ion Ratio Lower Upper
178 100
176 19.3 15.7 23.5
179 15.0 12.2 18.2



#72
Anthracene
Concen: 42.398 ng
RT: 11.468 min Scan# 1595
Delta R.T. -0.000 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Tgt Ion:178 Resp: 1172577
Ion Ratio Lower Upper
178 100
176 19.2 14.8 22.2
179 16.1 12.2 18.4





#73

Carbazole

Concen: 40.313 ng

RT: 11.627 min Scan# 1

Delta R.T. 0.006 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56

Instrument :

BNA_F

ClientSampleId :

PB161988BS





Tgt Ion:167 Resp: 1001939

Ion Ratio Lower Upper

167 100

166 21.7 17.8 26.6

139 13.6 11.0 16.4



#74

Di-n-butylphthalate

Concen: 44.280 ng

RT: 11.951 min Scan# 1677

Delta R.T. 0.006 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56




Tgt Ion:149 Resp: 1268550


Ion Ratio Lower Upper

149 100

150 9.1 7.4 11.0

104 4.9 4.4 6.6









#75
Fluoranthene
Concen: 38.845 ng
RT: 12.604 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56




Instrument :
BNA_F
ClientSampleId :
PB161988BS


Tgt Ion:202 Resp: 1104322
Ion Ratio Lower Upper
202 100
101 10.5 0.0 29.2
203 17.4 0.0 37.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.027 min Scan# 2030
Delta R.T. -0.000 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Tgt Ion:240 Resp: 258149
Ion Ratio Lower Upper
240 100
120 11.7 8.6 12.8
236 26.0 21.0 31.6





#77

Benzidine

Concen: 10.589 ng

RT: 12.721 min Scan# 1808

Delta R.T. 0.000 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56

Instrument :

BNA_F

ClientSampleId :

PB161988BS





Tgt Ion:184 Resp: 68967

Ion Ratio Lower Upper

184 100

185 14.7 11.3 16.9

183 11.3 9.5 14.3



#78

Pyrene

Concen: 42.042 ng

RT: 12.833 min Scan# 1827

Delta R.T. -0.000 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56




Tgt Ion:202 Resp: 1101743


Ion Ratio Lower Upper

202 100

200 21.3 17.0 25.6

203 17.5 13.7 20.5





#79

Terphenyl-d14

Concen: 95.822 ng

RT: 12.974 min Scan# 1851

Delta R.T. -0.000 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56

Instrument :

BNA_F

ClientSampleId :

PB161988BS





Tgt Ion:244 Resp: 1518382

Ion Ratio Lower Upper

244 100

212 7.3 5.5 8.3

122 11.9 7.8 11.8#



#80

Butylbenzylphthalate

Concen: 49.954 ng

RT: 13.445 min Scan# 1931

Delta R.T. -0.000 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56




Tgt Ion:149 Resp: 393792


Ion Ratio Lower Upper

149 100

91 77.2 62.1 93.1

206 21.6 18.0 27.0





#81

Benzo(a)anthracene

Concen: 42.775 ng

RT: 14.015 min Scan# 20

Delta R.T. -0.000 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56

Instrument :

BNA_F

ClientSampleId :

PB161988BS





Tgt Ion:228 Resp: 740945

Ion Ratio Lower Upper

228 100

226 28.2 21.9 32.9

229 19.8 15.5 23.3



#82

3,3'-Dichlorobenzidine

Concen: 40.938 ng

RT: 13.980 min Scan# 2022

Delta R.T. -0.000 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56




Tgt Ion:252 Resp: 182724


Ion Ratio Lower Upper

252 100

254 64.5 50.3 75.5

126 9.8 8.1 12.1





#83

Chrysene

Concen: 43.297 ng

RT: 14.057 min Scan# 2034

Delta R.T. 0.006 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56

Instrument :

BNA_F

ClientSampleId :

PB161988BS





Tgt Ion:228 Resp: 709492

Ion Ratio Lower Upper

228 100

226 30.9 24.4 36.6

229 19.1 16.0 24.0



#84

Bis(2-ethylhexyl)phthalate

Concen: 57.606 ng

RT: 13.998 min Scan# 2025

Delta R.T. -0.000 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56




Tgt Ion:149 Resp: 484321


Ion Ratio Lower Upper

149 100

167 27.5 22.5 33.7

279 3.9 3.0 4.6





#85

Di-n-octyl phthalate

Concen: 58.509 ng

RT: 14.609 min Scan# 2129

Delta R.T. 0.000 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56

Instrument :

BNA_F

ClientSampleId :

PB161988BS





Tgt Ion:149 Resp: 777101

Ion Ratio Lower Upper

149 100

167 1.6 1.3 1.9

43 13.1 10.7 16.1



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.492 min Scan# 2279

Delta R.T. 0.006 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56




Tgt Ion:264 Resp: 252487


Ion Ratio Lower Upper

264 100

260 24.3 19.0 28.6

265 21.5 17.0 25.4





#87

Indeno(1,2,3-cd)pyrene

Concen: 45.780 ng

RT: 16.974 min Scan# 21

Delta R.T. 0.012 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56

Instrument :

BNA_F

ClientSampleId :

PB161988BS





Tgt Ion:276 Resp: 776407

Ion Ratio Lower Upper

276 100

138 24.6 19.6 29.4

277 25.9 20.5 30.7



#88

Benzo(b)fluoranthene

Concen: 47.146 ng

RT: 15.062 min Scan# 2206

Delta R.T. -0.000 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56




Tgt Ion:252 Resp: 670383


Ion Ratio Lower Upper

252 100

253 22.2 17.3 25.9

125 10.2 8.6 13.0





#89

Benzo(k)fluoranthene

Concen: 44.087 ng

RT: 15.098 min Scan# 21

Delta R.T. 0.006 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56

Instrument :

BNA_F

ClientSampleId :

PB161988BS





Tgt Ion:252 Resp: 611393

Ion Ratio Lower Upper

252 100

253 22.0 17.7 26.5

125 9.7 8.1 12.1



#90

Benzo(a)pyrene

Concen: 47.786 ng

RT: 15.433 min Scan# 2269

Delta R.T. 0.006 min

Lab File: BF138544.D

Acq: 12 Jul 2024 13:56




Tgt Ion:252 Resp: 596900


Ion Ratio Lower Upper

252 100

253 21.4 17.4 26.0

125 10.9 9.4 14.2









#91
Dibenzo(a,h)anthracene
Concen: 45.883 ng
RT: 16.992 min Scan# 21
Delta R.T. 0.012 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Instrument :
BNA_F
ClientSampleId :
PB161988BS

Tgt Ion:278 Resp: 636540
Ion Ratio Lower Upper
278 100
139 15.8 12.8 19.2
279 24.3 19.1 28.7



#92
Benzo(g,h,i)perylene
Concen: 40.976 ng
RT: 17.421 min Scan# 2607
Delta R.T. 0.006 min
Lab File: BF138544.D
Acq: 12 Jul 2024 13:56

Tgt Ion:276 Resp: 602792
Ion Ratio Lower Upper
276 100
277 24.0 18.0 27.0
138 21.6 15.5 23.3

