

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF071719\
 Data File : BF115632.D
 Acq On : 17 Jul 2019 19:52
 Operator : HP/JU
 Sample : K3835-29
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-11(0-2)

Quant Time: Jul 18 05:52:51 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF071219.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 12 14:03:52 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.88	152	191564	20.00	ng	0.00
21) Naphthalene-d8	8.16	136	648762	20.00	ng	0.00
39) Acenaphthene-d10	9.91	164	300906	20.00	ng	-0.02
64) Phenanthrene-d10	11.39	188	507352	20.00	ng	-0.02
76) Chrysene-d12	14.03	240	302223	20.00	ng	-0.02
87) Perylene-d12	15.49	264	334415	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.51	112	908506	77.57	ng	0.00
7) Phenol-d6	6.51	99	1212658	81.60	ng	0.00
23) Nitrobenzene-d5	7.44	82	750303	67.25	ng	-0.01
42) 2,4,6-Tribromophenol	10.70	330	257192	73.23	ng	-0.02
45) 2-Fluorobiphenyl	9.23	172	1144831	66.59	ng	-0.02
79) Terphenyl-d14	12.97	244	856953	52.32	ng	-0.02
Target Compounds						
50) Dimethylphthalate	9.62	163	233325	10.306	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF071719\
Data File : BF115632.D
Acq On : 17 Jul 2019 19:52
Operator : HP/JU
Sample : K3835-29
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-11(0-2)

Quant Time: Jul 18 05:52:51 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF071219.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 12 14:03:52 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.88 min Scan# 815
Delta R.T. -0.01 min
Lab File: BF115632.D
Acq: 17 Jul 2019 19:52

Instrument :
BNA_F
ClientSampleId :
SB-11(0-2)

Tot Ion:152 Resp: 191564
Ion Ratio Lower Upper
152 100
150 157.0 129.7 194.5
115 61.1 48.2 72.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 77.575 ng
RT: 5.51 min Scan# 582
Delta R.T. 0.01 min
Lab File: BF115632.D
Acq: 17 Jul 2019 19:52

Tgt Ion:112 Resp: 908506
Ion Ratio Lower Upper
112 100
64 56.0 46.8 70.2
63 28.7 24.1 36.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 81.603 ng

RT: 6.51 min Scan# 752

Delta R.T. -0.01 min

Lab File: BF115632.D

Acq: 17 Jul 2019 19:52

Instrument :

BNA_F

ClientSampleId :

SB-11(0-2)


Tot Ion: 99 Resp: 1212658

Ion Ratio Lower Upper




99 100

42 16.2 13.6 20.4

71 34.1 28.5 42.7



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.16 min Scan# 1033

Delta R.T. -0.01 min

Lab File: BF115632.D

Acq: 17 Jul 2019 19:52

Tgt Ion: 136 Resp: 648762


Ion Ratio Lower Upper

136 100



137 10.9 9.0 13.4


54 6.2 5.6 8.4

68 5.8 5.0 7.6



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 67.247 ng
 RT: 7.44 min Scan# 910
 Delta R.T. -0.01 min
 Lab File: BF115632.D
 Acq: 17 Jul 2019 19:52

Instrument :
 BNA_F
 ClientSampleID :
 SB-11(0-2)

Tot Ion	82	Resp	750303
Ion Ratio	Lower	Upper	
82	100		
128	47.9	38.6	57.8
54	43.9	35.6	53.4




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF1






#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.91 min Scan# 1330
 Delta R.T. -0.02 min
 Lab File: BF115632.D
 Acq: 17 Jul 2019 19:52

Tgt Ion	164	Resp	300906
Ion Ratio	Lower	Upper	
164	100		
162	103.5	82.9	124.3
160	47.0	36.8	55.2



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E





#42

2,4,6-Tribromophenol

Concen: 73.226 ng

RT: 10.70 min Scan# 1464

Delta R.T. -0.02 min

Lab File: BF115632.D

Acq: 17 Jul 2019 19:52

Instrument :

BNA_F

ClientSampleId :

SB-11(0-2)


Tot Ion:330 Resp: 257192

Ion Ratio Lower Upper

330 100

332 96.8 77.4 116.2

141 30.7 22.4 33.6






Abundance

Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 66.592 ng

RT: 9.23 min Scan# 1215

Delta R.T. -0.02 min

Lab File: BF115632.D

Acq: 17 Jul 2019 19:52


Tgt Ion:172 Resp: 1144831

Ion Ratio Lower Upper

172 100

171 36.1 30.6 46.0

170 24.6 20.5 30.7






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#50
Dimethylphthalate
Concen: 10.306 ng
RT: 9.62 min Scan# 1281
Delta R.T. -0.03 min
Lab File: BF115632.D
Acq: 17 Jul 2019 19:52




Instrument :
BNA_F
ClientSampleId :
SB-11(0-2)


Tot Ion	Ratio	Lower	Upper
163	100		
194	3.8	3.3	4.9
164	10.6	8.7	13.1



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.39 min Scan# 1582
Delta R.T. -0.02 min
Lab File: BF115632.D
Acq: 17 Jul 2019 19:52

Tgt Ion	Ratio	Lower	Upper
188	100		
94	10.7	7.8	11.6
80	11.5	8.6	13.0









#76
 Chrvsene-d12
 Concen: 20.000 ng
 RT: 14.03 min Scan# 2030
 Delta R.T. -0.02 min
 Lab File: BF115632.D
 Acq: 17 Jul 2019 19:52




Instrument :
 BNA_F
 ClientSampleId :
 SB-11(0-2)


Tot Ion:240 Resp: 302223
 Ion Ratio Lower Upper
 240 100
 120 11.1 8.6 13.0
 236 26.9 21.3 31.9



#79
 Terphenyl-d14
 Concen: 52.320 ng
 RT: 12.97 min Scan# 1851
 Delta R.T. -0.02 min
 Lab File: BF115632.D
 Acq: 17 Jul 2019 19:52

Tgt Ion:244 Resp: 856953
 Ion Ratio Lower Upper
 244 100
 212 6.8 6.0 9.0
 122 11.8 8.6 12.8





#87
Pervlene-d12
Concen: 20.000 ng
RT: 15.49 min Scan# 2279
Delta R.T. -0.03 min
Lab File: BF115632.D
Acq: 17 Jul 2019 19:52

Instrument :
BNA_F
ClientSampleId :
SB-11(0-2)

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.6	19.8	29.8
265	22.0	17.7	26.5

