

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF072423\
 Data File : BF134452.D
 Acq On : 25 Jul 2023 03:40
 Operator : CG\JU
 Sample : 03653-01
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP20

Quant Time: Jul 25 04:59:36 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF072423.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 25 01:46:04 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.834	152	65789	20.000	ng	0.00
21) Naphthalene-d8	8.110	136	259206	20.000	ng	# 0.00
39) Acenaphthene-d10	9.869	164	104429	20.000	ng	0.00
64) Phenanthrene-d10	11.363	188	206381	20.000	ng	0.00
76) Chrysene-d12	14.027	240	141608	20.000	ng	0.00
86) Perylene-d12	15.527	264	145605	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.475	112	522787	131.290	ng	0.00
7) Phenol-d6	6.475	99	605016	124.013	ng	0.00
23) Nitrobenzene-d5	7.398	82	419126	81.809	ng	0.00
42) 2,4,6-Tribromophenol	10.663	330	185823	125.239	ng	0.00
45) 2-Fluorobiphenyl	9.192	172	646393	81.259	ng	0.00
79) Terphenyl-d14	12.963	244	738425	91.029	ng	0.00
Target Compounds						
50) Dimethylphthalate	9.586	163	21611	2.792	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF072423\
Data File : BF134452.D
Acq On : 25 Jul 2023 03:40
Operator : CG\JU
Sample : 03653-01
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP20

Quant Time: Jul 25 04:59:36 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF072423.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 25 01:46:04 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.834 min Scan# 807
Delta R.T. 0.001 min
Lab File: BF134452.D
Acq: 25 Jul 2023 03:40




Instrument :
BNA_F
ClientSampleId :
TP20


Tgt Ion:152 Resp: 65789
Ion Ratio Lower Upper
152 100
150 158.0 128.3 192.5
115 60.5 52.4 78.6



#5
2-Fluorophenol
Concen: 131.290 ng
RT: 5.475 min Scan# 576
Delta R.T. 0.006 min
Lab File: BF134452.D
Acq: 25 Jul 2023 03:40

Tgt Ion:112 Resp: 522787
Ion Ratio Lower Upper
112 100
64 63.7 44.9 67.3
63 36.7 25.4 38.0









#7
Phenol-d6
Concen: 124.013 ng
RT: 6.475 min Scan# 74
Delta R.T. -0.006 min
Lab File: BF134452.D
Acq: 25 Jul 2023 03:40




Instrument :
BNA_F
ClientSampleId :
TP20


Tgt Ion: 99 Resp: 605016
Ion Ratio Lower Upper
99 100
42 24.6 18.7 28.1
71 44.6 36.4 54.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.110 min Scan# 1024
Delta R.T. -0.006 min
Lab File: BF134452.D
Acq: 25 Jul 2023 03:40

Tgt Ion: 136 Resp: 259206
Ion Ratio Lower Upper
136 100
137 11.1 8.4 12.6
54 8.3 5.2 7.8#
68 4.5 2.9 4.3#









#23
Nitrobenzene-d5
Concen: 81.809 ng
RT: 7.398 min Scan# 904
Delta R.T. -0.006 min
Lab File: BF134452.D
Acq: 25 Jul 2023 03:40




Instrument :
BNA_F
ClientSampleId :
TP20


Tgt Ion: 82 Resp: 419126
Ion Ratio Lower Upper
82 100
128 41.4 34.3 51.5
54 57.3 43.8 65.6



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.869 min Scan# 1323
Delta R.T. -0.006 min
Lab File: BF134452.D
Acq: 25 Jul 2023 03:40

Tgt Ion:164 Resp: 104429
Ion Ratio Lower Upper
164 100
162 103.5 82.6 123.8
160 45.1 37.2 55.8





#42

2,4,6-Tribromophenol

Concen: 125.239 ng

RT: 10.663 min Scan# 1459

Delta R.T. -0.006 min

Lab File: BF134452.D

Acq: 25 Jul 2023 03:40

Instrument :

BNA_F

ClientSampleId :

TP20





Tgt Ion:330 Resp: 185823

Ion Ratio Lower Upper

330 100

332 98.3 78.8 118.2

141 31.2 25.4 38.2



#45

2-Fluorobiphenyl

Concen: 81.259 ng

RT: 9.192 min Scan# 1208

Delta R.T. 0.000 min

Lab File: BF134452.D

Acq: 25 Jul 2023 03:40




Tgt Ion:172 Resp: 646393


Ion Ratio Lower Upper

172 100

171 35.8 28.8 43.2

170 24.1 18.7 28.1









#50
Dimethylphthalate
Concen: 2.792 ng
RT: 9.586 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF134452.D
Acq: 25 Jul 2023 03:40




Instrument :
BNA_F
ClientSampleId :
TP20


Tgt Ion:163 Resp: 21611
Ion Ratio Lower Upper
163 100
194 3.9 3.3 4.9
164 10.5 7.5 11.3



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.363 min Scan# 1577
Delta R.T. -0.006 min
Lab File: BF134452.D
Acq: 25 Jul 2023 03:40

Tgt Ion:188 Resp: 206381
Ion Ratio Lower Upper
188 100
94 6.9 5.1 7.7
80 8.4 6.6 9.8





#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.027 min Scan# 2031

Delta R.T. -0.006 min

Lab File: BF134452.D

Acq: 25 Jul 2023 03:40

Instrument :

BNA_F

ClientSampleId :

TP20





Tgt Ion:240 Resp: 141608

Ion Ratio Lower Upper

240 100

120 8.0 6.6 10.0

236 26.5 20.2 30.2



#79

Terphenyl-d14

Concen: 91.029 ng

RT: 12.963 min Scan# 1849

Delta R.T. 0.000 min

Lab File: BF134452.D

Acq: 25 Jul 2023 03:40




Tgt Ion:244 Resp: 738425


Ion Ratio Lower Upper

244 100

212 6.9 5.6 8.4

122 8.6 8.0 12.0





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.527 min Scan# 21
Delta R.T. -0.006 min
Lab File: BF134452.D
Acq: 25 Jul 2023 03:40

Instrument :
BNA_F
ClientSampleId :
TP20

Tgt Ion:264 Resp: 145605

Ion	Ratio	Lower	Upper
264	100		
260	23.8	18.4	27.6
265	21.5	15.8	23.8

