

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF072518\
 Data File : BF107655.D
 Acq On : 25 Jul 2018 14:26
 Operator : JU/SJ
 Sample : J4124-03
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-11-S

Quant Time: Jul 25 15:32:38 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF072018.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 20 16:29:27 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.97	152	255826	20.00	ng	-0.01
21) Naphthalene-d8	8.25	136	984294	20.00	ng	-0.01
38) Acenaphthene-d10	10.01	164	417592	20.00	ng	-0.01
63) Phenanthrene-d10	11.50	188	792854	20.00	ng	-0.01
75) Chrysene-d12	14.15	240	536656	20.00	ng	-0.01
86) Perylene-d12	15.68	264	515509	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.60	112	1432397	90.02	ng	0.00
7) Phenol-d6	6.60	99	1869591	97.86	ng	-0.01
23) Nitrobenzene-d5	7.53	82	1185564	81.29	ng	-0.02
41) 2,4,6-Tribromophenol	10.80	330	507155	106.80	ng	-0.02
44) 2-Fluorobiphenyl	9.32	172	1912001	76.20	ng	-0.01
78) Terphenyl-d14	13.09	244	1621684	77.36	ng	-0.01
Target Compounds						
49) Dimethylphthalate	9.71	163	126467	4.018	ng	Qvalue # 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF072518\
Data File : BF107655.D
Acq On : 25 Jul 2018 14:26
Operator : JU/SJ
Sample : J4124-03
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-11-S

Quant Time: Jul 25 15:32:38 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF072018.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 20 16:29:27 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.97 min Scan# 787
Delta R.T. -0.01 min
Lab File: BF107655.D
Acq: 25 Jul 2018 14:26

Instrument :
BNA_F
ClientSampleId :
TP-11-S

Tot Ion:152 Resp: 255826
Ion Ratio Lower Upper
152 100
150 158.0 124.6 186.8
115 59.6 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 90.023 ng
RT: 5.60 min Scan# 555
Delta R.T. -0.01 min
Lab File: BF107655.D
Acq: 25 Jul 2018 14:26

Tgt Ion:112 Resp: 1432397
Ion Ratio Lower Upper
112 100
64 67.5 47.9 71.9
63 34.6 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 97.856 ng

RT: 6.60 min Scan# 725

Delta R.T. -0.01 min

Lab File: BF107655.D

Acq: 25 Jul 2018 14:26

Instrument :

BNA_F

ClientSampleId :

TP-11-S


Tot Ion: 99 Resp: 1869591

Ion Ratio Lower Upper




99 100

42 19.7 14.5 21.7

71 35.5 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.25 min Scan# 1005

Delta R.T. -0.01 min

Lab File: BF107655.D

Acq: 25 Jul 2018 14:26

Tgt Ion: 136 Resp: 984294


Ion Ratio Lower Upper

136 100



137 11.4 8.9 13.3


54 9.6 6.6 9.8

68 6.0 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 81.288 ng
 RT: 7.53 min Scan# 883
 Delta R.T. -0.02 min
 Lab File: BF107655.D
 Acq: 25 Jul 2018 14:26




Instrument :
 BNA_F
 ClientSampleId :
 TP-11-S


Tot Ion: 82 Resp: 1185564
 Ion Ratio Lower Upper
 82 100
 128 44.7 36.1 54.1
 54 62.4 41.4 62.2#



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 10.01 min Scan# 1304
 Delta R.T. -0.01 min
 Lab File: BF107655.D
 Acq: 25 Jul 2018 14:26

Tgt Ion: 164 Resp: 417592
 Ion Ratio Lower Upper
 164 100
 162 104.1 86.1 129.1
 160 48.6 38.3 57.5






#41
 2,4,6-Tribromophenol
 Concen: 106.799 ng
 RT: 10.80 min Scan# 1439
 Delta R.T. -0.02 min
 Lab File: BF107655.D
 Acq: 25 Jul 2018 14:26

Instrument :
 BNA_F
 ClientSampled :
 TP-11-S

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.8	77.0	115.6
141	29.0	29.9	44.9#






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44
 2-Fluorobiphenyl
 Concen: 76.202 ng
 RT: 9.32 min Scan# 1188
 Delta R.T. -0.01 min
 Lab File: BF107655.D
 Acq: 25 Jul 2018 14:26

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.7	29.7	44.5
170	25.7	19.6	29.4






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 4.018 ng

RT: 9.71 min Scan# 1254

Delta R.T. -0.02 min

Lab File: BF107655.D

Acq: 25 Jul 2018 14:26

Instrument :

BNA_F

ClientSampleId :

TP-11-S


Tot Ion:163 Resp: 126467

Ion Ratio Lower Upper

163 100

194 4.4 2.7 4.1#




164 9.3 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.50 min Scan# 1558

Delta R.T. -0.01 min

Lab File: BF107655.D

Acq: 25 Jul 2018 14:26


Tgt Ion:188 Resp: 792854

Ion Ratio Lower Upper

188 100

94 9.6 8.5 12.7



80 10.2 9.2 13.8




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.15 min Scan# 2009

Delta R.T. -0.01 min

Lab File: BF107655.D

Acq: 25 Jul 2018 14:26

Instrument :

BNA_F

ClientSampleId :

TP-11-S


Tot Ion:240 Resp: 536656

Ion Ratio Lower Upper

240 100

120 11.2 9.5 14.3




236 26.7 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 77.362 ng

RT: 13.09 min Scan# 1828

Delta R.T. -0.01 min

Lab File: BF107655.D

Acq: 25 Jul 2018 14:26


Tgt Ion:244 Resp: 1621684

Ion Ratio Lower Upper

244 100

212 6.8 5.4 8.0



122 11.3 11.0 16.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.68 min Scan# 2269
Delta R.T. -0.02 min
Lab File: BF107655.D
Acq: 25 Jul 2018 14:26

Instrument :
BNA_F
ClientSampleId :
TP-11-S

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.1	19.2	28.8
265	21.9	17.5	26.3

