

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF080223\
 Data File : BF134596.D
 Acq On : 02 Aug 2023 23:52
 Operator : CG\JU
 Sample : 03834-01
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 B-P2A

Quant Time: Aug 03 01:52:24 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF080123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 02 02:20:34 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.792	152	172723	20.000	ng	0.00
21) Naphthalene-d8	8.069	136	653580	20.000	ng	# 0.00
39) Acenaphthene-d10	9.828	164	281294	20.000	ng	0.00
64) Phenanthrene-d10	11.316	188	452555	20.000	ng	# 0.00
76) Chrysene-d12	13.957	240	307512	20.000	ng	# 0.00
86) Perylene-d12	15.421	264	242392	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.416	112	567129	49.912	ng	0.00
7) Phenol-d6	6.422	99	713356	49.113	ng	0.00
23) Nitrobenzene-d5	7.351	82	399681	38.216	ng	0.00
42) 2,4,6-Tribromophenol	10.610	330	123972	43.233	ng	0.00
45) 2-Fluorobiphenyl	9.145	172	651524	38.511	ng	0.00
79) Terphenyl-d14	12.904	244	609829	34.960	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF080223\
Data File : BF134596.D
Acq On : 02 Aug 2023 23:52
Operator : CG\JU
Sample : 03834-01
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
B-P2A

Quant Time: Aug 03 01:52:24 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF080123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 02 02:20:34 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.792 min Scan# 800
Delta R.T. 0.000 min
Lab File: BF134596.D
Acq: 02 Aug 2023 23:52




Instrument :
BNA_F
ClientSampleId :
B-P2A


Tgt Ion:152 Resp: 172723
Ion Ratio Lower Upper
152 100
150 157.6 128.3 192.5
115 64.7 52.4 78.6



#5
2-Fluorophenol
Concen: 49.912 ng
RT: 5.416 min Scan# 566
Delta R.T. 0.000 min
Lab File: BF134596.D
Acq: 02 Aug 2023 23:52

Tgt Ion:112 Resp: 567129
Ion Ratio Lower Upper
112 100
64 59.2 44.9 67.3
63 30.1 25.4 38.0





#7
Phenol-d6
Concen: 49.113 ng
RT: 6.422 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF134596.D
Acq: 02 Aug 2023 23:52





Instrument :

BNA_F

ClientSampleId :




B-P2A


Tgt Ion: 99 Resp: 713356
Ion Ratio Lower Upper
99 100
42 18.1 18.7 28.1#
71 30.9 36.4 54.6#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.069 min Scan# 1017
Delta R.T. -0.006 min
Lab File: BF134596.D
Acq: 02 Aug 2023 23:52

Tgt Ion: 136 Resp: 653580
Ion Ratio Lower Upper
136 100
137 11.2 8.4 12.6
54 9.1 5.2 7.8#
68 6.9 2.9 4.3#





#23

Nitrobenzene-d5

Concen: 38.216 ng

RT: 7.351 min Scan# 896

Delta R.T. -0.006 min

Lab File: BF134596.D

Acq: 02 Aug 2023 23:52

Instrument :

BNA_F

ClientSampleId :

B-P2A





Tgt Ion: 82 Resp: 399681

Ion Ratio Lower Upper

82 100

128 46.2 34.3 51.5

54 53.5 43.8 65.6



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.828 min Scan# 1316

Delta R.T. 0.000 min

Lab File: BF134596.D

Acq: 02 Aug 2023 23:52




Tgt Ion: 164 Resp: 281294


Ion Ratio Lower Upper

164 100

162 102.9 82.6 123.8


160 46.4 37.2 55.8








#42
2,4,6-Tribromophenol
Concen: 43.233 ng
RT: 10.610 min Scan# 1449
Delta R.T. -0.006 min
Lab File: BF134596.D
Acq: 02 Aug 2023 23:52

Instrument :
BNA_F
ClientSampleId :
B-P2A







Tgt Ion:330 Resp: 123972
Ion Ratio Lower Upper
330 100
332 97.0 78.8 118.2
141 32.0 25.4 38.2



#45
2-Fluorobiphenyl
Concen: 38.511 ng
RT: 9.145 min Scan# 1200
Delta R.T. -0.006 min
Lab File: BF134596.D
Acq: 02 Aug 2023 23:52

Tgt Ion:172 Resp: 651524
Ion Ratio Lower Upper
172 100
171 35.7 28.8 43.2
170 23.2 18.7 28.1





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.316 min Scan# 1

Delta R.T. 0.000 min

Lab File: BF134596.D

Acq: 02 Aug 2023 23:52

Instrument :

BNA_F

ClientSampleId :

B-P2A





Tgt Ion:188 Resp: 452555

Ion Ratio Lower Upper

188 100

94 9.1 5.1 7.7#

80 9.3 6.6 9.8



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.957 min Scan# 2018

Delta R.T. -0.006 min

Lab File: BF134596.D

Acq: 02 Aug 2023 23:52




Tgt Ion:240 Resp: 307512


Ion Ratio Lower Upper

240 100

120 11.4 6.6 10.0#

236 26.4 20.2 30.2









#79
 Terphenyl-d14
 Concen: 34.960 ng
 RT: 12.904 min Scan# 1839
 Delta R.T. -0.006 min
 Lab File: BF134596.D
 Acq: 02 Aug 2023 23:52

Instrument :
 BNA_F
 ClientSampleId :
 B-P2A

Tgt Ion:244 Resp: 609829
 Ion Ratio Lower Upper
 244 100
 212 6.4 5.6 8.4
 122 12.2 8.0 12.0#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.421 min Scan# 2267
 Delta R.T. 0.006 min
 Lab File: BF134596.D
 Acq: 02 Aug 2023 23:52

Tgt Ion:264 Resp: 242392
 Ion Ratio Lower Upper
 264 100
 260 23.3 18.4 27.6
 265 22.3 15.8 23.8

