

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF080319\
 Data File : BF115974.D
 Acq On : 3 Aug 2019 11:57
 Operator : HP/JU
 Sample : IDOC BL-RC
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 IDOC BL-RC

Quant Time: Aug 05 01:43:32 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 31 15:31:51 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	151000	20.00	ng	0.00
21) Naphthalene-d8	8.13	136	581803	20.00	ng	0.00
39) Acenaphthene-d10	9.89	164	321903	20.00	ng	0.00
64) Phenanthrene-d10	11.38	188	588165	20.00	ng	0.00
76) Chrysene-d12	14.02	240	435657	20.00	ng	0.00
87) Perylene-d12	15.50	264	381610	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.49	112	1119071	124.07	ng	0.02
7) Phenol-d6	6.49	99	1452617	127.64	ng	0.00
23) Nitrobenzene-d5	7.42	82	966052	95.85	ng	0.00
42) 2,4,6-Tribromophenol	10.69	330	429567	137.64	ng	0.00
45) 2-Fluorobiphenyl	9.22	172	1697067	98.75	ng	0.00
79) Terphenyl-d14	12.97	244	1982145	95.87	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF080319\
Data File : BF115974.D
Acq On : 3 Aug 2019 11:57
Operator : HP/JU
Sample : IDOC BL-RC
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
IDOC BL-RC

Quant Time: Aug 05 01:43:32 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 31 15:31:51 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.85 min Scan# 810
Delta R.T. 0.00 min
Lab File: BF115974.D
Acq: 3 Aug 2019 11:57

Instrument :
BNA_F
ClientSampleId :
IDOC BL-RC

Tot Ion:152 Resp: 151000
Ion Ratio Lower Upper
152 100
150 154.2 127.4 191.0
115 62.2 51.8 77.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 124.066 ng
RT: 5.49 min Scan# 578
Delta R.T. 0.02 min
Lab File: BF115974.D
Acq: 3 Aug 2019 11:57

Tgt Ion:112 Resp: 1119071
Ion Ratio Lower Upper
112 100
64 58.3 46.8 70.2
63 30.5 24.2 36.2



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 127.643 ng

RT: 6.49 min Scan# 749

Delta R.T. 0.01 min

Lab File: BF115974.D

Acq: 3 Aug 2019 11:57

Instrument :


BNA_F

ClientSampleId :

IDOC BL-RC

Tot Ion: 99 Resp: 1452617

Ion	Ratio	Lower	Upper
99	100		
42	16.8	13.8	20.6
71	34.4	27.1	40.7






Abundance

Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.13 min Scan# 1028


Delta R.T. 0.00 min

Lab File: BF115974.D

Acq: 3 Aug 2019 11:57

Tgt Ion: 136 Resp: 581803

Ion	Ratio	Lower	Upper
136	100		
137	10.9	9.1	13.7
54	6.6	6.1	9.1
68	5.9	5.4	8.2





Abundance


Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1





#23

Nitrobenzene-d5

Concen: 95.846 ng

RT: 7.42 min Scan# 906

Delta R.T. 0.00 min

Lab File: BF115974.D

Acq: 3 Aug 2019 11:57

Instrument :

BNA_F

ClientSampleId :

IDOC BL-RC





Tot Ion: 82 Resp: 966052

Ion Ratio Lower Upper

82 100

128 45.6 36.6 55.0

54 45.2 36.6 55.0



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.89 min Scan# 1327

Delta R.T. -0.01 min

Lab File: BF115974.D

Acq: 3 Aug 2019 11:57




Tgt Ion:164 Resp: 321903


Ion Ratio Lower Upper

164 100

162 99.6 80.8 121.2

160 45.7 36.2 54.4









#42
 2,4,6-Tribromophenol
 Concen: 137.640 ng
 RT: 10.69 min Scan# 1462
 Delta R.T. 0.00 min
 Lab File: BF115974.D
 Acq: 3 Aug 2019 11:57




Instrument :
 BNA_F
 ClientSampled :
 IDOC BL-RC


Tot Ion	Ratio	Lower	Upper
330	100		
332	94.7	77.7	116.5
141	32.6	28.1	42.1



#45
 2-Fluorobiphenyl
 Concen: 98.748 ng
 RT: 9.22 min Scan# 1212
 Delta R.T. 0.00 min
 Lab File: BF115974.D
 Acq: 3 Aug 2019 11:57

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.4	29.1	43.7
170	24.8	20.1	30.1









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.38 min Scan# 1580
Delta R.T. 0.00 min
Lab File: BF115974.D
Acq: 3 Aug 2019 11:57

Instrument :
BNA_F
ClientSampleId :
IDOC BL-RC

Tot Ion	Ratio	Lower	Upper
188	100		
94	9.9	8.0	12.0
80	10.5	8.6	12.8




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1






#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.02 min Scan# 2029
Delta R.T. -0.01 min
Lab File: BF115974.D
Acq: 3 Aug 2019 11:57

Tgt Ion	Ratio	Lower	Upper
240	100		
120	11.7	8.5	12.7
236	27.4	22.2	33.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 95.871 ng

RT: 12.97 min Scan# 1850

Delta R.T. 0.00 min

Lab File: BF115974.D

Acq: 3 Aug 2019 11:57

Instrument :

BNA_F

ClientSampleId :

IDOC BL-RC


Tot Ion:244 Resp: 1982145

Ion Ratio Lower Upper

244 100

212 7.4 5.6 8.4




122 10.9 8.6 13.0



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.50 min Scan# 2280

Delta R.T. 0.01 min

Lab File: BF115974.D

Acq: 3 Aug 2019 11:57


Tgt Ion:264 Resp: 381610

Ion Ratio Lower Upper

264 100

260 24.7 19.4 29.2

265 22.0 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

