

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF080619\
 Data File : BF116029.D
 Acq On : 6 Aug 2019 22:29
 Operator : HP/JU
 Sample : K4136-11
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Aug 07 01:20:01 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 31 15:31:51 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	126736	20.00	ng	0.00
21) Naphthalene-d8	8.12	136	486403	20.00	ng	-0.01
39) Acenaphthene-d10	9.87	164	260353	20.00	ng	-0.02
64) Phenanthrene-d10	11.36	188	469570	20.00	ng	-0.02
76) Chrysene-d12	14.00	240	329180	20.00	ng	-0.02
87) Perylene-d12	15.46	264	362551	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.47	112	897872	118.60	ng	0.00
7) Phenol-d6	6.48	99	1046406	109.55	ng	0.00
23) Nitrobenzene-d5	7.40	82	824583	97.86	ng	-0.01
42) 2,4,6-Tribromophenol	10.67	330	345930	137.05	ng	-0.02
45) 2-Fluorobiphenyl	9.20	172	1424118	102.46	ng	-0.02
79) Terphenyl-d14	12.95	244	1631341	104.43	ng	-0.02
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.40	70	110074	18.597	ng	# 78
25) Isophorone	7.40	82	824578	51.176	ng	# 66
51) 2,6-Dinitrotoluene	9.87	165	32787	8.511	ng	# 28
57) 2,4-Dinitrotoluene	9.87	165	32787	6.392	ng	# 24
67) 4-Bromophenyl-phenylether	10.67	248	21245	4.226	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF080619\
Data File : BF116029.D
Acq On : 6 Aug 2019 22:29
Operator : HP/JU
Sample : K4136-11
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Aug 07 01:20:01 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 31 15:31:51 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.85 min Scan# 809
Delta R.T. -0.01 min
Lab File: BF116029.D
Acq: 6 Aug 2019 22:29

Instrument :
BNA_F
ClientSampled :

Tot Ion	Ratio	Lower	Upper
152	100		
150	152.9	127.4	191.0
115	58.8	51.8	77.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 118.600 ng
RT: 5.47 min Scan# 576
Delta R.T. 0.01 min
Lab File: BF116029.D
Acq: 6 Aug 2019 22:29

Tgt Ion	Ratio	Lower	Upper
112	100		
64	58.5	46.8	70.2
63	30.5	24.2	36.2



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 109.553 ng

RT: 6.48 min Scan# 747

Delta R.T. -0.01 min

Lab File: BF116029.D

Acq: 6 Aug 2019 22:29


Instrument :

BNA_F

ClientSampled :

Tot Ion: 99 Resp: 1046406

Ion	Ratio	Lower	Upper
99	100		
42	16.3	13.8	20.6
71	33.7	27.1	40.7






Abundance

Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 18.597 ng

RT: 7.40 min Scan# 904


Delta R.T. 0.14 min

Lab File: BF116029.D

Acq: 6 Aug 2019 22:29

Tgt Ion: 70 Resp: 110074

Ion	Ratio	Lower	Upper
70	100		
42	43.0	41.8	62.8
101	0.0	7.7	11.5#
130	2.4	17.8	26.6#





Abundance


Ion 70.00 (69.70 to 70.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 101.00 (100.70 to 101.70): BF1

Ion 130.00 (129.70 to 130.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.12 min Scan# 1026
Delta R.T. -0.01 min
Lab File: BF116029.D
Acq: 6 Aug 2019 22:29

Instrument :
BNA_F
ClientSampleId :

Tot Ion:136	Resp:	486403
Ion	Ratio	Lower Upper
136	100	
137	11.2	9.1 13.7
54	6.9	6.1 9.1
68	5.9	5.4 8.2




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
Nitrobenzene-d5
Concen: 97.856 ng
RT: 7.40 min Scan# 904
Delta R.T. -0.01 min
Lab File: BF116029.D
Acq: 6 Aug 2019 22:29

Tgt Ion: 82	Resp:	824583
Ion	Ratio	Lower Upper
82	100	
128	45.5	36.6 55.0
54	45.9	36.6 55.0



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1





#25

Isophorone

Concen: 51.176 ng

RT: 7.40 min Scan# 904

Delta R.T. -0.27 min

Lab File: BF116029.D

Acq: 6 Aug 2019 22:29

Instrument :

BNA_F

ClientSampled :


Tot Ion: 82 Resp: 824578

Ion Ratio Lower Upper




82 100

95 0.0 5.5 8.3#

138 0.0 13.9 20.9#



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 95.00 (94.70 to 95.70): BF1
Ion 138.00 (137.70 to 138.70): BF1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.87 min Scan# 1324

Delta R.T. -0.02 min

Lab File: BF116029.D

Acq: 6 Aug 2019 22:29


Tgt Ion: 164 Resp: 260353

Ion Ratio Lower Upper



164 100


162 100.5 80.8 121.2

160 45.9 36.2 54.4



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E





#42

2,4,6-Tribromophenol

Concen: 137.046 ng

RT: 10.67 min Scan# 1459

Delta R.T. -0.02 min

Lab File: BF116029.D

Acq: 6 Aug 2019 22:29

Instrument :

BNA_F

ClientSampleId :


Tot Ion:330 Resp: 345930

Ion Ratio Lower Upper

330 100

332 97.3 77.7 116.5

141 35.1 28.1 42.1






Abundance

Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 102.456 ng

RT: 9.20 min Scan# 1209

Delta R.T. -0.02 min

Lab File: BF116029.D

Acq: 6 Aug 2019 22:29


Tgt Ion:172 Resp: 1424118

Ion Ratio Lower Upper

172 100

171 36.4 29.1 43.7

170 24.9 20.1 30.1






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#51
 2,6-Dinitrotoluene
 Concen: 8.511 ng
 RT: 9.87 min Scan# 1324
 Delta R.T. 0.19 min
 Lab File: BF116029.D
 Acq: 6 Aug 2019 22:29

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
165	100		
63	1.0	39.4	59.2#
89	1.4	43.0	64.6#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF1
 Ion 89.00 (88.70 to 89.70): BF1






#57
 2,4-Dinitrotoluene
 Concen: 6.392 ng
 RT: 9.87 min Scan# 1324
 Delta R.T. -0.21 min
 Lab File: BF116029.D
 Acq: 6 Aug 2019 22:29

Tgt Ion	Ratio	Lower	Upper
165	100		
63	1.0	33.2	49.8#
89	1.4	57.3	85.9#
182	0.0	2.1	3.1#



Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF1
 Ion 89.00 (88.70 to 89.70): BF1
 Ion 182.00 (181.70 to 182.70): E









#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.36 min Scan# 1577
 Delta R.T. -0.02 min
 Lab File: BF116029.D
 Acq: 6 Aug 2019 22:29




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
188	100		
94	9.2	8.0	12.0
80	9.8	8.6	12.8



#67
 4-Bromophenyl-phenylether
 Concen: 4.226 ng
 RT: 10.67 min Scan# 1459
 Delta R.T. -0.25 min
 Lab File: BF116029.D
 Acq: 6 Aug 2019 22:29

Tgt Ion	Ratio	Lower	Upper
248	100		
250	195.1	77.8	116.6#
141	472.9	64.3	96.5#









#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.00 min Scan# 2026
Delta R.T. -0.02 min
Lab File: BF116029.D
Acq: 6 Aug 2019 22:29

Instrument :
BNA_F
ClientSampleId :

Tot Ion:240 Resp: 329180
Ion Ratio Lower Upper
240 100
120 10.6 8.5 12.7
236 27.2 22.2 33.2




Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E






#79
Terphenyl-d14
Concen: 104.426 ng
RT: 12.95 min Scan# 1846
Delta R.T. -0.02 min
Lab File: BF116029.D
Acq: 6 Aug 2019 22:29

Tgt Ion:244 Resp: 1631341
Ion Ratio Lower Upper
244 100
212 7.2 5.6 8.4
122 11.9 8.6 13.0



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E






#87
Pervlene-d12
Concen: 20.000 ng
RT: 15.46 min Scan# 2274
Delta R.T. -0.03 min
Lab File: BF116029.D
Acq: 6 Aug 2019 22:29

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.5	19.4	29.2
265	20.9	17.5	26.3



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

