

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF080723\
 Data File : BF134653.D
 Acq On : 07 Aug 2023 14:37
 Operator : CG\JU
 Sample : 03887-04
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MCLEAN-TP7

Quant Time: Aug 08 01:21:34 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF080123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 04 09:29:15 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.798	152	216350	20.000	ng	0.00
21) Naphthalene-d8	8.075	136	824565	20.000	ng	# 0.00
39) Acenaphthene-d10	9.834	164	384447	20.000	ng	0.00
64) Phenanthrene-d10	11.322	188	585936	20.000	ng	# 0.00
76) Chrysene-d12	13.969	240	450343	20.000	ng	# 0.00
86) Perylene-d12	15.439	264	449756	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.428	112	1036698	72.840	ng	0.00
7) Phenol-d6	6.434	99	1278320	70.262	ng	0.00
23) Nitrobenzene-d5	7.357	82	739559	56.050	ng	-0.01
42) 2,4,6-Tribromophenol	10.622	330	266398	67.975	ng	0.00
45) 2-Fluorobiphenyl	9.151	172	1230738	53.228	ng	-0.01
79) Terphenyl-d14	12.916	244	1101945	43.136	ng	0.00
Target Compounds						
						Qvalue
9) Benzaldehyde	6.351	77	70	Below Cal	#	3
19) n-Nitroso-di-n-propyla...	7.357	70	102077	9.371	ng	# 74
25) Isophorone	7.357	82	735463	25.556	ng	# 65
32) Benzoic acid	8.075	122	174	7.884	ng	# 1
48) 2-Nitroaniline	9.151	65	2118	3.449	ng	# 1
51) 2,6-Dinitrotoluene	9.834	165	49260	11.194	ng	# 17
57) 2,4-Dinitrotoluene	9.834	165	49260	9.996	ng	# 18
63) Azobenzene	10.545	77	71090	2.664	ng	# 1
65) 4,6-Dinitro-2-methylph...	10.616	198	794	8.973	ng	# 1
67) 4-Bromophenyl-phenylether	10.622	248	17094	2.665	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF080723\
Data File : BF134653.D
Acq On : 07 Aug 2023 14:37
Operator : CG\JU
Sample : 03887-04
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MCLEAN-TP7

Quant Time: Aug 08 01:21:34 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF080123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 04 09:29:15 2023
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.798 min Scan# 800
 Delta R.T. 0.000 min
 Lab File: BF134653.D
 Acq: 07 Aug 2023 14:37




Instrument :
 BNA_F
 ClientSampleId :
 MCLEAN-TP7


Tgt Ion:152 Resp: 216350
 Ion Ratio Lower Upper
 152 100
 150 156.5 128.3 192.5
 115 63.2 52.4 78.6



#5
 2-Fluorophenol
 Concen: 72.840 ng
 RT: 5.428 min Scan# 568
 Delta R.T. 0.000 min
 Lab File: BF134653.D
 Acq: 07 Aug 2023 14:37

Tgt Ion:112 Resp: 1036698
 Ion Ratio Lower Upper
 112 100
 64 62.4 44.9 67.3
 63 31.3 25.4 38.0









#7
Phenol-d6
Concen: 70.262 ng
RT: 6.434 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF134653.D
Acq: 07 Aug 2023 14:37




Instrument :
BNA_F
ClientSampleId :
MCLEAN-TP7

Tgt Ion: 99 Resp: 1278320
Ion Ratio Lower Upper
99 100
42 18.2 18.7 28.1#
71 32.2 36.4 54.6#



#19
n-Nitroso-di-n-propylamine
Concen: 9.371 ng
RT: 7.357 min Scan# 896
Delta R.T. 0.135 min
Lab File: BF134653.D
Acq: 07 Aug 2023 14:37

Tgt Ion: 70 Resp: 102077
Ion Ratio Lower Upper
70 100
42 50.6 54.7 82.1#
101 0.0 8.2 12.2#
130 1.9 15.1 22.7#








#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.075 min Scan# 1018
Delta R.T. -0.006 min
Lab File: BF134653.D
Acq: 07 Aug 2023 14:37




Instrument :
BNA_F
ClientSampleId :
MCLEAN-TP7


Tgt Ion:136 Resp: 824565
Ion Ratio Lower Upper
136 100
137 11.2 8.4 12.6
54 9.1 5.2 7.8#
68 6.8 2.9 4.3#



#23
Nitrobenzene-d5
Concen: 56.050 ng
RT: 7.357 min Scan# 896
Delta R.T. -0.012 min
Lab File: BF134653.D
Acq: 07 Aug 2023 14:37

Tgt Ion: 82 Resp: 739559
Ion Ratio Lower Upper
82 100
128 44.3 34.3 51.5
54 53.9 43.8 65.6









#25
Isophorone
Concen: 25.556 ng
RT: 7.357 min Scan# 896
Delta R.T. -0.270 min
Lab File: BF134653.D
Acq: 07 Aug 2023 14:37




Instrument :
BNA_F
ClientSampleId :
MCLEAN-TP7


Tgt Ion: 82 Resp: 735463
Ion Ratio Lower Upper
82 100
95 0.0 6.0 9.0#
138 0.0 14.6 22.0#



#32
Benzoic acid
Concen: 7.884 ng
RT: 8.075 min Scan# 1018
Delta R.T. 0.212 min
Lab File: BF134653.D
Acq: 07 Aug 2023 14:37

Tgt Ion:122 Resp: 174
Ion Ratio Lower Upper
122 100
105 249.7 87.5 127.5#
77 1093.3 71.4 111.4#









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.834 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF134653.D
Acq: 07 Aug 2023 14:37




Instrument :
BNA_F
ClientSampleId :
MCLEAN-TP7

Tgt Ion:164 Resp: 384447
Ion Ratio Lower Upper
164 100
162 100.7 82.6 123.8
160 46.3 37.2 55.8



#42
2,4,6-Tribromophenol
Concen: 67.975 ng
RT: 10.622 min Scan# 1451
Delta R.T. -0.006 min
Lab File: BF134653.D
Acq: 07 Aug 2023 14:37

Tgt Ion:330 Resp: 266398
Ion Ratio Lower Upper
330 100
332 95.8 78.8 118.2
141 29.9 25.4 38.2





#45

2-Fluorobiphenyl

Concen: 53.228 ng

RT: 9.151 min Scan# 1201

Delta R.T. -0.012 min

Lab File: BF134653.D

Acq: 07 Aug 2023 14:37

Instrument :

BNA_F

ClientSampleId :

MCLEAN-TP7




Tgt Ion:172 Resp: 1230738

Ion Ratio Lower Upper

172 100

171 35.7 28.8 43.2

170 23.5 18.7 28.1



#48

2-Nitroaniline

Concen: 3.449 ng

RT: 9.151 min Scan# 1201

Delta R.T. -0.229 min

Lab File: BF134653.D

Acq: 07 Aug 2023 14:37




Tgt Ion: 65 Resp: 2118


Ion Ratio Lower Upper

65 100

92 171.9 50.7 76.1#

138 25.7 78.2 117.4#





#51

2,6-Dinitrotoluene

Concen: 11.194 ng

RT: 9.834 min Scan# 1

Delta R.T. 0.206 min

Lab File: BF134653.D

Acq: 07 Aug 2023 14:37

Instrument :

BNA_F

ClientSampleId :

MCLEAN-TP7





Tgt Ion:165 Resp: 49260

Ion Ratio Lower Upper

165 100

63 1.2 57.8 86.6#

89 1.2 51.8 77.8#



#57

2,4-Dinitrotoluene

Concen: 9.996 ng

RT: 9.834 min Scan# 1317

Delta R.T. -0.194 min

Lab File: BF134653.D

Acq: 07 Aug 2023 14:37

Tgt Ion:165 Resp: 49260




Ion Ratio Lower Upper


165 100

63 1.2 48.9 73.3#

89 1.2 61.7 92.5#

182 0.0 2.0 3.0#









#63
 Azobenzene
 Concen: 2.664 ng
 RT: 10.545 min Scan# 1436
 Delta R.T. 0.006 min
 Lab File: BF134653.D
 Acq: 07 Aug 2023 14:37




Instrument :
 BNA_F
 ClientSampleId :
 MCLEAN-TP7


Tgt Ion: 77	Resp: 71090
Ion Ratio	Lower Upper
77 100	
182 76.0	7.5 47.5#
105 156.1	1.9 41.9#
51 43.0	13.2 53.2



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.322 min Scan# 1570
 Delta R.T. 0.000 min
 Lab File: BF134653.D
 Acq: 07 Aug 2023 14:37

Tgt Ion: 188	Resp: 585936
Ion Ratio	Lower Upper
188 100	
94 8.7	5.1 7.7#
80 9.4	6.6 9.8









#65
4,6-Dinitro-2-methylphenol
Concen: 8.973 ng
RT: 10.616 min Scan# 1417
Delta R.T. 0.177 min
Lab File: BF134653.D
Acq: 07 Aug 2023 14:37




Instrument :
BNA_F
ClientSampleId :
MCLEAN-TP7


Tgt Ion:198 Resp: 794
Ion Ratio Lower Upper
198 100
51 170.1 38.6 78.6#
105 155.5 27.9 67.9#



#67
4-Bromophenyl-phenylether
Concen: 2.665 ng
RT: 10.622 min Scan# 1451
Delta R.T. -0.247 min
Lab File: BF134653.D
Acq: 07 Aug 2023 14:37

Tgt Ion:248 Resp: 17094
Ion Ratio Lower Upper
248 100
250 204.1 79.6 119.4#
141 427.0 59.6 89.4#





#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.969 min Scan# 20

Delta R.T. -0.006 min

Lab File: BF134653.D

Acq: 07 Aug 2023 14:37

Instrument :

BNA_F

ClientSampleId :

MCLEAN-TP7





Tgt Ion:240 Resp: 450343

Ion Ratio Lower Upper

240 100

120 10.2 6.6 10.0#

236 25.8 20.2 30.2



#79

Terphenyl-d14

Concen: 43.136 ng

RT: 12.916 min Scan# 1841

Delta R.T. -0.006 min

Lab File: BF134653.D

Acq: 07 Aug 2023 14:37




Tgt Ion:244 Resp: 1101945


Ion Ratio Lower Upper

244 100

212 6.2 5.6 8.4


122 10.0 8.0 12.0





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.439 min Scan# 21
Delta R.T. 0.000 min
Lab File: BF134653.D
Acq: 07 Aug 2023 14:37

Instrument :
BNA_F
ClientSampleId :
MCLEAN-TP7



Tgt Ion:264 Resp: 449756
Ion Ratio Lower Upper
264 100
260 23.9 18.4 27.6
265 21.9 15.8 23.8

