

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF080723\
 Data File : BF134649.D
 Acq On : 07 Aug 2023 12:27
 Operator : CG\JU
 Sample : 03886-01
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 500-1A-1B

Quant Time: Aug 08 01:20:32 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF080123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 04 09:29:15 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.798	152	226362	20.000	ng	0.00
21) Naphthalene-d8	8.075	136	837179	20.000	ng	# 0.00
39) Acenaphthene-d10	9.833	164	392864	20.000	ng	0.00
64) Phenanthrene-d10	11.322	188	625742	20.000	ng	# 0.00
76) Chrysene-d12	13.969	240	462987	20.000	ng	# 0.00
86) Perylene-d12	15.439	264	460546	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.434	112	1105438	74.234	ng	0.00
7) Phenol-d6	6.434	99	1370425	71.993	ng	0.00
23) Nitrobenzene-d5	7.357	82	777548	58.041	ng	-0.01
42) 2,4,6-Tribromophenol	10.622	330	305203	76.208	ng	0.00
45) 2-Fluorobiphenyl	9.157	172	1429732	60.510	ng	0.00
79) Terphenyl-d14	12.922	244	1359914	51.780	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF080723\
Data File : BF134649.D
Acq On : 07 Aug 2023 12:27
Operator : CG\JU
Sample : 03886-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
500-1A-1B

Quant Time: Aug 08 01:20:32 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF080123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 04 09:29:15 2023
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.798 min Scan# 800
 Delta R.T. 0.000 min
 Lab File: BF134649.D
 Acq: 07 Aug 2023 12:27




Instrument :
 BNA_F
 ClientSampleId :
 500-1A-1B


Tgt Ion:152 Resp: 226362
 Ion Ratio Lower Upper
 152 100
 150 153.2 128.3 192.5
 115 61.7 52.4 78.6



#5
 2-Fluorophenol
 Concen: 74.234 ng
 RT: 5.434 min Scan# 569
 Delta R.T. 0.006 min
 Lab File: BF134649.D
 Acq: 07 Aug 2023 12:27

Tgt Ion:112 Resp: 1105438
 Ion Ratio Lower Upper
 112 100
 64 57.3 44.9 67.3
 63 29.2 25.4 38.0









#7
Phenol-d6
Concen: 71.993 ng
RT: 6.434 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF134649.D
Acq: 07 Aug 2023 12:27




Instrument :
BNA_F
ClientSampleId :
500-1A-1B

Tgt Ion: 99 Resp: 1370425
Ion Ratio Lower Upper
99 100
42 18.7 18.7 28.1#
71 32.4 36.4 54.6#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.075 min Scan# 1018
Delta R.T. -0.006 min
Lab File: BF134649.D
Acq: 07 Aug 2023 12:27

Tgt Ion: 136 Resp: 837179
Ion Ratio Lower Upper
136 100
137 11.1 8.4 12.6
54 8.9 5.2 7.8#
68 6.9 2.9 4.3#





#23

Nitrobenzene-d5

Concen: 58.041 ng

RT: 7.357 min Scan# 896

Delta R.T. -0.012 min

Lab File: BF134649.D

Acq: 07 Aug 2023 12:27

Instrument :

BNA_F

ClientSampleId :

500-1A-1B





Tgt Ion: 82 Resp: 777548

Ion Ratio Lower Upper

82 100

128 44.8 34.3 51.5

54 53.5 43.8 65.6



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.833 min Scan# 1317

Delta R.T. 0.000 min

Lab File: BF134649.D

Acq: 07 Aug 2023 12:27




Tgt Ion:164 Resp: 392864

Ion Ratio Lower Upper

164 100

162 102.0 82.6 123.8


160 46.4 37.2 55.8








#42
2,4,6-Tribromophenol
Concen: 76.208 ng
RT: 10.622 min Scan# 1451
Delta R.T. -0.006 min
Lab File: BF134649.D
Acq: 07 Aug 2023 12:27

Instrument :
BNA_F
ClientSampleId :
500-1A-1B







Tgt Ion:330 Resp: 305203
Ion Ratio Lower Upper
330 100
332 96.5 78.8 118.2
141 29.3 25.4 38.2



#45
2-Fluorobiphenyl
Concen: 60.510 ng
RT: 9.157 min Scan# 1202
Delta R.T. -0.006 min
Lab File: BF134649.D
Acq: 07 Aug 2023 12:27

Tgt Ion:172 Resp: 1429732
Ion Ratio Lower Upper
172 100
171 36.0 28.8 43.2
170 23.8 18.7 28.1





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.322 min Scan# 1

Delta R.T. 0.000 min

Lab File: BF134649.D

Acq: 07 Aug 2023 12:27

Instrument :

BNA_F

ClientSampleId :

500-1A-1B





Tgt Ion:188 Resp: 625742

Ion Ratio Lower Upper

188 100

94 10.9 5.1 7.7#

80 10.8 6.6 9.8#



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.969 min Scan# 2020

Delta R.T. -0.006 min

Lab File: BF134649.D

Acq: 07 Aug 2023 12:27




Tgt Ion:240 Resp: 462987


Ion Ratio Lower Upper

240 100

120 11.5 6.6 10.0#

236 25.4 20.2 30.2









#79
 Terphenyl-d14
 Concen: 51.780 ng
 RT: 12.922 min Scan# 11
 Delta R.T. 0.000 min
 Lab File: BF134649.D
 Acq: 07 Aug 2023 12:27

Instrument :
 BNA_F
 ClientSampleId :
 500-1A-1B

Tgt Ion:244 Resp: 1359914
 Ion Ratio Lower Upper
 244 100
 212 5.9 5.6 8.4
 122 9.5 8.0 12.0



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.439 min Scan# 2270
 Delta R.T. 0.000 min
 Lab File: BF134649.D
 Acq: 07 Aug 2023 12:27

Tgt Ion:264 Resp: 460546
 Ion Ratio Lower Upper
 264 100
 260 22.6 18.4 27.6
 265 21.7 15.8 23.8

