

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF080819\
 Data File : BF116071.D
 Acq On : 8 Aug 2019 16:13
 Operator : HP/JU
 Sample : K4148-04
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Aug 09 09:11:44 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 07 11:13:18 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.84	152	132698	20.00	ng	0.00
21) Naphthalene-d8	8.12	136	523414	20.00	ng	-0.01
39) Acenaphthene-d10	9.87	164	284997	20.00	ng	-0.02
64) Phenanthrene-d10	11.36	188	542644	20.00	ng	-0.01
76) Chrysene-d12	14.00	240	470383	20.00	ng	-0.01
87) Perylene-d12	15.46	264	445232	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.46	112	528529	66.68	ng	0.00
7) Phenol-d6	6.47	99	507939	50.79	ng	-0.02
23) Nitrobenzene-d5	7.40	82	815524	89.94	ng	-0.02
42) 2,4,6-Tribromophenol	10.66	330	354751	128.39	ng	-0.01
45) 2-Fluorobiphenyl	9.19	172	1334197	87.69	ng	-0.01
79) Terphenyl-d14	12.94	244	1874167	83.96	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.40	70	105751	17.064	ng	# 79
25) Isophorone	7.40	82	815520	47.034	ng	# 65
50) Dimethylphthalate	9.59	163	189933	9.788	ng	99
57) 2,4-Dinitrotoluene	9.87	165	36063	6.423	ng	# 20
67) 4-Bromophenyl-phenylether	10.66	248	21313	3.669	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF080819\
Data File : BF116071.D
Acq On : 8 Aug 2019 16:13
Operator : HP/JU
Sample : K4148-04
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Aug 09 09:11:44 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 07 11:13:18 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.84 min Scan# 808
Delta R.T. -0.01 min
Lab File: BF116071.D
Acq: 8 Aug 2019 16:13

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
152	100		
150	158.0	126.2	189.2
115	58.7	49.9	74.9






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 66.677 ng
RT: 5.46 min Scan# 574
Delta R.T. -0.01 min
Lab File: BF116071.D
Acq: 8 Aug 2019 16:13

Tgt Ion	Ratio	Lower	Upper
112	100		
64	53.8	45.4	68.2
63	27.7	23.7	35.5





Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 50.789 ng

RT: 6.47 min Scan# 745

Delta R.T. -0.02 min

Lab File: BF116071.D

Acq: 8 Aug 2019 16:13

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 507939

Ion Ratio Lower Upper

99 100

42 17.1 13.8 20.8




71 32.9 27.3 40.9



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 17.064 ng

RT: 7.40 min Scan# 903

Delta R.T. 0.13 min

Lab File: BF116071.D

Acq: 8 Aug 2019 16:13

Tgt Ion: 70 Resp: 105751


Ion Ratio Lower Upper

70 100

42 42.7 40.9 61.3

101 0.0 7.9 11.9#

130 2.1 16.9 25.3#






Abundance Ion 70.00 (69.70 to 70.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 101.00 (100.70 to 101.70): BF1

Ion 130.00 (129.70 to 130.70): BF1





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.12 min Scan# 1025

Delta R.T. -0.01 min

Lab File: BF116071.D

Acq: 8 Aug 2019 16:13

Instrument :

BNA_F

ClientSampleId :

Tot Ion:136 Resp: 523414


Ion Ratio Lower Upper

136 100

137 11.4 9.0 13.4

54 7.1 5.8 8.6

68 6.3 5.2 7.8






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1



#23

Nitrobenzene-d5

Concen: 89.938 ng

RT: 7.40 min Scan# 903

Delta R.T. -0.02 min

Lab File: BF116071.D

Acq: 8 Aug 2019 16:13


Tgt Ion: 82 Resp: 815524

Ion Ratio Lower Upper

82 100

128 43.9 36.5 54.7



54 45.1 36.0 54.0




Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF1





#25

Isophorone

Concen: 47.034 ng

RT: 7.40 min Scan# 903

Delta R.T. -0.28 min

Lab File: BF116071.D

Acq: 8 Aug 2019 16:13

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 82 Resp: 815520

Ion Ratio Lower Upper

82 100

95 0.0 5.4 8.0#




138 0.0 14.5 21.7#



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 95.00 (94.70 to 95.70): BF1

Ion 138.00 (137.70 to 138.70): BF1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.87 min Scan# 1323

Delta R.T. -0.02 min

Lab File: BF116071.D

Acq: 8 Aug 2019 16:13


Tgt Ion: 164 Resp: 284997

Ion Ratio Lower Upper

164 100

162 102.5 82.6 124.0



160 46.6 37.6 56.4




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E






#42
 2,4,6-Tribromophenol
 Concen: 128.388 ng
 RT: 10.66 min Scan# 1458
 Delta R.T. -0.01 min
 Lab File: BF116071.D
 Acq: 8 Aug 2019 16:13

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.2	76.8	115.2
141	32.5	26.3	39.5






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 87.687 ng
 RT: 9.19 min Scan# 1208
 Delta R.T. -0.01 min
 Lab File: BF116071.D
 Acq: 8 Aug 2019 16:13

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.0	29.6	44.4
170	25.4	20.1	30.1






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 9.788 ng

RT: 9.59 min Scan# 1275

Delta R.T. -0.02 min

Lab File: BF116071.D

Acq: 8 Aug 2019 16:13

Instrument :

BNA_F

ClientSampleId :


Tot Ion:163 Resp: 189933

Ion Ratio Lower Upper

163 100

194 3.8 3.0 4.6




164 9.9 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#57

2,4-Dinitrotoluene

Concen: 6.423 ng

RT: 9.87 min Scan# 1323

Delta R.T. -0.21 min

Lab File: BF116071.D

Acq: 8 Aug 2019 16:13

Tgt Ion:165 Resp: 36063


Ion Ratio Lower Upper

165 100

63 1.0 39.6 59.4#

89 1.1 62.2 93.2#

182 0.0 2.1 3.1#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1

Ion 89.00 (88.70 to 89.70): BF1

Ion 182.00 (181.70 to 182.70): E









#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.36 min Scan# 1576
 Delta R.T. -0.01 min
 Lab File: BF116071.D
 Acq: 8 Aug 2019 16:13




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion:188 Resp: 542644
 Ion Ratio Lower Upper
 188 100
 94 9.5 8.1 12.1
 80 10.2 8.7 13.1



#67
 4-Bromophenyl-phenylether
 Concen: 3.669 ng
 RT: 10.66 min Scan# 1458
 Delta R.T. -0.25 min
 Lab File: BF116071.D
 Acq: 8 Aug 2019 16:13

Tgt Ion:248 Resp: 21313
 Ion Ratio Lower Upper
 248 100
 250 198.1 77.4 116.2#
 141 477.3 56.8 85.2#









#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.00 min Scan# 2025
Delta R.T. -0.01 min
Lab File: BF116071.D
Acq: 8 Aug 2019 16:13

Instrument :
BNA_F
ClientSampleId :

Tot Ion:240 Resp: 470383
Ion Ratio Lower Upper
240 100
120 11.1 10.7 16.1
236 28.1 22.2 33.2




Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E






#79
Terphenyl-d14
Concen: 83.957 ng
RT: 12.94 min Scan# 1846
Delta R.T. -0.01 min
Lab File: BF116071.D
Acq: 8 Aug 2019 16:13

Tgt Ion:244 Resp: 1874167
Ion Ratio Lower Upper
244 100
212 7.0 5.8 8.8
122 10.4 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E






#87
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.46 min Scan# 2274
 Delta R.T. -0.01 min
 Lab File: BF116071.D
 Acq: 8 Aug 2019 16:13

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.9	19.7	29.5
265	21.3	17.4	26.0



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

