

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF080819\
 Data File : BF116084.D
 Acq On : 8 Aug 2019 22:58
 Operator : HP/JU
 Sample : K4092-02
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 EO-01-080719-A

Quant Time: Aug 09 16:31:31 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 07 11:13:18 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.84	152	132568	20.00	ng	0.00
21) Naphthalene-d8	8.12	136	517206	20.00	ng	-0.01
39) Acenaphthene-d10	9.87	164	284562	20.00	ng	-0.02
64) Phenanthrene-d10	11.36	188	561065	20.00	ng	-0.01
76) Chrysene-d12	14.00	240	511266	20.00	ng	-0.01
87) Perylene-d12	15.46	264	475626	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.47	112	962271	121.52	ng	0.00
7) Phenol-d6	6.47	99	1120087	112.11	ng	-0.01
23) Nitrobenzene-d5	7.40	82	916608	102.30	ng	-0.02
42) 2,4,6-Tribromophenol	10.66	330	449831	163.05	ng	-0.01
45) 2-Fluorobiphenyl	9.19	172	1588869	104.58	ng	-0.01
79) Terphenyl-d14	12.95	244	2159300	88.99	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF080819\
Data File : BF116084.D
Acq On : 8 Aug 2019 22:58
Operator : HP/JU
Sample : K4092-02
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
EO-01-080719-A

Quant Time: Aug 09 16:31:31 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 07 11:13:18 2019
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 6.84 min Scan# 808

Delta R.T. -0.01 min

Lab File: BF116084.D

Acq: 8 Aug 2019 22:58

Instrument :

BNA_F

ClientSampleId :

EO-01-080719-A


Tot Ion:152 Resp: 132568

Ion Ratio Lower Upper

152 100

150 155.6 126.2 189.2

115 59.9 49.9 74.9






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 121.515 ng

RT: 5.47 min Scan# 576

Delta R.T. 0.01 min

Lab File: BF116084.D

Acq: 8 Aug 2019 22:58


Tgt Ion:112 Resp: 962271

Ion Ratio Lower Upper

112 100

64 58.8 45.4 68.2

63 30.5 23.7 35.5






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 112.108 ng

RT: 6.47 min Scan# 746

Delta R.T. -0.01 min

Lab File: BF116084.D

Acq: 8 Aug 2019 22:58

Instrument :


BNA_F

ClientSampleId :

EO-01-080719-A

Tot Ion: 99 Resp: 1120087

Ion	Ratio	Lower	Upper
99	100		
42	17.1	13.8	20.8
71	33.8	27.3	40.9






Abundance

Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.12 min Scan# 1025


Delta R.T. -0.01 min

Lab File: BF116084.D

Acq: 8 Aug 2019 22:58

Tgt Ion: 136 Resp: 517206

Ion	Ratio	Lower	Upper
136	100		
137	11.0	9.0	13.4
54	7.0	5.8	8.6
68	6.2	5.2	7.8





Abundance

Ion 136.00 (135.70 to 136.70): BF1

Ion 137.00 (136.70 to 137.70): BF1

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 102.299 ng
 RT: 7.40 min Scan# 903
 Delta R.T. -0.02 min
 Lab File: BF116084.D
 Acq: 8 Aug 2019 22:58




Instrument :
 BNA_F
 ClientSampleId :
 EO-01-080719-A

Tot Ion: 82 Resp: 916608
 Ion Ratio Lower Upper
 82 100
 128 44.6 36.5 54.7
 54 45.4 36.0 54.0



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.87 min Scan# 1323
 Delta R.T. -0.02 min
 Lab File: BF116084.D
 Acq: 8 Aug 2019 22:58

Tgt Ion:164 Resp: 284562
 Ion Ratio Lower Upper
 164 100
 162 103.1 82.6 124.0
 160 46.6 37.6 56.4






#42
 2,4,6-Tribromophenol
 Concen: 163.047 ng
 RT: 10.66 min Scan# 1458
 Delta R.T. -0.01 min
 Lab File: BF116084.D
 Acq: 8 Aug 2019 22:58

Instrument :
 BNA_F
 ClientSampleId :
 EO-01-080719-A

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.2	76.8	115.2
141	31.5	26.3	39.5






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 104.584 ng
 RT: 9.19 min Scan# 1208
 Delta R.T. -0.01 min
 Lab File: BF116084.D
 Acq: 8 Aug 2019 22:58

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.0	29.6	44.4
170	24.6	20.1	30.1






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.36 min Scan# 1576

Delta R.T. -0.01 min

Lab File: BF116084.D

Acq: 8 Aug 2019 22:58

Instrument :

BNA_F

ClientSampleId :

EO-01-080719-A


Tot Ion:188 Resp: 561065

Ion Ratio Lower Upper

188 100

94 9.7 8.1 12.1




80 10.4 8.7 13.1



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.00 min Scan# 2025

Delta R.T. -0.01 min

Lab File: BF116084.D

Acq: 8 Aug 2019 22:58


Tgt Ion:240 Resp: 511266

Ion Ratio Lower Upper

240 100

120 11.6 10.7 16.1



236 27.8 22.2 33.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 88.995 ng

RT: 12.95 min Scan# 1846

Delta R.T. -0.01 min

Lab File: BF116084.D

Acq: 8 Aug 2019 22:58

Instrument :

BNA_F

ClientSampleId :

EO-01-080719-A


Tot Ion:244 Resp: 2159300

Ion Ratio Lower Upper

244 100

212 7.1 5.8 8.8




122 10.2 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.46 min Scan# 2274

Delta R.T. -0.01 min

Lab File: BF116084.D

Acq: 8 Aug 2019 22:58


Tgt Ion:264 Resp: 475626

Ion Ratio Lower Upper

264 100

260 24.6 19.7 29.5

265 22.1 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

