

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF080919\
 Data File : BF116134.D
 Acq On : 10 Aug 2019 1:14
 Operator : HP/JU
 Sample : K4092-04
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Aug 10 04:38:25 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 07 11:13:18 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.84	152	116697	20.00	ng	0.00
21) Naphthalene-d8	8.12	136	436387	20.00	ng	-0.01
39) Acenaphthene-d10	9.87	164	213833	20.00	ng	-0.02
64) Phenanthrene-d10	11.36	188	324384	20.00	ng	-0.01
76) Chrysene-d12	14.00	240	265678	20.00	ng	-0.01
87) Perylene-d12	15.47	264	282782	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.48	112	856611	122.88	ng	0.01
7) Phenol-d6	6.48	99	1003517	114.10	ng	0.00
23) Nitrobenzene-d5	7.40	82	747693	98.90	ng	-0.02
42) 2,4,6-Tribromophenol	10.66	330	279245	134.69	ng	-0.01
45) 2-Fluorobiphenyl	9.19	172	1296411	113.56	ng	-0.01
79) Terphenyl-d14	12.94	244	1191030	94.46	ng	-0.01
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.40	70	101245	18.577	ng	# 80
25) Isophorone	7.40	82	747683	51.722	ng	# 65
51) 2,6-Dinitrotoluene	9.87	165	26479	8.369	ng	# 28
57) 2,4-Dinitrotoluene	9.87	165	26479	6.286	ng	# 20
67) 4-Bromophenyl-phenylether	10.66	248	16217	4.670	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF080919\
Data File : BF116134.D
Acq On : 10 Aug 2019 1:14
Operator : HP/JU
Sample : K4092-04
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Aug 10 04:38:25 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 07 11:13:18 2019
Response via : Initial Calibration






#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.84 min Scan# 808
 Delta R.T. -0.01 min
 Lab File: BF116134.D
 Acq: 10 Aug 2019 1:14

Instrument :
 BNA_F
 ClientSampled :

Tot Ion	Ratio	Lower	Upper
152	100		
150	158.3	126.2	189.2
115	62.2	49.9	74.9






Abundance

Ion 152.00 (151.70 to 152.70): E


Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5
 2-Fluorophenol
 Concen: 122.884 ng
 RT: 5.48 min Scan# 577
 Delta R.T. 0.01 min
 Lab File: BF116134.D
 Acq: 10 Aug 2019 1:14

Tgt Ion	Ratio	Lower	Upper
112	100		
64	53.9	45.4	68.2
63	28.3	23.7	35.5






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 114.101 ng

RT: 6.48 min Scan# 747

Delta R.T. -0.01 min

Lab File: BF116134.D

Acq: 10 Aug 2019 1:14

Instrument :

BNA_F

ClientSampled :


Tot Ion: 99 Resp: 1003517

Ion Ratio Lower Upper




99 100

42 16.6 13.8 20.8

71 33.4 27.3 40.9



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 18.577 ng

RT: 7.40 min Scan# 903

Delta R.T. 0.13 min

Lab File: BF116134.D

Acq: 10 Aug 2019 1:14

Tgt Ion: 70 Resp: 101245


Ion Ratio Lower Upper

70 100



42 43.9 40.9 61.3


101 0.0 7.9 11.9#

130 2.2 16.9 25.3#



Abundance Ion 70.00 (69.70 to 70.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 101.00 (100.70 to 101.70): BF1
Ion 130.00 (129.70 to 130.70): BF1





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.12 min Scan# 1025

Delta R.T. -0.01 min

Lab File: BF116134.D

Acq: 10 Aug 2019 1:14

Instrument :

BNA_F

ClientSampleId :

Tot Ion:136 Resp: 436387



Ion Ratio Lower Upper

136 100

137 11.1 9.0 13.4

54 7.2 5.8 8.6

68 6.2 5.2 7.8





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1



#23

Nitrobenzene-d5

Concen: 98.901 ng

RT: 7.40 min Scan# 903

Delta R.T. -0.02 min

Lab File: BF116134.D

Acq: 10 Aug 2019 1:14



Tgt Ion: 82 Resp: 747693

Ion Ratio Lower Upper

82 100

128 44.2 36.5 54.7


54 46.0 36.0 54.0




Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF1





#25

Isophorone

Concen: 51.722 ng

RT: 7.40 min Scan# 903

Delta R.T. -0.28 min

Lab File: BF116134.D

Acq: 10 Aug 2019 1:14

Instrument :

BNA_F

ClientSampled :


Tot Ion: 82 Resp: 747683

Ion Ratio Lower Upper

82 100

95 0.0 5.4 8.0#




138 0.0 14.5 21.7#



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 95.00 (94.70 to 95.70): BF1

Ion 138.00 (137.70 to 138.70): BF1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.87 min Scan# 1323

Delta R.T. -0.02 min

Lab File: BF116134.D

Acq: 10 Aug 2019 1:14


Tgt Ion: 164 Resp: 213833

Ion Ratio Lower Upper

164 100

162 98.6 82.6 124.0



160 44.6 37.6 56.4




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E





#42

2,4,6-Tribromophenol

Concen: 134.695 ng

RT: 10.66 min Scan# 1458

Delta R.T. -0.01 min

Lab File: BF116134.D

Acq: 10 Aug 2019 1:14

Instrument :

BNA_F

ClientSampleId :


Tot Ion:330 Resp: 279245

Ion Ratio Lower Upper

330 100

332 94.8 76.8 115.2




141 33.8 26.3 39.5



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 113.559 ng

RT: 9.19 min Scan# 1208

Delta R.T. -0.01 min

Lab File: BF116134.D

Acq: 10 Aug 2019 1:14


Tgt Ion:172 Resp: 1296411

Ion Ratio Lower Upper

172 100

171 37.2 29.6 44.4



170 25.2 20.1 30.1




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#51

2,6-Dinitrotoluene

Concen: 8.369 ng

RT: 9.87 min Scan# 1323


Delta R.T. 0.19 min

Lab File: BF116134.D




Acq: 10 Aug 2019 1:14

Instrument :
BNA_F
ClientSampleId :

Tot Ion:165	Resp:	26479
Ion Ratio	Lower	Upper
165 100		
63 0.0	38.2	57.2#
89 1.3	42.9	64.3#



Abundance Ion 165.00 (164.70 to 165.70): E
Ion 63.00 (62.70 to 63.70): BF1
Ion 89.00 (88.70 to 89.70): BF1



#57

2,4-Dinitrotoluene

Concen: 6.286 ng


RT: 9.87 min Scan# 1323

Delta R.T. -0.21 min



Lab File: BF116134.D


Acq: 10 Aug 2019 1:14

Tgt Ion:165	Resp:	26479
Ion Ratio	Lower	Upper
165 100		
63 0.0	39.6	59.4#
89 1.3	62.2	93.2#
182 0.0	2.1	3.1#



Abundance Ion 165.00 (164.70 to 165.70): E
Ion 63.00 (62.70 to 63.70): BF1
Ion 89.00 (88.70 to 89.70): BF1
Ion 182.00 (181.70 to 182.70): E









#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.36 min Scan# 1576
 Delta R.T. -0.01 min
 Lab File: BF116134.D
 Acq: 10 Aug 2019 1:14

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:188 Resp: 324384
 Ion Ratio Lower Upper
 188 100
 94 10.3 8.1 12.1
 80 11.2 8.7 13.1




Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF1
 Ion 80.00 (79.70 to 80.70): BF1






#67
 4-Bromophenyl-phenylether
 Concen: 4.670 ng
 RT: 10.66 min Scan# 1458
 Delta R.T. -0.25 min
 Lab File: BF116134.D
 Acq: 10 Aug 2019 1:14

Tgt Ion:248 Resp: 16217
 Ion Ratio Lower Upper
 248 100
 250 198.7 77.4 116.2#
 141 509.5 56.8 85.2#



Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E





#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.00 min Scan# 2025

Delta R.T. -0.01 min

Lab File: BF116134.D

Acq: 10 Aug 2019 1:14

Instrument :

BNA_F

ClientSampleId :


Tot Ion:240 Resp: 265678

Ion Ratio Lower Upper

240 100

120 12.7 10.7 16.1




236 27.3 22.2 33.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 94.464 ng

RT: 12.94 min Scan# 1845

Delta R.T. -0.01 min

Lab File: BF116134.D

Acq: 10 Aug 2019 1:14


Tgt Ion:244 Resp: 1191030

Ion Ratio Lower Upper

244 100

212 7.2 5.8 8.8



122 12.3 9.0 13.4






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.47 min Scan# 2275
 Delta R.T. -0.01 min
 Lab File: BF116134.D
 Acq: 10 Aug 2019 1:14

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:	264	Resp:	282782
Ion	Ratio	Lower	Upper
264	100		
260	24.5	19.7	29.5
265	21.7	17.4	26.0

