

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF080919\
 Data File : BF116101.D
 Acq On : 9 Aug 2019 9:43
 Operator : HP/JU
 Sample : PB122079BL
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB122079BL

Quant Time: Aug 10 02:30:13 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 07 11:13:18 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.84	152	154432	20.00	ng	0.00
21) Naphthalene-d8	8.12	136	596757	20.00	ng	-0.01
39) Acenaphthene-d10	9.87	164	312523	20.00	ng	-0.02
64) Phenanthrene-d10	11.36	188	549945	20.00	ng	-0.01
76) Chrysene-d12	14.00	240	389827	20.00	ng	-0.01
87) Perylene-d12	15.47	264	362779	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.47	112	1084466	117.56	ng	0.00
7) Phenol-d6	6.48	99	1404742	120.69	ng	0.00
23) Nitrobenzene-d5	7.40	82	924690	89.44	ng	-0.01
42) 2,4,6-Tribromophenol	10.66	330	374143	123.48	ng	-0.01
45) 2-Fluorobiphenyl	9.19	172	1548298	92.80	ng	-0.01
79) Terphenyl-d14	12.94	244	1696613	91.71	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF080919\
Data File : BF116101.D
Acq On : 9 Aug 2019 9:43
Operator : HP/JU
Sample : PB122079BL
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB122079BL

Quant Time: Aug 10 02:30:13 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 07 11:13:18 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.84 min Scan# 808
Delta R.T. -0.01 min
Lab File: BF116101.D
Acq: 9 Aug 2019 9:43

Instrument :
BNA_F
ClientSampleId :
PB122079BL

Tot Ion:152 Resp: 154432
Ion Ratio Lower Upper
152 100
150 154.4 126.2 189.2
115 58.2 49.9 74.9




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 117.557 ng
RT: 5.47 min Scan# 576
Delta R.T. 0.01 min
Lab File: BF116101.D
Acq: 9 Aug 2019 9:43

Tgt Ion:112 Resp: 1084466
Ion Ratio Lower Upper
112 100
64 58.9 45.4 68.2
63 30.8 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 120.693 ng

RT: 6.48 min Scan# 747

Delta R.T. -0.01 min

Lab File: BF116101.D

Acq: 9 Aug 2019 9:43

Instrument :

BNA_F

ClientSampleId :

PB122079BL


Tot Ion: 99 Resp: 1404742

Ion Ratio Lower Upper

99 100

42 17.1 13.8 20.8




71 34.5 27.3 40.9



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.12 min Scan# 1025

Delta R.T. -0.01 min

Lab File: BF116101.D

Acq: 9 Aug 2019 9:43

Tgt Ion: 136 Resp: 596757


Ion Ratio Lower Upper

136 100

137 10.8 9.0 13.4

54 7.0 5.8 8.6

68 6.3 5.2 7.8






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 89.443 ng
 RT: 7.40 min Scan# 904
 Delta R.T. -0.01 min
 Lab File: BF116101.D
 Acq: 9 Aug 2019 9:43

Instrument :
 BNA_F
 ClientSampleId :
 PB122079BL

Tot Ion: 82 Resp: 924690
 Ion Ratio Lower Upper
 82 100
 128 46.6 36.5 54.7
 54 44.1 36.0 54.0




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF1






#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.87 min Scan# 1323
 Delta R.T. -0.02 min
 Lab File: BF116101.D
 Acq: 9 Aug 2019 9:43

Tgt Ion:164 Resp: 312523
 Ion Ratio Lower Upper
 164 100
 162 102.5 82.6 124.0
 160 46.6 37.6 56.4



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#42
 2,4,6-Tribromophenol
 Concen: 123.480 ng
 RT: 10.66 min Scan# 1458
 Delta R.T. -0.01 min
 Lab File: BF116101.D
 Acq: 9 Aug 2019 9:43

Instrument :
 BNA_F
 ClientSampleId :
 PB122079BL

Tot Ion:330 Resp: 374143
 Ion Ratio Lower Upper
 330 100
 332 96.7 76.8 115.2
 141 32.7 26.3 39.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 92.796 ng
 RT: 9.19 min Scan# 1208
 Delta R.T. -0.01 min
 Lab File: BF116101.D
 Acq: 9 Aug 2019 9:43

Tgt Ion:172 Resp: 1548298
 Ion Ratio Lower Upper
 172 100
 171 36.8 29.6 44.4
 170 24.8 20.1 30.1



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.36 min Scan# 1576
Delta R.T. -0.01 min
Lab File: BF116101.D
Acq: 9 Aug 2019 9:43




Instrument :
BNA_F
ClientSampleId :
PB122079BL


Tot Ion:188 Resp: 549945
Ion Ratio Lower Upper
188 100
94 10.1 8.1 12.1
80 11.0 8.7 13.1



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.00 min Scan# 2025
Delta R.T. -0.01 min
Lab File: BF116101.D
Acq: 9 Aug 2019 9:43

Tgt Ion:240 Resp: 389827
Ion Ratio Lower Upper
240 100
120 12.9 10.7 16.1
236 27.2 22.2 33.2





#79

Terphenyl-d14

Concen: 91.708 ng

RT: 12.94 min Scan# 1846

Delta R.T. -0.01 min

Lab File: BF116101.D

Acq: 9 Aug 2019 9:43

Instrument :

BNA_F

ClientSampleId :

PB122079BL


Tot Ion:244 Resp: 1696613

Ion Ratio Lower Upper

244 100

212 7.1 5.8 8.8




122 11.1 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.47 min Scan# 2275

Delta R.T. -0.01 min

Lab File: BF116101.D

Acq: 9 Aug 2019 9:43


Tgt Ion:264 Resp: 362779

Ion Ratio Lower Upper

264 100

260 25.0 19.7 29.5

265 22.2 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

