

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF080919\
 Data File : BF116104.D
 Acq On : 9 Aug 2019 11:03
 Operator : HP/JU
 Sample : PB122069BL
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB122069BL

Quant Time: Aug 10 02:37:35 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 07 11:13:18 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.84	152	152684	20.00	ng	0.00
21) Naphthalene-d8	8.12	136	585877	20.00	ng	-0.01
39) Acenaphthene-d10	9.87	164	311265	20.00	ng	-0.02
64) Phenanthrene-d10	11.36	188	547661	20.00	ng	-0.01
76) Chrysene-d12	14.00	240	392290	20.00	ng	-0.01
87) Perylene-d12	15.47	264	359574	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.47	112	1128256	123.70	ng	0.00
7) Phenol-d6	6.48	99	1455661	126.50	ng	0.00
23) Nitrobenzene-d5	7.40	82	973985	95.96	ng	-0.01
42) 2,4,6-Tribromophenol	10.66	330	394666	130.78	ng	-0.01
45) 2-Fluorobiphenyl	9.19	172	1606514	96.67	ng	-0.01
79) Terphenyl-d14	12.94	244	1743452	93.65	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF080919\
Data File : BF116104.D
Acq On : 9 Aug 2019 11:03
Operator : HP/JU
Sample : PB122069BL
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB122069BL

Quant Time: Aug 10 02:37:35 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 07 11:13:18 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.84 min Scan# 808
Delta R.T. -0.01 min
Lab File: BF116104.D
Acq: 9 Aug 2019 11:03

Instrument :
BNA_F
ClientSampleId :
PB122069BL

Tot Ion:152 Resp: 152684
Ion Ratio Lower Upper
152 100
150 155.1 126.2 189.2
115 60.3 49.9 74.9




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 123.705 ng
RT: 5.47 min Scan# 576
Delta R.T. 0.01 min
Lab File: BF116104.D
Acq: 9 Aug 2019 11:03

Tgt Ion:112 Resp: 1128256
Ion Ratio Lower Upper
112 100
64 59.6 45.4 68.2
63 30.7 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 126.500 ng

RT: 6.48 min Scan# 747

Delta R.T. -0.01 min

Lab File: BF116104.D

Acq: 9 Aug 2019 11:03

Instrument :

BNA_F

ClientSampleId :

PB122069BL


Tot Ion: 99 Resp: 1455661

Ion Ratio Lower Upper

99 100

42 17.6 13.8 20.8




71 35.5 27.3 40.9



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.12 min Scan# 1025

Delta R.T. -0.01 min

Lab File: BF116104.D

Acq: 9 Aug 2019 11:03

Tgt Ion: 136 Resp: 585877


Ion Ratio Lower Upper

136 100

137 11.0 9.0 13.4

54 7.5 5.8 8.6

68 6.5 5.2 7.8






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 95.961 ng
 RT: 7.40 min Scan# 904
 Delta R.T. -0.01 min
 Lab File: BF116104.D
 Acq: 9 Aug 2019 11:03




Instrument :
 BNA_F
 ClientSampleId :
 PB122069BL


Tot Ion	82	Resp	973985
Ion Ratio	100	Lower	Upper
128	46.9	36.5	54.7
54	44.1	36.0	54.0



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.87 min Scan# 1323
 Delta R.T. -0.02 min
 Lab File: BF116104.D
 Acq: 9 Aug 2019 11:03

Tgt Ion	164	Resp	311265
Ion Ratio <td>100</td> <td>Lower</td> <td>Upper</td>	100	Lower	Upper
162	100.5	82.6	124.0
160	45.8	37.6	56.4





#42

2,4,6-Tribromophenol

Concen: 130.779 ng

RT: 10.66 min Scan# 1458

Delta R.T. -0.01 min

Lab File: BF116104.D

Acq: 9 Aug 2019 11:03

Instrument :

BNA_F

ClientSampleId :

PB122069BL


Tot Ion:330 Resp: 394666

Ion Ratio Lower Upper

330 100

332 95.5 76.8 115.2




141 32.6 26.3 39.5



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 96.674 ng

RT: 9.19 min Scan# 1208

Delta R.T. -0.01 min

Lab File: BF116104.D

Acq: 9 Aug 2019 11:03


Tgt Ion:172 Resp: 1606514

Ion Ratio Lower Upper

172 100

171 36.8 29.6 44.4



170 25.1 20.1 30.1




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.36 min Scan# 1576
Delta R.T. -0.01 min
Lab File: BF116104.D
Acq: 9 Aug 2019 11:03




Instrument :
BNA_F
ClientSampleId :
PB122069BL


Tot Ion:188 Resp: 547661
Ion Ratio Lower Upper
188 100
94 9.9 8.1 12.1
80 10.9 8.7 13.1



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.00 min Scan# 2025
Delta R.T. -0.01 min
Lab File: BF116104.D
Acq: 9 Aug 2019 11:03

Tgt Ion:240 Resp: 392290
Ion Ratio Lower Upper
240 100
120 12.7 10.7 16.1
236 26.7 22.2 33.2





#79

Terphenyl-d14

Concen: 93.649 ng

RT: 12.94 min Scan# 1846

Delta R.T. -0.01 min

Lab File: BF116104.D

Acq: 9 Aug 2019 11:03

Instrument :

BNA_F

ClientSampleId :

PB122069BL


Tot Ion:244 Resp: 1743452

Ion Ratio Lower Upper

244 100

212 7.1 5.8 8.8




122 10.9 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.47 min Scan# 2275

Delta R.T. -0.01 min

Lab File: BF116104.D

Acq: 9 Aug 2019 11:03


Tgt Ion:264 Resp: 359574

Ion Ratio Lower Upper

264 100

260 24.9 19.7 29.5

265 22.1 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

