

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF081319\
 Data File : BF116245.D
 Acq On : 13 Aug 2019 22:08
 Operator : HP/JU
 Sample : K4227-10
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 1S-P-(0-1)-COMP

Quant Time: Aug 13 23:20:38 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF073019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 07 11:13:18 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.83	152	138095	20.00	ng	-0.01
21) Naphthalene-d8	8.12	136	535050	20.00	ng	-0.01
39) Acenaphthene-d10	9.87	164	296649	20.00	ng	-0.02
64) Phenanthrene-d10	11.36	188	556495	20.00	ng	-0.01
76) Chrysene-d12	14.00	240	450473	20.00	ng	0.00
87) Perylene-d12	15.47	264	416538	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.47	112	960867	116.48	ng	0.00
7) Phenol-d6	6.47	99	1163512	111.79	ng	-0.01
23) Nitrobenzene-d5	7.40	82	872357	94.11	ng	-0.02
42) 2,4,6-Tribromophenol	10.66	330	407314	141.62	ng	-0.01
45) 2-Fluorobiphenyl	9.19	172	1457235	92.01	ng	-0.01
79) Terphenyl-d14	12.94	244	1803300	84.35	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.40	70	115626	17.928	ng	# 80
25) Isophorone	7.40	82	872354	49.218	ng	# 65
51) 2,6-Dinitrotoluene	9.87	165	37592	8.564	ng	# 29
57) 2,4-Dinitrotoluene	9.87	165	37714	6.453	ng	# 20
67) 4-Bromophenyl-phenylether	10.66	248	25048	4.205	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF081319\
Data File : BF116245.D
Acq On : 13 Aug 2019 22:08
Operator : HP/JU
Sample : K4227-10
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
1S-P-(0-1)-COMP

Quant Time: Aug 13 23:20:38 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF073019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 07 11:13:18 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.83 min Scan# 807
Delta R.T. -0.01 min
Lab File: BF116245.D
Acq: 13 Aug 2019 22:08

Instrument :
BNA_F
ClientSampleId :
1S-P-(0-1)-COMP

Tgt Ion	Ratio	Lower	Upper
152	100		
150	153.2	126.2	189.2
115	61.3	49.9	74.9






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 116.481 ng
RT: 5.47 min Scan# 576
Delta R.T. 0.01 min
Lab File: BF116245.D
Acq: 13 Aug 2019 22:08

Tgt Ion	Ratio	Lower	Upper
112	100		
64	57.0	45.4	68.2
63	30.0	23.7	35.5





Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 111.793 ng

RT: 6.47 min Scan# 746

Delta R.T. -0.01 min

Lab File: BF116245.D

Acq: 13 Aug 2019 22:08

Instrument :

BNA_F

ClientSampleId :

1S-P-(0-1)-COMP


Tgt Ion: 99 Resp: 1163512

Ion Ratio Lower Upper




99 100

42 17.3 13.8 20.8

71 34.5 27.3 40.9



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 17.928 ng

RT: 7.40 min Scan# 903

Delta R.T. 0.13 min

Lab File: BF116245.D

Acq: 13 Aug 2019 22:08

Tgt Ion: 70 Resp: 115626


Ion Ratio Lower Upper

70 100



42 43.9 40.9 61.3


101 0.0 7.9 11.9#

130 2.4 16.9 25.3#



Abundance Ion 70.00 (69.70 to 70.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 101.00 (100.70 to 101.70): BF1
Ion 130.00 (129.70 to 130.70): BF1





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.12 min Scan# 1025

Delta R.T. -0.01 min

Lab File: BF116245.D

Acq: 13 Aug 2019 22:08

Instrument :

BNA_F

ClientSampleId :

1S-P-(0-1)-COMP

Tgt Ion:136 Resp: 535050


Ion Ratio Lower Upper

136 100

137 11.0 9.0 13.4

54 6.7 5.8 8.6

68 5.9 5.2 7.8






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1



#23

Nitrobenzene-d5

Concen: 94.113 ng

RT: 7.40 min Scan# 903

Delta R.T. -0.02 min

Lab File: BF116245.D

Acq: 13 Aug 2019 22:08


Tgt Ion: 82 Resp: 872357

Ion Ratio Lower Upper

82 100

128 45.0 36.5 54.7



54 45.8 36.0 54.0




Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF1





#25

Isophorone

Concen: 49.218 ng

RT: 7.40 min Scan# 903

Delta R.T. -0.28 min

Lab File: BF116245.D

Acq: 13 Aug 2019 22:08

Instrument :

BNA_F

ClientSampleId :

1S-P-(0-1)-COMP


Tgt Ion: 82 Resp: 872354

Ion Ratio Lower Upper

82 100

95 0.0 5.4 8.0#




138 0.0 14.5 21.7#



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 95.00 (94.70 to 95.70): BF1

Ion 138.00 (137.70 to 138.70): BF1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.87 min Scan# 1323

Delta R.T. -0.02 min

Lab File: BF116245.D

Acq: 13 Aug 2019 22:08


Tgt Ion: 164 Resp: 296649

Ion Ratio Lower Upper

164 100

162 101.0 82.6 124.0



160 45.3 37.6 56.4




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#42
 2,4,6-Tribromophenol
 Concen: 141.621 ng
 RT: 10.66 min Scan# 1458
 Delta R.T. -0.01 min
 Lab File: BF116245.D
 Acq: 13 Aug 2019 22:08

Instrument :
 BNA_F
 ClientSampleId :
 1S-P-(0-1)-COMP

Tgt Ion:330 Resp: 407314
 Ion Ratio Lower Upper
 330 100
 332 96.3 76.8 115.2
 141 34.0 26.3 39.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 92.011 ng
 RT: 9.19 min Scan# 1208
 Delta R.T. -0.01 min
 Lab File: BF116245.D
 Acq: 13 Aug 2019 22:08

Tgt Ion:172 Resp: 1457235
 Ion Ratio Lower Upper
 172 100
 171 36.7 29.6 44.4
 170 25.4 20.1 30.1



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#51
 2,6-Dinitrotoluene
 Concen: 8.564 ng
 RT: 9.87 min Scan# 1323
 Delta R.T. 0.19 min
 Lab File: BF116245.D
 Acq: 13 Aug 2019 22:08

Instrument :
 BNA_F
 ClientSampleId :
 1S-P-(0-1)-COMP

Tgt Ion	Ratio	Lower	Upper
165	100		
63	1.1	38.2	57.2#
89	1.3	42.9	64.3#






Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF1
 Ion 89.00 (88.70 to 89.70): BF1




#57
 2,4-Dinitrotoluene
 Concen: 6.453 ng
 RT: 9.87 min Scan# 1323
 Delta R.T. -0.21 min
 Lab File: BF116245.D
 Acq: 13 Aug 2019 22:08

Tgt Ion	Ratio	Lower	Upper
165	100		
63	1.1	39.6	59.4#
89	1.3	62.2	93.2#
182	0.0	2.1	3.1#

Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF1
 Ion 89.00 (88.70 to 89.70): BF1
 Ion 182.00 (181.70 to 182.70): E









#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.36 min Scan# 1576
 Delta R.T. -0.01 min
 Lab File: BF116245.D
 Acq: 13 Aug 2019 22:08




Instrument :
 BNA_F
 ClientSampleId :
 1S-P-(0-1)-COMP


Tgt Ion:188 Resp: 556495
 Ion Ratio Lower Upper
 188 100
 94 9.8 8.1 12.1
 80 10.9 8.7 13.1



#67
 4-Bromophenyl-phenylether
 Concen: 4.205 ng
 RT: 10.66 min Scan# 1458
 Delta R.T. -0.25 min
 Lab File: BF116245.D
 Acq: 13 Aug 2019 22:08

Tgt Ion:248 Resp: 25048
 Ion Ratio Lower Upper
 248 100
 250 193.0 77.4 116.2#
 141 477.0 56.8 85.2#









#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.00 min Scan# 2026
Delta R.T. -0.01 min
Lab File: BF116245.D
Acq: 13 Aug 2019 22:08




Instrument :
BNA_F
ClientSampleId :
1S-P-(0-1)-COMP


Tgt Ion:240 Resp: 450473
Ion Ratio Lower Upper
240 100
120 11.2 10.7 16.1
236 27.2 22.2 33.2



#79
Terphenyl-d14
Concen: 84.352 ng
RT: 12.94 min Scan# 1846
Delta R.T. -0.01 min
Lab File: BF116245.D
Acq: 13 Aug 2019 22:08

Tgt Ion:244 Resp: 1803300
Ion Ratio Lower Upper
244 100
212 7.2 5.8 8.8
122 10.4 9.0 13.4





#87
Perylene-d12
Concen: 20.000 ng
RT: 15.47 min Scan# 2276
Delta R.T. -0.00 min
Lab File: BF116245.D
Acq: 13 Aug 2019 22:08

Instrument :
BNA_F
ClientSampleId :
1S-P-(0-1)-COMP

Tgt Ion: 264 Resp: 416538

Ion	Ratio	Lower	Upper
264	100		
260	24.2	19.7	29.5
265	21.5	17.4	26.0

