

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF081319\
 Data File : BF116246.D
 Acq On : 13 Aug 2019 22:35
 Operator : HP/JU
 Sample : K4227-07
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 1S-K-(0-1)-COMP

Quant Time: Aug 14 01:45:11 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 07 11:13:18 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.83	152	145792	20.00	ng	-0.01
21) Naphthalene-d8	8.12	136	571891	20.00	ng	-0.01
39) Acenaphthene-d10	9.87	164	315697	20.00	ng	-0.02
64) Phenanthrene-d10	11.36	188	594698	20.00	ng	-0.01
76) Chrysene-d12	14.00	240	459322	20.00	ng	-0.01
87) Perylene-d12	15.47	264	392546	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.47	112	1017453	116.83	ng	0.00
7) Phenol-d6	6.47	99	1218124	110.86	ng	-0.01
23) Nitrobenzene-d5	7.40	82	966175	97.52	ng	-0.02
42) 2,4,6-Tribromophenol	10.66	330	445040	145.40	ng	-0.01
45) 2-Fluorobiphenyl	9.19	172	1605651	95.27	ng	-0.01
79) Terphenyl-d14	12.95	244	1945522	89.25	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF081319\
Data File : BF116246.D
Acq On : 13 Aug 2019 22:35
Operator : HP/JU
Sample : K4227-07
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
1S-K-(0-1)-COMP

Quant Time: Aug 14 01:45:11 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 07 11:13:18 2019
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 6.83 min Scan# 807

Delta R.T. -0.01 min

Lab File: BF116246.D

Acq: 13 Aug 2019 22:35

Instrument :

BNA_F

ClientSampleId :

1S-K-(0-1)-COMP


Tot Ion:152 Resp: 145792

Ion Ratio Lower Upper

152 100

150 155.0 126.2 189.2




115 61.5 49.9 74.9



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 116.829 ng

RT: 5.47 min Scan# 576

Delta R.T. 0.01 min

Lab File: BF116246.D

Acq: 13 Aug 2019 22:35


Tgt Ion:112 Resp: 1017453

Ion Ratio Lower Upper

112 100

64 58.9 45.4 68.2



63 30.6 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 110.862 ng

RT: 6.47 min Scan# 746

Delta R.T. -0.01 min

Lab File: BF116246.D

Acq: 13 Aug 2019 22:35

Instrument :

BNA_F

ClientSampleId :

1S-K-(0-1)-COMP


Tot Ion: 99 Resp: 1218124

Ion Ratio Lower Upper

99 100

42 17.3 13.8 20.8




71 34.7 27.3 40.9



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.12 min Scan# 1025

Delta R.T. -0.01 min

Lab File: BF116246.D

Acq: 13 Aug 2019 22:35

Tgt Ion: 136 Resp: 571891


Ion Ratio Lower Upper

136 100

137 10.8 9.0 13.4

54 6.7 5.8 8.6

68 5.7 5.2 7.8





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
Nitrobenzene-d5
Concen: 97.520 ng
RT: 7.40 min Scan# 903
Delta R.T. -0.02 min
Lab File: BF116246.D
Acq: 13 Aug 2019 22:35




Instrument :
BNA_F
ClientSampleId :
1S-K-(0-1)-COMP

Tot Ion: 82 Resp: 966175
Ion Ratio Lower Upper
82 100
128 44.8 36.5 54.7
54 45.4 36.0 54.0



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.87 min Scan# 1323
Delta R.T. -0.02 min
Lab File: BF116246.D
Acq: 13 Aug 2019 22:35

Tgt Ion:164 Resp: 315697
Ion Ratio Lower Upper
164 100
162 101.6 82.6 124.0
160 45.4 37.6 56.4





#42

2,4,6-Tribromophenol

Concen: 145.401 ng

RT: 10.66 min Scan# 1458

Delta R.T. -0.01 min

Lab File: BF116246.D

Acq: 13 Aug 2019 22:35

Instrument :

BNA_F

ClientSampleId :

1S-K-(0-1)-COMP


Tot Ion:330 Resp: 445040

Ion Ratio Lower Upper

330 100

332 95.2 76.8 115.2




141 33.3 26.3 39.5



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 95.265 ng

RT: 9.19 min Scan# 1208

Delta R.T. -0.01 min

Lab File: BF116246.D

Acq: 13 Aug 2019 22:35


Tgt Ion:172 Resp: 1605651

Ion Ratio Lower Upper

172 100

171 35.9 29.6 44.4



170 24.9 20.1 30.1




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.36 min Scan# 1576
 Delta R.T. -0.01 min
 Lab File: BF116246.D
 Acq: 13 Aug 2019 22:35




Instrument :
 BNA_F
 ClientSampleId :
 1S-K-(0-1)-COMP

Tot Ion:188 Resp: 594698
 Ion Ratio Lower Upper
 188 100
 94 9.6 8.1 12.1
 80 10.4 8.7 13.1



#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 14.00 min Scan# 2025
 Delta R.T. -0.01 min
 Lab File: BF116246.D
 Acq: 13 Aug 2019 22:35

Tgt Ion:240 Resp: 459322
 Ion Ratio Lower Upper
 240 100
 120 12.7 10.7 16.1
 236 26.9 22.2 33.2





#79

Terphenyl-d14

Concen: 89.252 ng

RT: 12.95 min Scan# 1846

Delta R.T. -0.01 min

Lab File: BF116246.D

Acq: 13 Aug 2019 22:35

Instrument :

BNA_F

ClientSampleId :

1S-K-(0-1)-COMP


Tot Ion:244 Resp: 1945522

Ion Ratio Lower Upper

244 100

212 7.0 5.8 8.8




122 10.3 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.47 min Scan# 2275

Delta R.T. -0.01 min

Lab File: BF116246.D

Acq: 13 Aug 2019 22:35


Tgt Ion:264 Resp: 392546

Ion Ratio Lower Upper

264 100

260 24.9 19.7 29.5

265 22.4 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

