

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF081618\
 Data File : BF108228.D
 Acq On : 17 Aug 2018 6:27
 Operator : JU/SJ
 Sample : J4504-06
 Misc :
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 081418-TIPC-F-D-S

Quant Time: Aug 17 07:44:20 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF080818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 08 12:24:24 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.01	152	174439	20.00	ng	0.00
21) Naphthalene-d8	8.30	136	648142	20.00	ng	0.00
38) Acenaphthene-d10	10.06	164	320385	20.00	ng	0.00
63) Phenanthrene-d10	11.55	188	589035	20.00	ng	0.00
75) Chrysene-d12	14.21	240	459450	20.00	ng	-0.01
86) Perylene-d12	15.77	264	370313	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.64	112	402051	41.73	ng	0.00
7) Phenol-d6	6.62	99	329523	25.74	ng	0.00
23) Nitrobenzene-d5	7.58	82	1131974	97.46	ng	0.00
41) 2,4,6-Tribromophenol	10.85	330	302334	94.60	ng	0.00
44) 2-Fluorobiphenyl	9.37	172	2059998	103.23	ng	0.00
78) Terphenyl-d14	13.15	244	1894269	104.83	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF081618\
Data File : BF108228.D
Acq On : 17 Aug 2018 6:27
Operator : JU/SJ
Sample : J4504-06
Misc :
ALS Vial : 37 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
081418-TIPC-F-D-S

Quant Time: Aug 17 07:44:20 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF080818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 08 12:24:24 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.01 min Scan# 795
Delta R.T. 0.00 min
Lab File: BF108228.D
Acq: 17 Aug 2018 6:27

Instrument :
BNA_F
ClientSampleId :
081418-TIPC-F-D-S

Tot Ion	Ratio	Lower	Upper
152	100		
150	156.4	124.6	186.8
115	60.2	50.1	75.1





Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 41.728 ng
RT: 5.64 min Scan# 561
Delta R.T. 0.01 min
Lab File: BF108228.D
Acq: 17 Aug 2018 6:27

Tgt Ion	Ratio	Lower	Upper
112	100		
64	67.5	47.9	71.9
63	35.3	23.7	35.5





Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 25.736 ng

RT: 6.62 min Scan# 729

Delta R.T. -0.01 min

Lab File: BF108228.D

Acq: 17 Aug 2018 6:27

Instrument :

BNA_F

ClientSampleId :

081418-TIPC-F-D-S


Tot Ion: 99 Resp: 329523

Ion Ratio Lower Upper




99 100

42 23.0 14.5 21.7#

71 35.4 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.30 min Scan# 1013

Delta R.T. -0.01 min

Lab File: BF108228.D

Acq: 17 Aug 2018 6:27

Tgt Ion: 136 Resp: 648142


Ion Ratio Lower Upper

136 100



137 11.0 8.9 13.3

54 10.9 6.6 9.8#

68 6.7 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
 Nitrobenzene-d5
 Concen: 97.457 ng
 RT: 7.58 min Scan# 891
 Delta R.T. 0.00 min
 Lab File: BF108228.D
 Acq: 17 Aug 2018 6:27




Instrument :
 BNA_F
 ClientSampleId :
 081418-TIPC-F-D-S

Tot Ion: 82 Resp: 1131974

Ion	Ratio	Lower	Upper
82	100		
128	41.6	36.1	54.1
54	59.2	41.4	62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1





#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 10.06 min Scan# 1313
 Delta R.T. -0.01 min
 Lab File: BF108228.D
 Acq: 17 Aug 2018 6:27


Tgt Ion:164 Resp: 320385

Ion	Ratio	Lower	Upper
164	100		
162	101.7	86.1	129.1
160	45.7	38.3	57.5



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 94.605 ng
 RT: 10.85 min Scan# 1448
 Delta R.T. -0.01 min
 Lab File: BF108228.D
 Acq: 17 Aug 2018 6:27

Instrument :
 BNA_F
 ClientSampleId :
 081418-TIPC-F-D-S

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.8	77.0	115.6
141	32.4	29.9	44.9






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44
 2-Fluorobiphenyl
 Concen: 103.228 ng
 RT: 9.37 min Scan# 1196
 Delta R.T. -0.01 min
 Lab File: BF108228.D
 Acq: 17 Aug 2018 6:27

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.9	29.7	44.5
170	25.7	19.6	29.4





Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.55 min Scan# 1567
Delta R.T. -0.01 min
Lab File: BF108228.D
Acq: 17 Aug 2018 6:27




Instrument :
BNA_F
ClientSampleId :
081418-TIPC-F-D-S


Tot Ion:188 Resp: 589035
Ion Ratio Lower Upper
188 100
94 9.5 8.5 12.7
80 11.0 9.2 13.8



#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.21 min Scan# 2018
Delta R.T. -0.01 min
Lab File: BF108228.D
Acq: 17 Aug 2018 6:27

Tgt Ion:240 Resp: 459450
Ion Ratio Lower Upper
240 100
120 10.4 9.5 14.3
236 27.0 20.7 31.1





#78

Terphenyl-d14

Concen: 104.828 ng

RT: 13.15 min Scan# 1838

Delta R.T. 0.00 min

Lab File: BF108228.D

Acq: 17 Aug 2018 6:27

Instrument :

BNA_F

ClientSampleId :

081418-TIPC-F-D-S


Tot Ion:244 Resp: 1894269

Ion Ratio Lower Upper

244 100

212 7.0 5.4 8.0




122 9.3 11.0 16.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.77 min Scan# 2284

Delta R.T. -0.01 min

Lab File: BF108228.D

Acq: 17 Aug 2018 6:27


Tgt Ion:264 Resp: 370313

Ion Ratio Lower Upper

264 100

260 23.8 19.2 28.8

265 21.1 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

