

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF081619\
 Data File : BF116310.D
 Acq On : 16 Aug 2019 9:44
 Operator : HP/JU
 Sample : PB122277BL
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB122277BL

Quant Time: Aug 16 11:54:23 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 07 11:13:18 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.82	152	128553	20.00	ng	-0.03
21) Naphthalene-d8	8.10	136	488517	20.00	ng	-0.03
39) Acenaphthene-d10	9.85	164	265308	20.00	ng	-0.04
64) Phenanthrene-d10	11.34	188	475930	20.00	ng	-0.03
76) Chrysene-d12	13.98	240	334304	20.00	ng	-0.03
87) Perylene-d12	15.44	264	311739	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.45	112	1061386	138.22	ng	-0.02
7) Phenol-d6	6.46	99	1342665	138.58	ng	-0.02
23) Nitrobenzene-d5	7.38	82	893897	105.62	ng	-0.04
42) 2,4,6-Tribromophenol	10.65	330	378106	147.00	ng	-0.03
45) 2-Fluorobiphenyl	9.17	172	1539806	108.71	ng	-0.04
79) Terphenyl-d14	12.92	244	1721352	108.50	ng	-0.03


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF081619\
Data File : BF116310.D
Acq On : 16 Aug 2019 9:44
Operator : HP/JU
Sample : PB122277BL
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB122277BL

Quant Time: Aug 16 11:54:23 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 07 11:13:18 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.82 min Scan# 804
Delta R.T. -0.03 min
Lab File: BF116310.D
Acq: 16 Aug 2019 9:44

Instrument :
BNA_F
ClientSampleId :
PB122277BL

Tot Ion:152 Resp: 128553
Ion Ratio Lower Upper
152 100
150 158.3 126.2 189.2
115 62.9 49.9 74.9




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 138.217 ng
RT: 5.45 min Scan# 572
Delta R.T. -0.02 min
Lab File: BF116310.D
Acq: 16 Aug 2019 9:44

Tgt Ion:112 Resp: 1061386
Ion Ratio Lower Upper
112 100
64 58.8 45.4 68.2
63 30.7 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 138.583 ng

RT: 6.46 min Scan# 744

Delta R.T. -0.02 min

Lab File: BF116310.D

Acq: 16 Aug 2019 9:44

Instrument :


BNA_F

ClientSampleId :

PB122277BL

Tot Ion: 99 Resp: 1342665




Ion	Ratio	Lower	Upper
99	100		
42	16.5	13.8	20.8
71	34.1	27.3	40.9



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.10 min Scan# 1022


Delta R.T. -0.03 min

Lab File: BF116310.D

Acq: 16 Aug 2019 9:44

Tgt Ion: 136 Resp: 488517

Ion	Ratio	Lower	Upper
136	100		
137	11.3	9.0	13.4
54	7.0	5.8	8.6
68	6.1	5.2	7.8






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 105.623 ng
 RT: 7.38 min Scan# 900
 Delta R.T. -0.04 min
 Lab File: BF116310.D
 Acq: 16 Aug 2019 9:44

Instrument :
 BNA_F
 ClientSampleId :
 PB122277BL

Tot Ion: 82 Resp: 893897
 Ion Ratio Lower Upper
 82 100
 128 45.2 36.5 54.7
 54 45.8 36.0 54.0




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1






#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.85 min Scan# 1320
 Delta R.T. -0.04 min
 Lab File: BF116310.D
 Acq: 16 Aug 2019 9:44

Tgt Ion: 164 Resp: 265308
 Ion Ratio Lower Upper
 164 100
 162 100.7 82.6 124.0
 160 46.5 37.6 56.4



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#42
 2,4,6-Tribromophenol
 Concen: 146.995 ng
 RT: 10.65 min Scan# 1455
 Delta R.T. -0.03 min
 Lab File: BF116310.D
 Acq: 16 Aug 2019 9:44

Instrument :
 BNA_F
 ClientSampleId :
 PB122277BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.5	76.8	115.2
141	32.9	26.3	39.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 108.710 ng
 RT: 9.17 min Scan# 1204
 Delta R.T. -0.04 min
 Lab File: BF116310.D
 Acq: 16 Aug 2019 9:44

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.6	29.6	44.4
170	25.0	20.1	30.1



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.34 min Scan# 1573
Delta R.T. -0.03 min
Lab File: BF116310.D
Acq: 16 Aug 2019 9:44




Instrument :
BNA_F
ClientSampleId :
PB122277BL


Tot Ion	Ratio	Lower	Upper
188	100		
94	8.8	8.1	12.1
80	9.7	8.7	13.1



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.98 min Scan# 2022
Delta R.T. -0.03 min
Lab File: BF116310.D
Acq: 16 Aug 2019 9:44

Tgt Ion	Ratio	Lower	Upper
240	100		
120	10.7	10.7	16.1
236	26.6	22.2	33.2





#79

Terphenyl-d14

Concen: 108.499 ng

RT: 12.92 min Scan# 1842

Delta R.T. -0.03 min

Lab File: BF116310.D

Acq: 16 Aug 2019 9:44

Instrument :

BNA_F

ClientSampleId :

PB122277BL


Tot Ion:244 Resp: 1721352

Ion Ratio Lower Upper

244 100

212 7.0 5.8 8.8




122 10.4 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.44 min Scan# 2270

Delta R.T. -0.04 min

Lab File: BF116310.D

Acq: 16 Aug 2019 9:44


Tgt Ion:264 Resp: 311739

Ion Ratio Lower Upper

264 100

260 25.2 19.7 29.5

265 21.7 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

