

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF082118\
 Data File : BF108372.D
 Acq On : 22 Aug 2018 7:35
 Operator : JU/SJ
 Sample : J4542-01RE
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Aug 22 10:54:01 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF080818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 21 15:20:21 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.01	152	155681	20.00	ng	0.00
21) Naphthalene-d8	8.29	136	572175	20.00	ng	-0.01
38) Acenaphthene-d10	10.05	164	253503	20.00	ng	-0.02
63) Phenanthrene-d10	11.54	188	409706	20.00	ng	-0.02
75) Chrysene-d12	14.20	240	345466	20.00	ng	-0.02
86) Perylene-d12	15.75	264	282783	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	618793	71.96	ng	0.00
7) Phenol-d6	6.62	99	816067	71.42	ng	0.00
23) Nitrobenzene-d5	7.57	82	527661	51.46	ng	-0.01
41) 2,4,6-Tribromophenol	10.84	330	158397	62.64	ng	-0.02
44) 2-Fluorobiphenyl	9.36	172	938515	59.44	ng	-0.02
78) Terphenyl-d14	13.13	244	718735	52.90	ng	-0.02
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.57	70	69625	9.010	ng	# 83
25) Isophorone	7.57	82	527650	26.998	ng	# 64
49) Dimethylphthalate	9.75	163	68764	3.894	ng	# 99
50) 2,6-Dinitrotoluene	10.05	165	32498	8.796	ng	# 26
56) 2,4-Dinitrotoluene	10.05	165	32498	6.834	ng	# 23
64) 4,6-Dinitro-2-methylphenol	10.84	198	369	5.572	ng	# 1
66) 4-Bromophenyl-phenylether	10.84	248	10317	2.317	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF082118\
Data File : BF108372.D
Acq On : 22 Aug 2018 7:35
Operator : JU/SJ
Sample : J4542-01RE
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Aug 22 10:54:01 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF080818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 21 15:20:21 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.01 min Scan# 794
Delta R.T. -0.01 min
Lab File: BF108372.D
Acq: 22 Aug 2018 7:35

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
152	100		
150	154.8	124.6	186.8
115	58.0	50.1	75.1






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 71.961 ng
RT: 5.63 min Scan# 560
Delta R.T. 0.00 min
Lab File: BF108372.D
Acq: 22 Aug 2018 7:35

Tgt Ion	Ratio	Lower	Upper
112	100		
64	70.1	47.9	71.9
63	36.8	23.7	35.5






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 71.416 ng

RT: 6.62 min Scan# 729

Delta R.T. -0.01 min

Lab File: BF108372.D

Acq: 22 Aug 2018 7:35

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 816067

Ion Ratio Lower Upper




99 100

42 22.0 14.5 21.7#

71 36.3 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 9.010 ng

RT: 7.57 min Scan# 889

Delta R.T. 0.14 min

Lab File: BF108372.D

Acq: 22 Aug 2018 7:35

Tgt Ion: 70 Resp: 69625


Ion Ratio Lower Upper

70 100



42 53.7 47.5 71.3


101 0.0 7.4 11.2#

130 1.9 16.6 25.0#



Abundance Ion 70.00 (69.70 to 70.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 101.00 (100.70 to 101.70): BF1
Ion 130.00 (129.70 to 130.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.29 min Scan# 1012
Delta R.T. -0.01 min
Lab File: BF108372.D
Acq: 22 Aug 2018 7:35

Instrument :
BNA_F
ClientSampleId :

Tot Ion:136	Resp:	572175
Ion Ratio	Lower	Upper
136	100	
137	10.8	8.9 13.3
54	9.4	6.6 9.8
68	5.7	5.0 7.4




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
Nitrobenzene-d5
Concen: 51.460 ng
RT: 7.57 min Scan# 889
Delta R.T. -0.01 min
Lab File: BF108372.D
Acq: 22 Aug 2018 7:35

Tgt Ion: 82	Resp:	527661
Ion Ratio	Lower	Upper
82	100	
128	43.0	36.1 54.1
54	57.4	41.4 62.2



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1





#25

Isophorone

Concen: 26.998 ng

RT: 7.57 min Scan# 889

Delta R.T. -0.27 min

Lab File: BF108372.D

Acq: 22 Aug 2018 7:35

Instrument :

BNA_F

ClientSampled :


Tot Ion: 82 Resp: 527650

Ion Ratio Lower Upper




82 100

95 0.0 5.2 7.8#

138 0.0 14.9 22.3#



Abundance Ion 82.00 (81.70 to 82.70): BF1
800000
Ion 95.00 (94.70 to 95.70): BF1
Ion 138.00 (137.70 to 138.70): BF1



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 10.05 min Scan# 1311

Delta R.T. -0.02 min

Lab File: BF108372.D

Acq: 22 Aug 2018 7:35


Tgt Ion: 164 Resp: 253503

Ion Ratio Lower Upper



164 100


162 100.9 86.1 129.1

160 46.3 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): E
400000
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 62.641 ng
 RT: 10.84 min Scan# 1446
 Delta R.T. -0.02 min
 Lab File: BF108372.D
 Acq: 22 Aug 2018 7:35

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
330	100		
332	98.1	77.0	115.6
141	32.9	29.9	44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 59.437 ng
 RT: 9.36 min Scan# 1194
 Delta R.T. -0.02 min
 Lab File: BF108372.D
 Acq: 22 Aug 2018 7:35

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.5	29.7	44.5
170	24.1	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 3.894 ng

RT: 9.75 min Scan# 1260

Delta R.T. -0.03 min

Lab File: BF108372.D

Acq: 22 Aug 2018 7:35

Instrument :

BNA_F

ClientSampleId :


Tot Ion:163 Resp: 68764

Ion Ratio Lower Upper

163 100

194 4.0 2.7 4.1




164 10.1 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#50

2,6-Dinitrotoluene

Concen: 8.796 ng

RT: 10.05 min Scan# 1311

Delta R.T. 0.21 min

Lab File: BF108372.D

Acq: 22 Aug 2018 7:35


Tgt Ion:165 Resp: 32498

Ion Ratio Lower Upper

165 100

63 1.5 44.7 67.1#



89 1.4 44.0 66.0#




Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1

Ion 89.00 (88.70 to 89.70): BF1






#56
 2,4-Dinitrotoluene
 Concen: 6.834 ng
 RT: 10.05 min Scan# 1311
 Delta R.T. -0.20 min
 Lab File: BF108372.D
 Acq: 22 Aug 2018 7:35

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
165	100		
63	1.5	36.4	54.6#
89	1.4	57.8	86.6#
182	0.0	1.6	2.4#






Abundance

Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1


Ion 89.00 (88.70 to 89.70): BF1

Ion 182.00 (181.70 to 182.70): E



#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.54 min Scan# 1565
 Delta R.T. -0.02 min
 Lab File: BF108372.D
 Acq: 22 Aug 2018 7:35

Tgt Ion	Ratio	Lower	Upper
188	100		
94	9.4	8.5	12.7
80	10.5	9.2	13.8






Abundance

Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1





#64

4,6-Dinitro-2-methylphenol

Concen: 5.572 ng

RT: 10.84 min Scan# 1445

Delta R.T. 0.18 min

Lab File: BF108372.D

Acq: 22 Aug 2018 7:35

Instrument :

BNA_F

ClientSampleId :


Tot Ion:198 Resp: 369

Ion Ratio Lower Upper

198 100

51 220.0 37.7 77.7#




105 127.1 36.3 76.3#



Abundance Ion 198.00 (197.70 to 198.70): E

Ion 51.00 (50.70 to 51.70): BF1

Ion 105.00 (104.70 to 105.70): E



#66

4-Bromophenyl-phenylether

Concen: 2.317 ng

RT: 10.84 min Scan# 1446

Delta R.T. -0.26 min

Lab File: BF108372.D

Acq: 22 Aug 2018 7:35


Tgt Ion:248 Resp: 10317

Ion Ratio Lower Upper

248 100

250 202.9 76.9 115.3#



141 466.3 74.4 111.6#




Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.20 min Scan# 2017

Delta R.T. -0.02 min

Lab File: BF108372.D

Acq: 22 Aug 2018 7:35

Instrument :

BNA_F

ClientSampleId :


Tot Ion:240 Resp: 345466

Ion Ratio Lower Upper

240 100

120 8.9 9.5 14.3#




236 27.1 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 52.898 ng

RT: 13.13 min Scan# 1835

Delta R.T. -0.02 min

Lab File: BF108372.D

Acq: 22 Aug 2018 7:35


Tgt Ion:244 Resp: 718735

Ion Ratio Lower Upper

244 100

212 6.9 5.4 8.0



122 9.2 11.0 16.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.75 min Scan# 2281
Delta R.T. -0.02 min
Lab File: BF108372.D
Acq: 22 Aug 2018 7:35

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.6	19.2	28.8
265	21.9	17.5	26.3

