

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF082118\
 Data File : BF108373.D
 Acq On : 22 Aug 2018 8:02
 Operator : JU/SJ
 Sample : J4542-03
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 FK-GF-02-024-B

Quant Time: Aug 22 11:22:15 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF080818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 22 11:01:45 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.01	152	141236	20.00	ng	0.00
21) Naphthalene-d8	8.29	136	522982	20.00	ng	0.00
38) Acenaphthene-d10	10.05	164	236364	20.00	ng	0.00
63) Phenanthrene-d10	11.54	188	391100	20.00	ng	0.00
75) Chrysene-d12	14.20	240	321048	20.00	ng	0.00
86) Perylene-d12	15.75	264	266270	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	746796	95.73	ng	0.00
7) Phenol-d6	6.62	99	990651	95.56	ng	0.00
23) Nitrobenzene-d5	7.57	82	641442	68.44	ng	0.00
41) 2,4,6-Tribromophenol	10.84	330	206747	87.69	ng	0.00
44) 2-Fluorobiphenyl	9.36	172	1099022	74.65	ng	0.00
78) Terphenyl-d14	13.13	244	858502	67.99	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.75	163	68283	4.147	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF082118\
Data File : BF108373.D
Acq On : 22 Aug 2018 8:02
Operator : JU/SJ
Sample : J4542-03
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
FK-GF-02-024-B

Quant Time: Aug 22 11:22:15 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF080818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 22 11:01:45 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.01 min Scan# 794
Delta R.T. 0.00 min
Lab File: BF108373.D
Acq: 22 Aug 2018 8:02

Instrument :
BNA_F
ClientSampleId :
FK-GF-02-024-B

Tot Ion:152 Resp: 141236
Ion Ratio Lower Upper
152 100
150 154.7 124.6 186.8
115 57.0 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 95.729 ng
RT: 5.63 min Scan# 560
Delta R.T. 0.00 min
Lab File: BF108373.D
Acq: 22 Aug 2018 8:02

Tgt Ion:112 Resp: 746796
Ion Ratio Lower Upper
112 100
64 71.0 47.9 71.9
63 37.9 23.7 35.5#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 95.561 ng

RT: 6.62 min Scan# 729

Delta R.T. -0.01 min

Lab File: BF108373.D

Acq: 22 Aug 2018 8:02

Instrument :

BNA_F

ClientSampleId :

FK-GF-02-024-B


Tot Ion: 99 Resp: 990651

Ion Ratio Lower Upper




99 100

42 22.7 14.5 21.7#

71 36.6 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.29 min Scan# 1012

Delta R.T. 0.00 min

Lab File: BF108373.D

Acq: 22 Aug 2018 8:02

Tgt Ion: 136 Resp: 522982


Ion Ratio Lower Upper

136 100



137 10.6 8.9 13.3

54 9.2 6.6 9.8

68 5.7 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1








#23
 Nitrobenzene-d5
 Concen: 68.441 ng
 RT: 7.57 min Scan# 889
 Delta R.T. -0.01 min
 Lab File: BF108373.D
 Acq: 22 Aug 2018 8:02

Instrument :
 BNA_F
 ClientSampleId :
 FK-GF-02-024-B

Tot Ion	Ratio	Lower	Upper
82	100		
128	41.3	36.1	54.1
54	58.1	41.4	62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1





#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 10.05 min Scan# 1311
 Delta R.T. -0.01 min
 Lab File: BF108373.D
 Acq: 22 Aug 2018 8:02

Tgt Ion	Ratio	Lower	Upper
164	100		
162	102.3	86.1	129.1
160	46.0	38.3	57.5



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E








#41
 2,4,6-Tribromophenol
 Concen: 87.691 ng
 RT: 10.84 min Scan# 1446
 Delta R.T. -0.01 min
 Lab File: BF108373.D
 Acq: 22 Aug 2018 8:02

Instrument :
 BNA_F
 ClientSampleId :
 FK-GF-02-024-B

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.9	77.0	115.6
141	32.6	29.9	44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 74.650 ng
 RT: 9.36 min Scan# 1194
 Delta R.T. -0.01 min
 Lab File: BF108373.D
 Acq: 22 Aug 2018 8:02

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.8	29.7	44.5
170	24.6	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
 Dimethylphthalate
 Concen: 4.147 ng
 RT: 9.75 min Scan# 1260
 Delta R.T. -0.02 min
 Lab File: BF108373.D
 Acq: 22 Aug 2018 8:02




Instrument :
 BNA_F
 ClientSampleId :
 FK-GF-02-024-B


Tot Ion:	163	Resp:	68283
Ion	Ratio	Lower	Upper
163	100		
194	4.1	2.7	4.1
164	10.1	8.2	12.2



#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.54 min Scan# 1565
 Delta R.T. -0.01 min
 Lab File: BF108373.D
 Acq: 22 Aug 2018 8:02

Tgt Ion:	188	Resp:	391100
Ion	Ratio	Lower	Upper
188	100		
94	9.2	8.5	12.7
80	10.1	9.2	13.8





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.20 min Scan# 2016

Delta R.T. -0.01 min

Lab File: BF108373.D

Acq: 22 Aug 2018 8:02

Instrument :

BNA_F

ClientSampleId :

FK-GF-02-024-B


Tot Ion:240 Resp: 321048

Ion Ratio Lower Upper

240 100

120 10.3 9.5 14.3



236 25.0 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 67.990 ng

RT: 13.13 min Scan# 1835

Delta R.T. -0.00 min

Lab File: BF108373.D

Acq: 22 Aug 2018 8:02


Tgt Ion:244 Resp: 858502

Ion Ratio Lower Upper

244 100

212 6.9 5.4 8.0



122 9.4 11.0 16.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.75 min Scan# 2281
Delta R.T. -0.01 min
Lab File: BF108373.D
Acq: 22 Aug 2018 8:02

Instrument :
BNA_F
ClientSampleId :
FK-GF-02-024-B

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.6	19.2	28.8
265	21.5	17.5	26.3

