

Data Path : Z:\svoasrv\HPCHEM1\BNA F\Data\BF082120\
 Data File : BF121366.D
 Acq On : 21 Aug 2020 13:54
 Operator : JU/CG
 Sample : L3710-01
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 1-3-SOIL-DRUM

Quant Time: Aug 21 14:19:56 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF081920.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 20 04:56:10 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.69	152	161203	20.00	ng	0.00
21) Naphthalene-d8	7.97	136	608350	20.00	ng	0.00
39) Acenaphthene-d10	9.73	164	305300	20.00	ng	0.00
64) Phenanthrene-d10	11.21	188	561734	20.00	ng	0.00
76) Chrysene-d12	13.84	240	369756	20.00	ng	0.00
86) Perylene-d12	15.26	264	344949	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.30	112	663130	67.45	ng	0.00
7) Phenol-d6	6.34	99	806688	64.28	ng	0.00
23) Nitrobenzene-d5	7.26	82	527437	49.03	ng	0.00
42) 2,4,6-Tribromophenol	10.52	330	226704	63.72	ng	0.00
45) 2-Fluorobiphenyl	9.05	172	926543	53.46	ng	0.00
79) Terphenyl-d14	12.80	244	849622	44.90	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.26	70	70567	10.455	ng	Qvalue # 80
20) 3+4-Methylphenols	7.15	107	236	Below	Cal	# 11
25) Isophorone	7.26	82	527427	26.944	ng	# 65
32) Benzoic acid	7.75	122	219	7.095	ng	# 83
50) Dimethylphthalate	9.45	163	202341	9.110	ng	99
55) Dibenzofuran	9.93	168	1200	Below	Cal	# 91
57) 2,4-Dinitrotoluene	9.73	165	39346	6.799	ng	# 25
58) Fluorene	10.27	166	3724	Below	Cal	# 94
67) 4-Bromophenyl-phenylether	10.52	248	12793	2.053	ng	# 1
71) Phenanthrene	11.23	178	70032	2.409	ng	98
75) Fluoranthene	12.42	202	218287	6.918	ng	99
78) Pvrene	12.65	202	306874	11.049	ng	99
81) Benzo(a)anthracene	13.84	228	163225	7.107	ng	94
83) Chrysene	13.87	228	181385	7.722	ng	98
84) Bis(2-ethylhexyl)phthalate	13.83	149	182706	13.018	ng	100
87) Indeno(1,2,3-cd)pyrene	16.61	276	77552	3.683	ng	96
88) Benzo(b)fluoranthene	14.86	252	311700	13.987	ng	99
89) Benzo(k)fluoranthene	14.86	252	311700	15.889	ng	99
90) Benzo(a)pvrene	15.20	252	90427	4.696	ng	99
92) Benzo(a,h,i)perylene	17.02	276	73320	4.344	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA F\Data\BF082120\
Data File : BF121366.D
Acq On : 21 Aug 2020 13:54
Operator : JU/CG
Sample : L3710-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
1-3-SOIL-DRUM

Quant Time: Aug 21 14:19:56 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF081920.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 20 04:56:10 2020
Response via : Initial Calibration



#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

Instrument :

BNA_F

ClientSampleId :

1-3-SOIL-DRUM