

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF082318\
 Data File : BF108431.D
 Acq On : 23 Aug 2018 20:05
 Operator : JU/SJ
 Sample : PB112238BL
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB112238BL

Quant Time: Aug 24 01:50:03 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF080818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 22 11:01:45 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.00	152	145197	20.00	ng	-0.01
21) Naphthalene-d8	8.28	136	555183	20.00	ng	0.00
38) Acenaphthene-d10	10.04	164	288906	20.00	ng	-0.01
63) Phenanthrene-d10	11.54	188	594334	20.00	ng	-0.01
75) Chrysene-d12	14.19	240	396187	20.00	ng	-0.01
86) Perylene-d12	15.74	264	295473	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	821487	102.43	ng	0.00
7) Phenol-d6	6.62	99	1107885	103.95	ng	-0.01
23) Nitrobenzene-d5	7.56	82	740748	74.45	ng	-0.01
41) 2,4,6-Tribromophenol	10.84	330	331019	114.87	ng	-0.01
44) 2-Fluorobiphenyl	9.35	172	1415685	78.67	ng	-0.01
78) Terphenyl-d14	13.12	244	1593134	102.24	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF082318\
Data File : BF108431.D
Acq On : 23 Aug 2018 20:05
Operator : JU/SJ
Sample : PB112238BL
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB112238BL

Quant Time: Aug 24 01:50:03 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF080818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 22 11:01:45 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.00 min Scan# 792
Delta R.T. -0.01 min
Lab File: BF108431.D
Acq: 23 Aug 2018 20:05

Instrument :
BNA_F
ClientSampleId :
PB112238BL

Tot Ion	Ratio	Lower	Upper
152	100		
150	157.3	124.6	186.8
115	63.1	50.1	75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 102.431 ng
RT: 5.63 min Scan# 560
Delta R.T. -0.00 min
Lab File: BF108431.D
Acq: 23 Aug 2018 20:05

Tgt Ion	Ratio	Lower	Upper
112	100		
64	72.1	47.9	71.9#
63	37.8	23.7	35.5#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 103.955 ng

RT: 6.62 min Scan# 728

Delta R.T. -0.01 min

Lab File: BF108431.D

Acq: 23 Aug 2018 20:05

Instrument :


BNA_F

ClientSampleId :




PB112238BL

Tot Ion: 99 Resp: 1107885

Ion	Ratio	Lower	Upper
99	100		
42	22.9	14.5	21.7#
71	37.7	25.4	38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.28 min Scan# 1011


Delta R.T. -0.01 min

Lab File: BF108431.D



Acq: 23 Aug 2018 20:05


Tgt Ion: 136 Resp: 555183

Ion	Ratio	Lower	Upper
136	100		
137	10.7	8.9	13.3
54	9.1	6.6	9.8
68	5.5	5.0	7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
Nitrobenzene-d5
Concen: 74.453 ng
RT: 7.56 min Scan# 888
Delta R.T. -0.01 min
Lab File: BF108431.D
Acq: 23 Aug 2018 20:05

Instrument :
BNA_F
ClientSampleId :
PB112238BL

Tot Ion: 82 Resp: 740748
Ion Ratio Lower Upper
82 100
128 41.1 36.1 54.1
54 58.1 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): BF1
Ion 54.00 (53.70 to 54.70): BF1






#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.04 min Scan# 1310
Delta R.T. -0.01 min
Lab File: BF108431.D
Acq: 23 Aug 2018 20:05

Tgt Ion: 164 Resp: 288906
Ion Ratio Lower Upper
164 100
162 101.5 86.1 129.1
160 46.8 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 114.867 ng
 RT: 10.84 min Scan# 1445
 Delta R.T. -0.01 min
 Lab File: BF108431.D
 Acq: 23 Aug 2018 20:05

Instrument :
 BNA_F
 ClientSampleId :
 PB112238BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.1	77.0	115.6
141	32.4	29.9	44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 78.671 ng
 RT: 9.35 min Scan# 1193
 Delta R.T. -0.01 min
 Lab File: BF108431.D
 Acq: 23 Aug 2018 20:05

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.9	29.7	44.5
170	24.5	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.54 min Scan# 1564
Delta R.T. -0.01 min
Lab File: BF108431.D
Acq: 23 Aug 2018 20:05




Instrument :
BNA_F
ClientSampleId :
PB112238BL


Tot Ion:188 Resp: 594334
Ion Ratio Lower Upper
188 100
94 8.9 8.5 12.7
80 10.0 9.2 13.8



#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.19 min Scan# 2015
Delta R.T. -0.01 min
Lab File: BF108431.D
Acq: 23 Aug 2018 20:05

Tgt Ion:240 Resp: 396187
Ion Ratio Lower Upper
240 100
120 9.4 9.5 14.3#
236 25.9 20.7 31.1





#78

Terphenyl-d14

Concen: 102.241 ng

RT: 13.12 min Scan# 1834

Delta R.T. -0.01 min

Lab File: BF108431.D

Acq: 23 Aug 2018 20:05

Instrument :

BNA_F

ClientSampleId :

PB112238BL


Tot Ion:244 Resp: 1593134

Ion Ratio Lower Upper




244 100

212 7.4 5.4 8.0

122 10.7 11.0 16.4#



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.74 min Scan# 2279

Delta R.T. -0.02 min

Lab File: BF108431.D

Acq: 23 Aug 2018 20:05


Tgt Ion:264 Resp: 295473

Ion Ratio Lower Upper

264 100

260 23.9 19.2 28.8

265 21.5 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

