

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082323\
 Data File : BF134898.D
 Acq On : 23 Aug 2023 11:53
 Operator : CG\JU
 Sample : 04091-16
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-G

Quant Time: Aug 24 04:23:46 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082223.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 22 19:33:25 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.793	152	145336	20.000	ng	0.00
21) Naphthalene-d8	8.069	136	585945	20.000	ng	0.00
39) Acenaphthene-d10	9.828	164	315493	20.000	ng	0.00
64) Phenanthrene-d10	11.322	188	622236	20.000	ng	0.00
76) Chrysene-d12	13.974	240	390918	20.000	ng	0.00
86) Perylene-d12	15.445	264	355238	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.422	112	695112	76.269	ng	0.00
7) Phenol-d6	6.428	99	899679	77.253	ng	-0.01
23) Nitrobenzene-d5	7.351	82	540926	50.870	ng	-0.01
42) 2,4,6-Tribromophenol	10.622	330	316674	85.225	ng	0.00
45) 2-Fluorobiphenyl	9.151	172	1022221	50.088	ng	0.00
79) Terphenyl-d14	12.922	244	1286327	45.258	ng	0.00
Target Compounds						
						Qvalue
19) n-Nitroso-di-n-propyla...	7.351	70	70894	10.423	ng	# 78
25) Isophorone	7.351	82	535865	26.988	ng	# 64
50) Dimethylphthalate	9.828	163	63555	2.830	ng	# 1
51) 2,6-Dinitrotoluene	9.828	165	41024	8.282	ng	# 28
57) 2,4-Dinitrotoluene	9.828	165	41024	6.697	ng	# 25
67) 4-Bromophenyl-phenylether	10.622	248	19985	2.784	ng	# 1
77) Benzidine	12.922	184	15843	2.498	ng	# 93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082323\
Data File : BF134898.D
Acq On : 23 Aug 2023 11:53
Operator : CG\JU
Sample : 04091-16
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-G

Quant Time: Aug 24 04:23:46 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082223.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 22 19:33:25 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.793 min Scan# 800
Delta R.T. -0.000 min
Lab File: BF134898.D
Acq: 23 Aug 2023 11:53




Instrument :
BNA_F
ClientSampleId :
TP-G


Tgt Ion:152 Resp: 145336
Ion Ratio Lower Upper
152 100
150 155.1 126.1 189.1
115 61.8 51.1 76.7



#5
2-Fluorophenol
Concen: 76.269 ng
RT: 5.422 min Scan# 567
Delta R.T. 0.000 min
Lab File: BF134898.D
Acq: 23 Aug 2023 11:53

Tgt Ion:112 Resp: 695112
Ion Ratio Lower Upper
112 100
64 60.6 48.6 73.0
63 31.4 25.7 38.5









#7
Phenol-d6
Concen: 77.253 ng
RT: 6.428 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF134898.D
Acq: 23 Aug 2023 11:53




Instrument :
BNA_F
ClientSampleId :
TP-G


Tgt Ion: 99 Resp: 899679
Ion Ratio Lower Upper
99 100
42 18.9 14.6 22.0
71 35.5 27.6 41.4



#19
n-Nitroso-di-n-propylamine
Concen: 10.423 ng
RT: 7.351 min Scan# 895
Delta R.T. 0.135 min
Lab File: BF134898.D
Acq: 23 Aug 2023 11:53

Tgt Ion: 70 Resp: 70894
Ion Ratio Lower Upper
70 100
42 47.8 46.9 70.3
101 0.0 7.5 11.3#
130 2.2 16.9 25.3#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.069 min Scan# 1018
Delta R.T. -0.006 min
Lab File: BF134898.D
Acq: 23 Aug 2023 11:53




Instrument :
BNA_F
ClientSampleId :
TP-G


Tgt Ion:136 Resp: 585945
Ion Ratio Lower Upper
136 100
137 11.1 8.9 13.3
54 8.4 6.6 9.8
68 6.0 5.0 7.4



#23
Nitrobenzene-d5
Concen: 50.870 ng
RT: 7.351 min Scan# 895
Delta R.T. -0.012 min
Lab File: BF134898.D
Acq: 23 Aug 2023 11:53

Tgt Ion: 82 Resp: 540926
Ion Ratio Lower Upper
82 100
128 45.0 36.6 54.8
54 53.1 42.6 63.8









#25
Isophorone
Concen: 26.988 ng
RT: 7.351 min Scan# 89
Delta R.T. -0.271 min
Lab File: BF134898.D
Acq: 23 Aug 2023 11:53




Instrument :
BNA_F
ClientSampleId :
TP-G


Tgt Ion: 82 Resp: 535865
Ion Ratio Lower Upper
82 100
95 0.0 5.9 8.9#
138 0.0 14.9 22.3#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.828 min Scan# 1316
Delta R.T. -0.006 min
Lab File: BF134898.D
Acq: 23 Aug 2023 11:53

Tgt Ion:164 Resp: 315493
Ion Ratio Lower Upper
164 100
162 100.8 82.6 123.8
160 44.6 37.0 55.4









#42
2,4,6-Tribromophenol
Concen: 85.225 ng
RT: 10.622 min Scan# 1452
Delta R.T. -0.006 min
Lab File: BF134898.D
Acq: 23 Aug 2023 11:53




Instrument :
BNA_F
ClientSampleId :
TP-G


Tgt Ion: 330 Resp: 316674
Ion Ratio Lower Upper
330 100
332 95.8 76.3 114.5
141 28.9 23.4 35.2



#45
2-Fluorobiphenyl
Concen: 50.088 ng
RT: 9.151 min Scan# 1201
Delta R.T. -0.006 min
Lab File: BF134898.D
Acq: 23 Aug 2023 11:53

Tgt Ion: 172 Resp: 1022221
Ion Ratio Lower Upper
172 100
171 35.6 29.4 44.0
170 23.4 19.6 29.4









#50
Dimethylphthalate
Concen: 2.830 ng
RT: 9.828 min Scan# 1316
Delta R.T. 0.265 min
Lab File: BF134898.D
Acq: 23 Aug 2023 11:53




Instrument :
BNA_F
ClientSampleId :
TP-G


Tgt Ion:163 Resp: 63555
Ion Ratio Lower Upper
163 100
194 0.0 3.2 4.8#
164 505.5 8.2 12.4#



#51
2,6-Dinitrotoluene
Concen: 8.282 ng
RT: 9.828 min Scan# 1316
Delta R.T. 0.200 min
Lab File: BF134898.D
Acq: 23 Aug 2023 11:53


Tgt Ion:165 Resp: 41024
Ion Ratio Lower Upper
165 100
63 0.9 41.4 62.2#
89 1.5 40.9 61.3#








#57
2,4-Dinitrotoluene
Concen: 6.697 ng
RT: 9.828 min Scan# 11
Delta R.T. -0.206 min
Lab File: BF134898.D
Acq: 23 Aug 2023 11:53


Instrument :
BNA_F
ClientSampleId :
TP-G





Tgt Ion:165 Resp: 41024
Ion Ratio Lower Upper
165 100
63 0.9 37.7 56.5#
89 1.5 54.2 81.4#
182 0.0 2.2 3.2#




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.322 min Scan# 1570
Delta R.T. -0.006 min
Lab File: BF134898.D
Acq: 23 Aug 2023 11:53



Tgt Ion:188 Resp: 622236
Ion Ratio Lower Upper
188 100
94 9.6 7.5 11.3
80 10.0 7.8 11.6









#67
4-Bromophenyl-phenylether
Concen: 2.784 ng
RT: 10.622 min Scan# 1494
Delta R.T. -0.253 min
Lab File: BF134898.D
Acq: 23 Aug 2023 11:53




Instrument :
BNA_F
ClientSampleId :
TP-G


Tgt Ion:248 Resp: 19985
Ion Ratio Lower Upper
248 100
250 201.6 77.1 115.7#
141 430.8 49.0 73.4#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.974 min Scan# 2021
Delta R.T. -0.006 min
Lab File: BF134898.D
Acq: 23 Aug 2023 11:53

Tgt Ion:240 Resp: 390918
Ion Ratio Lower Upper
240 100
120 11.5 8.6 12.8
236 25.9 20.6 31.0









#77
Benzidine
Concen: 2.498 ng
RT: 12.922 min Scan# 1842
Delta R.T. 0.253 min
Lab File: BF134898.D
Acq: 23 Aug 2023 11:53




Instrument :
BNA_F
ClientSampleId :
TP-G


Tgt Ion:184 Resp: 15843
Ion Ratio Lower Upper
184 100
185 15.7 11.4 17.0
183 6.6 9.0 13.4#



#79
Terphenyl-d14
Concen: 45.258 ng
RT: 12.922 min Scan# 1842
Delta R.T. -0.000 min
Lab File: BF134898.D
Acq: 23 Aug 2023 11:53

Tgt Ion:244 Resp: 1286327
Ion Ratio Lower Upper
244 100
212 6.5 5.4 8.0
122 9.6 8.2 12.4





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.445 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BF134898.D
 Acq: 23 Aug 2023 11:53

Instrument :
 BNA_F
 ClientSampleId :
 TP-G

Tgt Ion:264 Resp: 355238
 Ion Ratio Lower Upper
 264 100
 260 23.1 19.0 28.6
 265 22.3 17.1 25.7

