

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF082519\
 Data File : BF116548.D
 Acq On : 26 Aug 2019 1:23
 Operator : HP/JU
 Sample : K4450-20
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Aug 26 06:31:47 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF082319.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 23 13:38:31 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.89	152	135351	20.00	ng	0.00
21) Naphthalene-d8	8.16	136	499940	20.00	ng	0.00
39) Acenaphthene-d10	9.92	164	222272	20.00	ng	0.00
64) Phenanthrene-d10	11.40	188	303983	20.00	ng	0.00
76) Chrysene-d12	14.03	240	210608	20.00	ng	0.00
87) Perylene-d12	15.50	264	178938	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.52	112	881153	95.12	ng	0.02
7) Phenol-d6	6.52	99	1186218	104.44	ng	0.01
23) Nitrobenzene-d5	7.44	82	739874	80.97	ng	0.00
42) 2,4,6-Tribromophenol	10.70	330	101932	53.41	ng	0.00
45) 2-Fluorobiphenyl	9.24	172	1415930	102.59	ng	0.00
79) Terphenyl-d14	12.98	244	1029916	91.34	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.44	70	100325	12.944	ng	# 78
25) Isophorone	7.44	82	737705	40.966	ng	# 67
50) Dimethylphthalate	9.63	163	205413	13.246	ng	# 99
57) 2,4-Dinitrotoluene	9.92	165	28496	7.055	ng	# 21
65) 4,6-Dinitro-2-methylphenol	10.70	198	121	7.088	ng	# 1
67) 4-Bromophenyl-phenylether	10.70	248	6436	2.020	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF082519\
Data File : BF116548.D
Acq On : 26 Aug 2019 1:23
Operator : HP/JU
Sample : K4450-20
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Aug 26 06:31:47 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF082319.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 23 13:38:31 2019
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.89 min Scan# 816
Delta R.T. 0.01 min
Lab File: BF116548.D
Acq: 26 Aug 2019 1:23

Instrument :
BNA_F
ClientSampleId :




Tot Ion	Ratio	Lower	Upper
152	100		
150	160.9	126.7	190.1
115	60.5	50.9	76.3




#5

2-Fluorophenol
Concen: 95.123 ng
RT: 5.52 min Scan# 583
Delta R.T. 0.02 min
Lab File: BF116548.D
Acq: 26 Aug 2019 1:23

Tgt Ion	Ratio	Lower	Upper
112	100		
64	59.6	46.3	69.5
63	32.0	24.2	36.4





#7

Phenol-d6

Concen: 104.437 ng

RT: 6.52 min Scan# 753

Delta R.T. 0.01 min

Lab File: BF116548.D

Acq: 26 Aug 2019 1:23

Instrument :

BNA_F

ClientSampled :


Tot Ion: 99 Resp: 1186218

Ion Ratio Lower Upper




99 100

42 18.5 14.6 21.8

71 37.6 28.5 42.7



Abundance Ion 99.00 (98.70 to 99.70): BF1
1500000
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 12.944 ng

RT: 7.44 min Scan# 910

Delta R.T. 0.15 min

Lab File: BF116548.D

Acq: 26 Aug 2019 1:23

Tgt Ion: 70 Resp: 100325


Ion Ratio Lower Upper

70 100



42 44.5 44.4 66.6


101 0.0 7.1 10.7#

130 2.1 15.8 23.8#



Abundance Ion 70.00 (69.70 to 70.70): BF1
100000
Ion 42.00 (41.70 to 42.70): BF1
Ion 101.00 (100.70 to 101.70): E
Ion 130.00 (129.70 to 130.70): E





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.16 min Scan# 1033

Delta R.T. -0.00 min

Lab File: BF116548.D

Acq: 26 Aug 2019 1:23

Instrument :

BNA_F

ClientSampleId :

Tot Ion:136 Resp: 499940





Ion Ratio Lower Upper

136 100

137 11.0 9.0 13.4

54 6.9 5.8 8.6

68 5.9 5.1 7.7



#23

Nitrobenzene-d5

Concen: 80.967 ng

RT: 7.44 min Scan# 910

Delta R.T. -0.00 min

Lab File: BF116548.D

Acq: 26 Aug 2019 1:23




Tgt Ion: 82 Resp: 739874


Ion Ratio Lower Upper

82 100

128 41.6 32.2 48.4

54 45.0 36.5 54.7





#25

Isophorone

Concen: 40.966 ng

RT: 7.44 min Scan# 910

Delta R.T. -0.26 min

Lab File: BF116548.D

Acq: 26 Aug 2019 1:23

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 82 Resp: 737705

Ion Ratio Lower Upper

82 100

95 0.0 5.3 7.9#




138 0.0 13.3 19.9#



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 95.00 (94.70 to 95.70): BF1

Ion 138.00 (137.70 to 138.70): BF1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.92 min Scan# 1331

Delta R.T. -0.00 min

Lab File: BF116548.D

Acq: 26 Aug 2019 1:23


Tgt Ion: 164 Resp: 222272

Ion Ratio Lower Upper

164 100

162 103.3 82.6 123.8



160 45.3 35.8 53.8




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#42
 2,4,6-Tribromophenol
 Concen: 53.407 ng
 RT: 10.70 min Scan# 1464
 Delta R.T. -0.00 min
 Lab File: BF116548.D
 Acq: 26 Aug 2019 1:23

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.9	77.2	115.8
141	38.7	33.3	49.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 102.587 ng
 RT: 9.24 min Scan# 1216
 Delta R.T. -0.00 min
 Lab File: BF116548.D
 Acq: 26 Aug 2019 1:23

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.8	28.9	43.3
170	24.3	19.4	29.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E








#50
Dimethylphthalate
Concen: 13.246 ng
RT: 9.63 min Scan# 1282
Delta R.T. -0.01 min
Lab File: BF116548.D
Acq: 26 Aug 2019 1:23




Instrument :
BNA_F
ClientSampleId :


Tot Ion	Ratio	Lower	Upper
163	100		
194	3.7	2.9	4.3
164	9.9	8.2	12.2



#57
2,4-Dinitrotoluene
Concen: 7.055 ng
RT: 9.92 min Scan# 1331
Delta R.T. -0.18 min
Lab File: BF116548.D
Acq: 26 Aug 2019 1:23

Tgt Ion	Ratio	Lower	Upper
165	100		
63	1.1	36.9	55.3#
89	1.7	63.4	95.0#
182	0.0	2.1	3.1#









#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.40 min Scan# 1583
 Delta R.T. -0.00 min
 Lab File: BF116548.D
 Acq: 26 Aug 2019 1:23

Instrument :
 BNA_F
 ClientSampled :

Tot Ion:188 Resp: 303983
 Ion Ratio Lower Upper
 188 100
 94 8.8 7.4 11.2
 80 10.0 8.6 12.8




Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF1
 Ion 80.00 (79.70 to 80.70): BF1






#65
 4,6-Dinitro-2-methylphenol
 Concen: 7.088 ng
 RT: 10.70 min Scan# 1464
 Delta R.T. 0.20 min
 Lab File: BF116548.D
 Acq: 26 Aug 2019 1:23

Tgt Ion:198 Resp: 121
 Ion Ratio Lower Upper
 198 100
 51 189.2 30.4 70.4#
 105 216.4 32.8 72.8#



Abundance Ion 198.00 (197.70 to 198.70): E
 Ion 51.00 (50.70 to 51.70): BF1
 Ion 105.00 (104.70 to 105.70): E









#67
 4-Bromophenyl-phenylether
 Concen: 2.020 ng
 RT: 10.70 min Scan# 1464
 Delta R.T. -0.25 min
 Lab File: BF116548.D
 Acq: 26 Aug 2019 1:23

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:248 Resp: 6436
 Ion Ratio Lower Upper
 248 100
 250 196.3 77.0 115.6#
 141 585.8 57.4 86.0#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 14.03 min Scan# 2030
 Delta R.T. -0.01 min
 Lab File: BF116548.D
 Acq: 26 Aug 2019 1:23

Tgt Ion:240 Resp: 210608
 Ion Ratio Lower Upper
 240 100
 120 12.0 10.5 15.7
 236 26.1 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 91.344 ng

RT: 12.98 min Scan# 1852

Delta R.T. -0.00 min

Lab File: BF116548.D

Acq: 26 Aug 2019 1:23

Instrument :

BNA_F

ClientSampleId :


Tot Ion:244 Resp: 1029916

Ion Ratio Lower Upper

244 100

212 7.4 5.7 8.5




122 13.7 10.2 15.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.50 min Scan# 2280

Delta R.T. -0.01 min

Lab File: BF116548.D

Acq: 26 Aug 2019 1:23


Tgt Ion:264 Resp: 178938

Ion Ratio Lower Upper

264 100

260 23.5 18.8 28.2

265 20.4 17.1 25.7



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

