

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF082718\
 Data File : BF108530.D
 Acq On : 28 Aug 2018 1:01
 Operator : JU/SJ
 Sample : J4659-03
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Aug 28 03:10:31 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF080818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 22 11:01:45 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.00	152	105993	20.00	ng	0.00
21) Naphthalene-d8	8.28	136	363189	20.00	ng	0.00
38) Acenaphthene-d10	10.04	164	151956	20.00	ng	-0.01
63) Phenanthrene-d10	11.54	188	262401	20.00	ng	-0.01
75) Chrysene-d12	14.19	240	254115	20.00	ng	-0.01
86) Perylene-d12	15.75	264	177816	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	222227	37.96	ng	0.00
7) Phenol-d6	6.61	99	173133	22.25	ng	-0.02
23) Nitrobenzene-d5	7.57	82	682967	104.93	ng	0.00
41) 2,4,6-Tribromophenol	10.84	330	136153	89.83	ng	-0.01
44) 2-Fluorobiphenyl	9.35	172	1216370	128.51	ng	-0.01
78) Terphenyl-d14	13.12	244	976637	97.72	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.57	70	91443	17.381	ng	# 82
25) Isophorone	7.57	82	682961	55.052	ng	# 64
49) Dimethylphthalate	9.74	163	40025	3.781	ng	100
50) 2,6-Dinitrotoluene	10.04	165	19529	8.818	ng	# 26
56) 2,4-Dinitrotoluene	10.04	165	19529	6.851	ng	# 24
64) 4,6-Dinitro-2-methylphenol	10.84	198	142	5.487	ng	# 1
66) 4-Bromophenyl-phenylether	10.84	248	9017	3.162	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF082718\
Data File : BF108530.D
Acq On : 28 Aug 2018 1:01
Operator : JU/SJ
Sample : J4659-03
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Aug 28 03:10:31 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF080818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 22 11:01:45 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.00 min Scan# 793
Delta R.T. -0.01 min
Lab File: BF108530.D
Acq: 28 Aug 2018 1:01

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
152	100		
150	155.9	124.6	186.8
115	59.1	50.1	75.1






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 37.958 ng
RT: 5.62 min Scan# 559
Delta R.T. -0.01 min
Lab File: BF108530.D
Acq: 28 Aug 2018 1:01

Tgt Ion	Ratio	Lower	Upper
112	100		
64	66.2	47.9	71.9
63	35.6	23.7	35.5






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 22.254 ng

RT: 6.61 min Scan# 727

Delta R.T. -0.02 min

Lab File: BF108530.D

Acq: 28 Aug 2018 1:01

Instrument :

BNA_F

ClientSampled :


Tot Ion: 99 Resp: 173133

Ion Ratio Lower Upper




99 100

42 23.1 14.5 21.7#

71 35.9 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 17.381 ng

RT: 7.57 min Scan# 889

Delta R.T. 0.15 min

Lab File: BF108530.D

Acq: 28 Aug 2018 1:01

Tgt Ion: 70 Resp: 91443


Ion Ratio Lower Upper

70 100



42 52.8 47.5 71.3


101 0.0 7.4 11.2#

130 2.0 16.6 25.0#



Abundance Ion 70.00 (69.70 to 70.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 101.00 (100.70 to 101.70): BF1
Ion 130.00 (129.70 to 130.70): BF1





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.28 min Scan# 1011

Delta R.T. -0.01 min

Lab File: BF108530.D

Acq: 28 Aug 2018 1:01

Instrument :

BNA_F

ClientSampleId :

Tot Ion:136 Resp: 363189


Ion Ratio Lower Upper

136 100

137 10.7 8.9 13.3

54 9.5 6.6 9.8

68 5.7 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1



#23

Nitrobenzene-d5

Concen: 104.933 ng

RT: 7.57 min Scan# 889

Delta R.T. -0.01 min

Lab File: BF108530.D

Acq: 28 Aug 2018 1:01


Tgt Ion: 82 Resp: 682967

Ion Ratio Lower Upper

82 100

128 43.4 36.1 54.1



54 56.7 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF1





#25

Isophorone

Concen: 55.052 ng

RT: 7.57 min Scan# 889

Delta R.T. -0.26 min

Lab File: BF108530.D

Acq: 28 Aug 2018 1:01

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 82 Resp: 682961

Ion Ratio Lower Upper

82 100

95 0.0 5.2 7.8#




138 0.0 14.9 22.3#



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 95.00 (94.70 to 95.70): BF1

Ion 138.00 (137.70 to 138.70): BF1



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 10.04 min Scan# 1310

Delta R.T. -0.01 min

Lab File: BF108530.D

Acq: 28 Aug 2018 1:01


Tgt Ion: 164 Resp: 151956

Ion Ratio Lower Upper

164 100

162 103.0 86.1 129.1



160 45.9 38.3 57.5




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E





#41

2,4,6-Tribromophenol

Concen: 89.827 ng

RT: 10.84 min Scan# 1445

Delta R.T. -0.01 min

Lab File: BF108530.D

Acq: 28 Aug 2018 1:01

Instrument :

BNA_F

ClientSampleId :


Tot Ion:330 Resp: 136153

Ion Ratio Lower Upper

330 100

332 96.9 77.0 115.6




141 32.7 29.9 44.9



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 128.514 ng

RT: 9.35 min Scan# 1193

Delta R.T. -0.01 min

Lab File: BF108530.D

Acq: 28 Aug 2018 1:01


Tgt Ion:172 Resp: 1216370

Ion Ratio Lower Upper

172 100

171 36.3 29.7 44.5



170 24.2 19.6 29.4




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 3.781 ng
RT: 9.74 min Scan# 1259
Delta R.T. -0.02 min
Lab File: BF108530.D
Acq: 28 Aug 2018 1:01

Instrument :
BNA_F
ClientSampled :

Tot Ion	Ratio	Lower	Upper
163	100		
194	3.6	2.7	4.1
164	10.1	8.2	12.2




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#50
2,6-Dinitrotoluene
Concen: 8.818 ng
RT: 10.04 min Scan# 1310
Delta R.T. 0.21 min
Lab File: BF108530.D
Acq: 28 Aug 2018 1:01

Tgt Ion	Ratio	Lower	Upper
165	100		
63	1.8	44.7	67.1#
89	1.6	44.0	66.0#



Abundance Ion 165.00 (164.70 to 165.70): E
Ion 63.00 (62.70 to 63.70): BF1
Ion 89.00 (88.70 to 89.70): BF1






#56
 2,4-Dinitrotoluene
 Concen: 6.851 ng
 RT: 10.04 min Scan# 1310
 Delta R.T. -0.19 min
 Lab File: BF108530.D
 Acq: 28 Aug 2018 1:01

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
165	100		
63	1.8	36.4	54.6#
89	1.6	57.8	86.6#
182	0.0	1.6	2.4#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1


Ion 89.00 (88.70 to 89.70): BF1

Ion 182.00 (181.70 to 182.70): E



#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.54 min Scan# 1564
 Delta R.T. -0.01 min
 Lab File: BF108530.D
 Acq: 28 Aug 2018 1:01



Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.8	8.5	12.7
80	9.6	9.2	13.8




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1









#64
4,6-Dinitro-2-methylphenol
Concen: 5.487 ng
RT: 10.84 min Scan# 1445
Delta R.T. 0.19 min
Lab File: BF108530.D
Acq: 28 Aug 2018 1:01

Instrument :
BNA_F
ClientSampleId :

Tot Ion:198 Resp: 142
Ion Ratio Lower Upper
198 100
51 195.3 37.7 77.7#
105 185.9 36.3 76.3#




Abundance Ion 198.00 (197.70 to 198.70): E
Ion 51.00 (50.70 to 51.70): BF1
Ion 105.00 (104.70 to 105.70): E






#66
4-Bromophenyl-phenylether
Concen: 3.162 ng
RT: 10.84 min Scan# 1445
Delta R.T. -0.25 min
Lab File: BF108530.D
Acq: 28 Aug 2018 1:01

Tgt Ion:248 Resp: 9017
Ion Ratio Lower Upper
248 100
250 197.5 76.9 115.3#
141 443.1 74.4 111.6#



Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.19 min Scan# 2015

Delta R.T. -0.01 min

Lab File: BF108530.D

Acq: 28 Aug 2018 1:01

Instrument :

BNA_F

ClientSampleId :


Tot Ion:240 Resp: 254115

Ion Ratio Lower Upper

240 100

120 10.3 9.5 14.3




236 26.2 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 97.718 ng

RT: 13.12 min Scan# 1834

Delta R.T. -0.01 min

Lab File: BF108530.D

Acq: 28 Aug 2018 1:01


Tgt Ion:244 Resp: 976637

Ion Ratio Lower Upper

244 100

212 7.3 5.4 8.0



122 9.9 11.0 16.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.75 min Scan# 2280
Delta R.T. -0.01 min
Lab File: BF108530.D
Acq: 28 Aug 2018 1:01

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.3	19.2	28.8
265	21.3	17.5	26.3



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

