

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF082718\
 Data File : BF108516.D
 Acq On : 27 Aug 2018 17:48
 Operator : JU/SJ
 Sample : J4538-03
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 VSS3

Quant Time: Aug 27 18:20:12 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF080818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 22 11:01:45 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.00	152	129377	20.00	ng	0.00
21) Naphthalene-d8	8.28	136	500813	20.00	ng	0.00
38) Acenaphthene-d10	10.04	164	248385	20.00	ng	-0.01
63) Phenanthrene-d10	11.54	188	434366	20.00	ng	0.00
75) Chrysene-d12	14.19	240	303394	20.00	ng	-0.01
86) Perylene-d12	15.75	264	278683	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	726201	101.62	ng	0.00
7) Phenol-d6	6.62	99	967323	101.86	ng	0.00
23) Nitrobenzene-d5	7.56	82	647811	72.18	ng	-0.01
41) 2,4,6-Tribromophenol	10.84	330	254937	102.90	ng	-0.01
44) 2-Fluorobiphenyl	9.35	172	1182071	76.40	ng	-0.01
78) Terphenyl-d14	13.12	244	895350	75.03	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	9.74	163	90184	5.212	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF082718\
Data File : BF108516.D
Acq On : 27 Aug 2018 17:48
Operator : JU/SJ
Sample : J4538-03
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
VSS3

Quant Time: Aug 27 18:20:12 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF080818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 22 11:01:45 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.00 min Scan# 793
Delta R.T. -0.01 min
Lab File: BF108516.D
Acq: 27 Aug 2018 17:48

Instrument :
BNA_F
ClientSampleId :
VSS3

Tot Ion	Ratio	Lower	Upper
152	100		
150	156.7	124.6	186.8
115	57.7	50.1	75.1





Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 101.622 ng
RT: 5.63 min Scan# 560
Delta R.T. -0.00 min
Lab File: BF108516.D
Acq: 27 Aug 2018 17:48

Tgt Ion	Ratio	Lower	Upper
112	100		
64	69.6	47.9	71.9
63	36.6	23.7	35.5#





Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 101.864 ng

RT: 6.62 min Scan# 729

Delta R.T. -0.01 min

Lab File: BF108516.D

Acq: 27 Aug 2018 17:48

Instrument :

BNA_F

ClientSampleId :

VSS3


Tot Ion: 99 Resp: 967323

Ion Ratio Lower Upper




99 100

42 23.2 14.5 21.7#

71 37.6 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.28 min Scan# 1011

Delta R.T. -0.01 min

Lab File: BF108516.D

Acq: 27 Aug 2018 17:48

Tgt Ion: 136 Resp: 500813


Ion Ratio Lower Upper

136 100



137 10.7 8.9 13.3

54 9.7 6.6 9.8

68 5.7 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
Nitrobenzene-d5
Concen: 72.180 ng
RT: 7.56 min Scan# 888
Delta R.T. -0.01 min
Lab File: BF108516.D
Acq: 27 Aug 2018 17:48

Instrument :
BNA_F
ClientSampleId :
VSS3

Tot Ion: 82 Resp: 647811
Ion Ratio Lower Upper
82 100
128 40.4 36.1 54.1
54 59.6 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1





#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.04 min Scan# 1310
Delta R.T. -0.01 min
Lab File: BF108516.D
Acq: 27 Aug 2018 17:48

Tgt Ion: 164 Resp: 248385
Ion Ratio Lower Upper
164 100
162 99.3 86.1 129.1
160 45.6 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 102.898 ng
 RT: 10.84 min Scan# 1445
 Delta R.T. -0.01 min
 Lab File: BF108516.D
 Acq: 27 Aug 2018 17:48




Instrument :
 BNA_F
 ClientSampleId :
 VSS3

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.3	77.0	115.6
141	31.9	29.9	44.9



#44
 2-Fluorobiphenyl
 Concen: 76.405 ng
 RT: 9.35 min Scan# 1193
 Delta R.T. -0.01 min
 Lab File: BF108516.D
 Acq: 27 Aug 2018 17:48

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.7	29.7	44.5
170	24.8	19.6	29.4









#49
Dimethylphthalate
Concen: 5.212 ng
RT: 9.74 min Scan# 1259
Delta R.T. -0.02 min
Lab File: BF108516.D
Acq: 27 Aug 2018 17:48

Instrument :
BNA_F
ClientSampleId :
VSS3

Tot Ion:163 Resp: 90184
Ion Ratio Lower Upper
163 100
194 3.6 2.7 4.1
164 9.8 8.2 12.2




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.54 min Scan# 1565
Delta R.T. -0.01 min
Lab File: BF108516.D
Acq: 27 Aug 2018 17:48

Tgt Ion:188 Resp: 434366
Ion Ratio Lower Upper
188 100
94 7.2 8.5 12.7#
80 8.6 9.2 13.8#



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.19 min Scan# 2015

Delta R.T. -0.01 min

Lab File: BF108516.D

Acq: 27 Aug 2018 17:48

Instrument :

BNA_F

ClientSampleId :

VSS3


Tot Ion:240 Resp: 303394

Ion Ratio Lower Upper

240 100

120 11.1 9.5 14.3



236 25.4 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 75.034 ng

RT: 13.12 min Scan# 1834

Delta R.T. -0.01 min

Lab File: BF108516.D

Acq: 27 Aug 2018 17:48


Tgt Ion:244 Resp: 895350

Ion Ratio Lower Upper

244 100

212 7.1 5.4 8.0



122 9.7 11.0 16.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.75 min Scan# 2280
 Delta R.T. -0.01 min
 Lab File: BF108516.D
 Acq: 27 Aug 2018 17:48

Instrument :
 BNA_F
 ClientSampleId :
 VSS3

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.8	19.2	28.8
265	21.0	17.5	26.3

