

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF082719\
 Data File : BF116601.D
 Acq On : 27 Aug 2019 23:44
 Operator : HP/JU
 Sample : K4528-30
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 T9-12-13-S1-S4-(0-1.9)

Quant Time: Aug 28 08:24:46 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF082319.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 23 13:38:31 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.87	152	117193	20.00	ng	0.00
21) Naphthalene-d8	8.15	136	230401	20.00	ng	-0.01
39) Acenaphthene-d10	9.90	164	122654	20.00	ng	-0.01
64) Phenanthrene-d10	11.39	188	219061	20.00	ng	-0.01
76) Chrysene-d12	14.02	240	155469	20.00	ng	-0.02
87) Perylene-d12	15.48	264	146438	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.50	112	755877	94.24	ng	0.00
7) Phenol-d6	6.50	99	931264	94.69	ng	0.00
23) Nitrobenzene-d5	7.43	82	623549	148.07	ng	-0.01
42) 2,4,6-Tribromophenol	10.69	330	152303	144.61	ng	0.00
45) 2-Fluorobiphenyl	9.23	172	661118	86.80	ng	-0.01
79) Terphenyl-d14	12.97	244	797729	95.84	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF082719\
Data File : BF116601.D
Acq On : 27 Aug 2019 23:44
Operator : HP/JU
Sample : K4528-30
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
T9-12-13-S1-S4-(0-1.9)

Quant Time: Aug 28 08:24:46 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF082319.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 23 13:38:31 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.87 min Scan# 814
Delta R.T. -0.01 min
Lab File: BF116601.D
Acq: 27 Aug 2019 23:44

Instrument :
BNA_F
ClientSampleId :
T9-12-13-S1-S4-(0-1.9)

Tot Ion:152 Resp: 117193
Ion Ratio Lower Upper
152 100
150 156.0 126.7 190.1
115 60.7 50.9 76.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 94.242 ng
RT: 5.50 min Scan# 580
Delta R.T. -0.00 min
Lab File: BF116601.D
Acq: 27 Aug 2019 23:44

Tgt Ion:112 Resp: 755877
Ion Ratio Lower Upper
112 100
64 58.2 46.3 69.5
63 30.5 24.2 36.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 94.694 ng

RT: 6.50 min Scan# 750

Delta R.T. -0.01 min

Lab File: BF116601.D

Acq: 27 Aug 2019 23:44

Instrument :

BNA_F

ClientSampleId :

T9-12-13-S1-S4-(0-1.9)


Tot Ion: 99 Resp: 931264

Ion Ratio Lower Upper




99 100

42 17.3 14.6 21.8

71 35.9 28.5 42.7



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.15 min Scan# 1031

Delta R.T. -0.01 min

Lab File: BF116601.D

Acq: 27 Aug 2019 23:44

Tgt Ion: 136 Resp: 230401


Ion Ratio Lower Upper

136 100



137 10.7 9.0 13.4


54 6.6 5.8 8.6

68 5.4 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 148.065 ng
 RT: 7.43 min Scan# 908
 Delta R.T. -0.01 min
 Lab File: BF116601.D
 Acq: 27 Aug 2019 23:44




Instrument :
 BNA_F
 ClientSampleId :
 T9-12-13-S1-S4-(0-1.9)


Tot Ion	82	Resp	623549
Ion Ratio	100	Lower	Upper
128	43.5	32.2	48.4
54	45.8	36.5	54.7



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.90 min Scan# 1329
 Delta R.T. -0.01 min
 Lab File: BF116601.D
 Acq: 27 Aug 2019 23:44

Tgt Ion	164	Resp	122654
Ion Ratio	100	Lower	Upper
162	104.7	82.6	123.8
160	46.5	35.8	53.8





#42

2,4,6-Tribromophenol

Concen: 144.610 ng

RT: 10.69 min Scan# 1463

Delta R.T. -0.01 min

Lab File: BF116601.D

Acq: 27 Aug 2019 23:44

Instrument :

BNA_F

ClientSampleId :

T9-12-13-S1-S4-(0-1.9)


Tot Ion:330 Resp: 152303

Ion Ratio Lower Upper

330 100

332 96.6 77.2 115.8

141 39.7 33.3 49.9






Abundance

Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 86.803 ng

RT: 9.23 min Scan# 1214

Delta R.T. -0.01 min

Lab File: BF116601.D

Acq: 27 Aug 2019 23:44


Tgt Ion:172 Resp: 661118

Ion Ratio Lower Upper

172 100

171 36.3 28.9 43.3

170 23.6 19.4 29.0






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.39 min Scan# 1581
Delta R.T. -0.01 min
Lab File: BF116601.D
Acq: 27 Aug 2019 23:44

Instrument :
BNA_F
ClientSampleId :
T9-12-13-S1-S4-(0-1.9)

Tot Ion	Ratio	Lower	Upper
188	100		
94	8.9	7.4	11.2
80	10.2	8.6	12.8




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1






#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.02 min Scan# 2028
Delta R.T. -0.02 min
Lab File: BF116601.D
Acq: 27 Aug 2019 23:44

Tgt Ion	Ratio	Lower	Upper
240	100		
120	10.9	10.5	15.7
236	26.8	20.2	30.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 95.844 ng

RT: 12.97 min Scan# 1851

Delta R.T. -0.01 min

Lab File: BF116601.D

Acq: 27 Aug 2019 23:44

Instrument :

BNA_F

ClientSampleId :

T9-12-13-S1-S4-(0-1.9)


Tot Ion:244 Resp: 797729

Ion Ratio Lower Upper

244 100

212 7.4 5.7 8.5




122 10.6 10.2 15.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.48 min Scan# 2277

Delta R.T. -0.03 min

Lab File: BF116601.D

Acq: 27 Aug 2019 23:44


Tgt Ion:264 Resp: 146438

Ion Ratio Lower Upper

264 100

260 23.7 18.8 28.2

265 20.9 17.1 25.7



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

