

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF082818\
 Data File : BF108577.D
 Acq On : 29 Aug 2018 1:34
 Operator : JU/SJ
 Sample : J4660-05
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 082318-SIDI-F-U-M

Quant Time: Aug 29 06:50:48 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF080818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 22 11:01:45 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.00	152	106933	20.00	ng	0.00
21) Naphthalene-d8	8.28	136	390320	20.00	ng	0.00
38) Acenaphthene-d10	10.04	164	171517	20.00	ng	-0.01
63) Phenanthrene-d10	11.54	188	280500	20.00	ng	-0.01
75) Chrysene-d12	14.19	240	265720	20.00	ng	0.00
86) Perylene-d12	15.75	264	206058	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.64	112	271813	46.02	ng	0.00
7) Phenol-d6	6.63	99	235536	30.01	ng	0.00
23) Nitrobenzene-d5	7.57	82	757360	108.27	ng	0.00
41) 2,4,6-Tribromophenol	10.84	330	160818	94.00	ng	-0.01
44) 2-Fluorobiphenyl	9.35	172	1353682	126.71	ng	-0.01
78) Terphenyl-d14	13.12	244	1082861	103.61	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	9.75	163	35214	2.947	ng	# 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF082818\
Data File : BF108577.D
Acq On : 29 Aug 2018 1:34
Operator : JU/SJ
Sample : J4660-05
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
082318-SIDI-F-U-M

Quant Time: Aug 29 06:50:48 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF080818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 22 11:01:45 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.00 min Scan# 793
Delta R.T. -0.01 min
Lab File: BF108577.D
Acq: 29 Aug 2018 1:34

Instrument :
BNA_F
ClientSampleId :
082318-SIDI-F-U-M

Tot Ion	Ratio	Lower	Upper
152	100		
150	159.3	124.6	186.8
115	59.0	50.1	75.1






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 46.020 ng
RT: 5.64 min Scan# 561
Delta R.T. 0.01 min
Lab File: BF108577.D
Acq: 29 Aug 2018 1:34

Tgt Ion	Ratio	Lower	Upper
112	100		
64	65.5	47.9	71.9
63	33.5	23.7	35.5






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 30.009 ng

RT: 6.63 min Scan# 730

Delta R.T. -0.00 min

Lab File: BF108577.D

Acq: 29 Aug 2018 1:34

Instrument :

BNA_F

ClientSampleId :

082318-SIDI-F-U-M


Tot Ion: 99 Resp: 235536

Ion Ratio Lower Upper




99 100

42 21.7 14.5 21.7

71 34.4 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.28 min Scan# 1011

Delta R.T. -0.01 min

Lab File: BF108577.D

Acq: 29 Aug 2018 1:34

Tgt Ion: 136 Resp: 390320


Ion Ratio Lower Upper

136 100



137 10.7 8.9 13.3


54 9.0 6.6 9.8

68 5.6 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 108.275 ng
 RT: 7.57 min Scan# 889
 Delta R.T. -0.01 min
 Lab File: BF108577.D
 Acq: 29 Aug 2018 1:34




Instrument :
 BNA_F
 ClientSampleId :
 082318-SIDI-F-U-M


Tot Ion	82	Resp	757360
Ion Ratio	Lower	Upper	
82	100		
128	42.6	36.1	54.1
54	57.6	41.4	62.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 10.04 min Scan# 1310
 Delta R.T. -0.01 min
 Lab File: BF108577.D
 Acq: 29 Aug 2018 1:34

Tgt Ion	164	Resp	171517
Ion Ratio	Lower	Upper	
164	100		
162	102.6	86.1	129.1
160	46.2	38.3	57.5









#41
 2,4,6-Tribromophenol
 Concen: 94.000 ng
 RT: 10.84 min Scan# 1445
 Delta R.T. -0.01 min
 Lab File: BF108577.D
 Acq: 29 Aug 2018 1:34

Instrument :
 BNA_F
 ClientSampleId :
 082318-SIDI-F-U-M

Tot Ion:330 Resp: 160818
 Ion Ratio Lower Upper
 330 100
 332 99.2 77.0 115.6
 141 33.0 29.9 44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 126.710 ng
 RT: 9.35 min Scan# 1193
 Delta R.T. -0.01 min
 Lab File: BF108577.D
 Acq: 29 Aug 2018 1:34

Tgt Ion:172 Resp: 1353682
 Ion Ratio Lower Upper
 172 100
 171 37.3 29.7 44.5
 170 24.8 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 2.947 ng

RT: 9.75 min Scan# 1260

Delta R.T. -0.02 min

Lab File: BF108577.D

Acq: 29 Aug 2018 1:34

Instrument :

BNA_F

ClientSampleId :

082318-SIDI-F-U-M


Tot Ion:163 Resp: 35214

Ion Ratio Lower Upper




163 100

194 4.2 2.7 4.1#

164 9.6 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.54 min Scan# 1564

Delta R.T. -0.01 min

Lab File: BF108577.D

Acq: 29 Aug 2018 1:34


Tgt Ion:188 Resp: 280500

Ion Ratio Lower Upper



188 100


94 8.2 8.5 12.7#

80 9.7 9.2 13.8



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.19 min Scan# 2016

Delta R.T. -0.01 min

Lab File: BF108577.D

Acq: 29 Aug 2018 1:34

Instrument :

BNA_F

ClientSampleId :

082318-SIDI-F-U-M


Tot Ion:240 Resp: 265720

Ion Ratio Lower Upper

240 100

120 8.4 9.5 14.3#




236 26.2 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 103.615 ng

RT: 13.12 min Scan# 1834

Delta R.T. -0.01 min

Lab File: BF108577.D

Acq: 29 Aug 2018 1:34


Tgt Ion:244 Resp: 1082861

Ion Ratio Lower Upper

244 100

212 7.2 5.4 8.0



122 9.8 11.0 16.4#






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86

Pervlene-d12

Concen: 20.000 ng

RT: 15.75 min Scan# 2280

Delta R.T. -0.01 min

Lab File: BF108577.D

Acq: 29 Aug 2018 1:34

Instrument :

BNA_F

ClientSampleId :

082318-SIDI-F-U-M

Tot Ion: 264 Resp: 206058

Ion Ratio Lower Upper

264 100

260 23.2 19.2 28.8

265 21.9 17.5 26.3

