

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF082818\
 Data File : BF108578.D
 Acq On : 29 Aug 2018 2:01
 Operator : JU/SJ
 Sample : J4656-01
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 082418-SIDI-F-D-B

Quant Time: Aug 29 06:53:38 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF080818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 22 11:01:45 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.00	152	97988	20.00	ng	0.00
21) Naphthalene-d8	8.28	136	345991	20.00	ng	0.00
38) Acenaphthene-d10	10.04	164	149683	20.00	ng	-0.01
63) Phenanthrene-d10	11.54	188	269028	20.00	ng	-0.01
75) Chrysene-d12	14.19	240	284862	20.00	ng	0.00
86) Perylene-d12	15.75	264	230667	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.64	112	180062	33.27	ng	0.01
7) Phenol-d6	6.63	99	166617	23.17	ng	0.00
23) Nitrobenzene-d5	7.57	82	602721	97.21	ng	0.00
41) 2,4,6-Tribromophenol	10.84	330	130337	87.30	ng	-0.01
44) 2-Fluorobiphenyl	9.35	172	1055755	113.24	ng	-0.01
78) Terphenyl-d14	13.12	244	974801	87.01	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	9.75	163	59844	5.740	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF082818\
Data File : BF108578.D
Acq On : 29 Aug 2018 2:01
Operator : JU/SJ
Sample : J4656-01
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
082418-SIDI-F-D-B

Quant Time: Aug 29 06:53:38 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF080818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 22 11:01:45 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.00 min Scan# 793
Delta R.T. -0.01 min
Lab File: BF108578.D
Acq: 29 Aug 2018 2:01

Instrument :
BNA_F
ClientSampleId :
082418-SIDI-F-D-B

Tot Ion	Ratio	Lower	Upper
152	100		
150	158.3	124.6	186.8
115	58.5	50.1	75.1





Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 33.269 ng
RT: 5.64 min Scan# 562
Delta R.T. 0.01 min
Lab File: BF108578.D
Acq: 29 Aug 2018 2:01

Tgt Ion	Ratio	Lower	Upper
112	100		
64	67.2	47.9	71.9
63	34.9	23.7	35.5





Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 23.166 ng

RT: 6.63 min Scan# 730

Delta R.T. -0.00 min

Lab File: BF108578.D

Acq: 29 Aug 2018 2:01

Instrument :

BNA_F

ClientSampleId :

082418-SIDI-F-D-B


Tot Ion: 99 Resp: 166617

Ion Ratio Lower Upper




99 100

42 22.1 14.5 21.7#

71 34.7 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.28 min Scan# 1011

Delta R.T. -0.01 min

Lab File: BF108578.D

Acq: 29 Aug 2018 2:01

Tgt Ion: 136 Resp: 345991


Ion Ratio Lower Upper

136 100



137 10.7 8.9 13.3

54 9.2 6.6 9.8

68 5.3 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1








#23
Nitrobenzene-d5
Concen: 97.207 ng
RT: 7.57 min Scan# 889
Delta R.T. -0.01 min
Lab File: BF108578.D
Acq: 29 Aug 2018 2:01

Instrument :
BNA_F
ClientSampleId :
082418-SIDI-F-D-B

Tot Ion: 82 Resp: 602721
Ion Ratio Lower Upper
82 100
128 42.6 36.1 54.1
54 55.9 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): BF1
Ion 54.00 (53.70 to 54.70): BF1





#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.04 min Scan# 1310
Delta R.T. -0.01 min
Lab File: BF108578.D
Acq: 29 Aug 2018 2:01

Tgt Ion:164 Resp: 149683
Ion Ratio Lower Upper
164 100
162 103.3 86.1 129.1
160 46.6 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 87.296 ng
 RT: 10.84 min Scan# 1445
 Delta R.T. -0.01 min
 Lab File: BF108578.D
 Acq: 29 Aug 2018 2:01

Instrument :
 BNA_F
 ClientSampleId :
 082418-SIDI-F-D-B

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.6	77.0	115.6
141	32.5	29.9	44.9





Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44
 2-Fluorobiphenyl
 Concen: 113.238 ng
 RT: 9.35 min Scan# 1193
 Delta R.T. -0.01 min
 Lab File: BF108578.D
 Acq: 29 Aug 2018 2:01

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.5	29.7	44.5
170	24.6	19.6	29.4






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 5.740 ng

RT: 9.75 min Scan# 1260

Delta R.T. -0.02 min

Lab File: BF108578.D

Acq: 29 Aug 2018 2:01

Instrument :

BNA_F

ClientSampleId :

082418-SIDI-F-D-B


Tot Ion:163 Resp: 59844

Ion Ratio Lower Upper

163 100

194 3.7 2.7 4.1




164 10.1 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.54 min Scan# 1564

Delta R.T. -0.01 min

Lab File: BF108578.D

Acq: 29 Aug 2018 2:01


Tgt Ion:188 Resp: 269028

Ion Ratio Lower Upper

188 100

94 8.8 8.5 12.7



80 9.8 9.2 13.8




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.19 min Scan# 2016

Delta R.T. -0.01 min

Lab File: BF108578.D

Acq: 29 Aug 2018 2:01

Instrument :

BNA_F

ClientSampleId :

082418-SIDI-F-D-B


Tot Ion:240 Resp: 284862

Ion Ratio Lower Upper

240 100

120 8.7 9.5 14.3#



236 26.5 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 87.007 ng

RT: 13.12 min Scan# 1834

Delta R.T. -0.01 min

Lab File: BF108578.D

Acq: 29 Aug 2018 2:01


Tgt Ion:244 Resp: 974801

Ion Ratio Lower Upper

244 100

212 7.3 5.4 8.0



122 9.7 11.0 16.4#






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86

Pervlene-d12

Concen: 20.000 ng

RT: 15.75 min Scan# 2280

Delta R.T. -0.01 min

Lab File: BF108578.D

Acq: 29 Aug 2018 2:01

Instrument :

BNA_F

ClientSampleId :

082418-SIDI-F-D-B

Tot Ion:264 Resp: 230667

Ion	Ratio	Lower	Upper
264	100		
260	24.6	19.2	28.8
265	21.3	17.5	26.3

