

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF083118\
 Data File : BF108724.D
 Acq On : 1 Sep 2018 7:49
 Operator : JU/SJ
 Sample : J4729-10
 Misc :
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Sep 04 02:01:26 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF083018.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 30 15:06:55 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.01	152	58216	20.00	ng	0.00
21) Naphthalene-d8	8.28	136	234655	20.00	ng	0.00
38) Acenaphthene-d10	10.04	164	113589	20.00	ng	-0.01
63) Phenanthrene-d10	11.54	188	255746	20.00	ng	0.00
75) Chrysene-d12	14.19	240	249021	20.00	ng	0.00
86) Perylene-d12	15.75	264	167896	20.00	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
5) 2-Fluorophenol	5.68	112	19257	5.75	ng	0.03
7) Phenol-d6	6.66	99	105081	21.89	ng	0.01
23) Nitrobenzene-d5	7.57	82	457229	98.90	ng	0.00
41) 2,4,6-Tribromophenol	10.84	330	125178	83.48	ng	-0.01
44) 2-Fluorobiphenyl	9.35	172	929368	110.01	ng	0.00
78) Terphenyl-d14	13.12	244	1087840	84.88	ng	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
15) Benzyl Alcohol	7.15	79	8230	2.384	ng	# 44
19) n-Nitroso-di-n-propylamine	7.57	70	53166	16.541	ng	# 87
25) Isophorone	7.57	82	457229	59.539	ng	# 64
49) Dimethylphthalate	9.75	163	33689	3.766	ng	# 98
50) 2,6-Dinitrotoluene	10.04	165	12906	6.546	ng	# 24
56) 2,4-Dinitrotoluene	10.04	165	13662	5.233	ng	# 21
66) 4-Bromophenyl-phenylether	10.84	248	7659	2.437	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF083118\
Data File : BF108724.D
Acq On : 1 Sep 2018 7:49
Operator : JU/SJ
Sample : J4729-10
Misc :
ALS Vial : 36 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Sep 04 02:01:26 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF083018.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 30 15:06:55 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.01 min Scan# 794
Delta R.T. -0.00 min
Lab File: BF108724.D
Acq: 1 Sep 2018 7:49

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 58216
Ion Ratio Lower Upper
152 100
150 160.6 124.6 186.8
115 61.1 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 5.746 ng
RT: 5.68 min Scan# 568
Delta R.T. 0.03 min
Lab File: BF108724.D
Acq: 1 Sep 2018 7:49

Tgt Ion:112 Resp: 19257
Ion Ratio Lower Upper
112 100
64 72.1 47.9 71.9#
63 38.1 23.7 35.5#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 21.893 ng

RT: 6.66 min Scan# 735

Delta R.T. 0.01 min

Lab File: BF108724.D

Acq: 1 Sep 2018 7:49

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 105081

Ion Ratio Lower Upper




99 100

42 22.0 14.5 21.7#

71 33.8 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#15

Benzyl Alcohol

Concen: 2.384 ng

RT: 7.15 min Scan# 819

Delta R.T. -0.00 min

Lab File: BF108724.D

Acq: 1 Sep 2018 7:49


Tgt Ion: 79 Resp: 8230

Ion Ratio Lower Upper



79 100


108 25.9 65.1 97.7#

77 100.5 50.6 75.8#



Abundance Ion 79.00 (78.70 to 79.70): BF1
Ion 108.00 (107.70 to 108.70): BF1
Ion 77.00 (76.70 to 77.70): BF1









#19
 n-Nitroso-di-n-propylamine
 Concen: 16.541 ng
 RT: 7.57 min Scan# 889
 Delta R.T. 0.15 min
 Lab File: BF108724.D
 Acq: 1 Sep 2018 7:49




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion: 70 Resp: 53166
 Ion Ratio Lower Upper
 70 100
 42 58.0 47.5 71.3
 101 0.0 7.4 11.2#
 130 2.0 16.6 25.0#



#21
 Naphthalene-d8
 Concen: 20.000 ng
 RT: 8.28 min Scan# 1011
 Delta R.T. -0.00 min
 Lab File: BF108724.D
 Acq: 1 Sep 2018 7:49

Tgt Ion: 136 Resp: 234655
 Ion Ratio Lower Upper
 136 100
 137 11.6 8.9 13.3
 54 10.4 6.6 9.8#
 68 5.9 5.0 7.4









#23
Nitrobenzene-d5
Concen: 98.904 ng
RT: 7.57 min Scan# 889
Delta R.T. -0.01 min
Lab File: BF108724.D
Acq: 1 Sep 2018 7:49

Instrument :
BNA_F
ClientSampleId :

Tot Ion	82	Resp	457229
Ion Ratio	Lower	Upper	
82	100		
128	42.1	36.1	54.1
54	58.0	41.4	62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): BF1
Ion 54.00 (53.70 to 54.70): BF1






#25
Isophorone
Concen: 59.539 ng
RT: 7.57 min Scan# 889
Delta R.T. -0.25 min
Lab File: BF108724.D
Acq: 1 Sep 2018 7:49

Tgt Ion	82	Resp	457229
Ion Ratio	Lower	Upper	
82	100		
95	0.0	5.2	7.8#
138	0.0	14.9	22.3#



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 95.00 (94.70 to 95.70): BF1
Ion 138.00 (137.70 to 138.70): BF1









#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.04 min Scan# 1309
Delta R.T. -0.01 min
Lab File: BF108724.D
Acq: 1 Sep 2018 7:49

Instrument :
BNA_F
ClientSampleId :

Tot Ion:164 Resp: 113589
Ion Ratio Lower Upper
164 100
162 99.1 86.1 129.1
160 43.5 38.3 57.5




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#41
2,4,6-Tribromophenol
Concen: 83.479 ng
RT: 10.84 min Scan# 1445
Delta R.T. -0.01 min
Lab File: BF108724.D
Acq: 1 Sep 2018 7:49

Tgt Ion:330 Resp: 125178
Ion Ratio Lower Upper
330 100
332 96.4 77.0 115.6
141 30.9 29.9 44.9



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 110.011 ng
 RT: 9.35 min Scan# 1193
 Delta R.T. -0.01 min
 Lab File: BF108724.D
 Acq: 1 Sep 2018 7:49

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
172	100		
171	35.7	29.7	44.5
170	23.2	19.6	29.4




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#49
 Dimethylphthalate
 Concen: 3.766 ng
 RT: 9.75 min Scan# 1260
 Delta R.T. -0.02 min
 Lab File: BF108724.D
 Acq: 1 Sep 2018 7:49

Tgt Ion	Ratio	Lower	Upper
163	100		
194	4.4	2.7	4.1#
164	10.7	8.2	12.2



Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E









#50
 2,6-Dinitrotoluene
 Concen: 6.546 ng
 RT: 10.04 min Scan# 1309
 Delta R.T. 0.20 min
 Lab File: BF108724.D
 Acq: 1 Sep 2018 7:49




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
165	100		
63	0.0	44.7	67.1#
89	0.0	44.0	66.0#



#56
 2,4-Dinitrotoluene
 Concen: 5.233 ng
 RT: 10.04 min Scan# 1309
 Delta R.T. -0.21 min
 Lab File: BF108724.D
 Acq: 1 Sep 2018 7:49

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	36.4	54.6#
89	0.0	57.8	86.6#
182	0.0	1.6	2.4#









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.54 min Scan# 1565
Delta R.T. -0.01 min
Lab File: BF108724.D
Acq: 1 Sep 2018 7:49




Instrument :
BNA_F
ClientSampleId :


Tot Ion:188 Resp: 255746
Ion Ratio Lower Upper
188 100
94 7.4 8.5 12.7#
80 8.8 9.2 13.8#



#66
4-Bromophenyl-phenylether
Concen: 2.437 ng
RT: 10.84 min Scan# 1445
Delta R.T. -0.24 min
Lab File: BF108724.D
Acq: 1 Sep 2018 7:49

Tgt Ion:248 Resp: 7659
Ion Ratio Lower Upper
248 100
250 178.5 76.9 115.3#
141 461.2 74.4 111.6#





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.19 min Scan# 2016

Delta R.T. -0.01 min

Lab File: BF108724.D

Acq: 1 Sep 2018 7:49

Instrument :

BNA_F

ClientSampleId :


Tot Ion:240 Resp: 249021

Ion Ratio Lower Upper

240 100

120 9.3 9.5 14.3#




236 26.3 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 84.877 ng

RT: 13.12 min Scan# 1834

Delta R.T. -0.01 min

Lab File: BF108724.D

Acq: 1 Sep 2018 7:49


Tgt Ion:244 Resp: 1087840

Ion Ratio Lower Upper

244 100

212 7.1 5.4 8.0



122 8.4 11.0 16.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.75 min Scan# 2281
Delta R.T. -0.00 min
Lab File: BF108724.D
Acq: 1 Sep 2018 7:49

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.2	19.2	28.8
265	20.8	17.5	26.3

