

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF083123\
 Data File : BF135046.D
 Acq On : 31 Aug 2023 17:40
 Operator : CG\JU
 Sample : PB155213BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB155213BL

Quant Time: Aug 31 19:13:47 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF083023.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 31 03:48:08 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.769	152	131386	20.000	ng	0.00
21) Naphthalene-d8	8.051	136	540370	20.000	ng	0.00
39) Acenaphthene-d10	9.810	164	270209	20.000	ng	0.00
64) Phenanthrene-d10	11.304	188	518035	20.000	ng	0.00
76) Chrysene-d12	13.957	240	363140	20.000	ng	0.00
86) Perylene-d12	15.427	264	303741	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.416	112	1094717	128.699	ng	0.02
7) Phenol-d6	6.416	99	1348471	127.187	ng	0.00
23) Nitrobenzene-d5	7.334	82	862010	89.621	ng	-0.01
42) 2,4,6-Tribromophenol	10.604	330	389993	136.059	ng	0.00
45) 2-Fluorobiphenyl	9.133	172	1436358	86.546	ng	0.00
79) Terphenyl-d14	12.904	244	1719351	77.265	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF083123\
Data File : BF135046.D
Acq On : 31 Aug 2023 17:40
Operator : CG\JU
Sample : PB155213BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB155213BL


Quant Time: Aug 31 19:13:47 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF083023.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 31 03:48:08 2023
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.769 min Scan# 797
Delta R.T. -0.006 min
Lab File: BF135046.D
Acq: 31 Aug 2023 17:40


Instrument :
BNA_F
ClientSampleId :
PB155213BL





Tgt Ion:152 Resp: 131386
Ion Ratio Lower Upper
152 100
150 156.2 126.2 189.4
115 63.0 51.2 76.8



#5
2-Fluorophenol
Concen: 128.699 ng
RT: 5.416 min Scan# 566
Delta R.T. 0.018 min
Lab File: BF135046.D
Acq: 31 Aug 2023 17:40



Tgt Ion:112 Resp: 1094717
Ion Ratio Lower Upper
112 100
64 60.6 50.5 75.7
63 31.5 25.9 38.9









#7
Phenol-d6
Concen: 127.187 ng
RT: 6.416 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF135046.D
Acq: 31 Aug 2023 17:40




Instrument :
BNA_F
ClientSampleId :
PB155213BL

Tgt Ion: 99 Resp: 1348471
Ion Ratio Lower Upper
99 100
42 20.6 16.6 25.0
71 35.0 27.0 40.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.051 min Scan# 1014
Delta R.T. -0.006 min
Lab File: BF135046.D
Acq: 31 Aug 2023 17:40

Tgt Ion:136 Resp: 540370
Ion Ratio Lower Upper
136 100
137 10.9 8.8 13.2
54 8.3 7.0 10.4
68 5.6 4.6 6.8









#23
Nitrobenzene-d5
Concen: 89.621 ng
RT: 7.334 min Scan# 894
Delta R.T. -0.012 min
Lab File: BF135046.D
Acq: 31 Aug 2023 17:40




Instrument :
BNA_F
ClientSampleId :
PB155213BL

Tgt Ion: 82 Resp: 862010
Ion Ratio Lower Upper
82 100
128 44.0 37.8 56.8
54 57.3 45.0 67.6



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.810 min Scan# 1313
Delta R.T. -0.006 min
Lab File: BF135046.D
Acq: 31 Aug 2023 17:40

Tgt Ion:164 Resp: 270209
Ion Ratio Lower Upper
164 100
162 102.7 79.5 119.3
160 45.3 36.0 54.0









#42
2,4,6-Tribromophenol
Concen: 136.059 ng
RT: 10.604 min Scan# 1448
Delta R.T. -0.006 min
Lab File: BF135046.D
Acq: 31 Aug 2023 17:40




Instrument :
BNA_F
ClientSampleId :
PB155213BL


Tgt Ion:330 Resp: 389993
Ion Ratio Lower Upper
330 100
332 96.1 77.6 116.4
141 30.9 26.3 39.5



#45
2-Fluorobiphenyl
Concen: 86.546 ng
RT: 9.133 min Scan# 1198
Delta R.T. -0.006 min
Lab File: BF135046.D
Acq: 31 Aug 2023 17:40

Tgt Ion:172 Resp: 1436358
Ion Ratio Lower Upper
172 100
171 36.0 28.2 42.2
170 24.0 19.0 28.4









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.304 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF135046.D
Acq: 31 Aug 2023 17:40




Instrument :
BNA_F
ClientSampleId :
PB155213BL

Tgt Ion:188 Resp: 518035
Ion Ratio Lower Upper
188 100
94 8.6 7.0 10.4
80 9.5 7.4 11.2



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.957 min Scan# 2018
Delta R.T. -0.006 min
Lab File: BF135046.D
Acq: 31 Aug 2023 17:40


Tgt Ion:240 Resp: 363140
Ion Ratio Lower Upper
240 100
120 11.3 10.2 15.2
236 26.4 21.3 31.9








#79
 Terphenyl-d14
 Concen: 77.265 ng
 RT: 12.904 min Scan# 1839
 Delta R.T. 0.000 min
 Lab File: BF135046.D
 Acq: 31 Aug 2023 17:40


Instrument :
 BNA_F
 ClientSampleId :
 PB155213BL



Tgt Ion:244 Resp: 1719351
 Ion Ratio Lower Upper
 244 100
 212 6.9 5.6 8.4
 122 12.1 9.8 14.6



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.427 min Scan# 2268
 Delta R.T. 0.000 min
 Lab File: BF135046.D
 Acq: 31 Aug 2023 17:40



Tgt Ion:264 Resp: 303741
 Ion Ratio Lower Upper
 264 100
 260 23.9 19.0 28.6
 265 21.0 18.2 27.2

