

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF090123\
 Data File : BF135076.D
 Acq On : 01 Sep 2023 15:04
 Operator : CG\JU
 Sample : 04203-06
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-7(12-12.5)

Quant Time: Sep 01 15:35:19 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF083023.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 31 03:48:08 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.769	152	97625	20.000	ng	0.00
21) Naphthalene-d8	8.051	136	380807	20.000	ng	0.00
39) Acenaphthene-d10	9.804	164	175960	20.000	ng	-0.01
64) Phenanthrene-d10	11.298	188	269950	20.000	ng	-0.01
76) Chrysene-d12	13.951	240	210365	20.000	ng	-0.01
86) Perylene-d12	15.421	264	229305	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.404	112	611073	96.684	ng	0.00
7) Phenol-d6	6.410	99	736975	93.550	ng	0.00
23) Nitrobenzene-d5	7.334	82	467720	69.003	ng	-0.01
42) 2,4,6-Tribromophenol	10.598	330	167996	90.003	ng	-0.01
45) 2-Fluorobiphenyl	9.128	172	825087	76.343	ng	-0.01
79) Terphenyl-d14	12.898	244	704616	54.660	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF090123\
Data File : BF135076.D
Acq On : 01 Sep 2023 15:04
Operator : CG\JU
Sample : 04203-06
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-7(12-12.5)

Quant Time: Sep 01 15:35:19 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF083023.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 31 03:48:08 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.769 min Scan# 797
Delta R.T. -0.006 min
Lab File: BF135076.D
Acq: 01 Sep 2023 15:04




Instrument :
BNA_F
ClientSampleId :
SB-7(12-12.5)


Tgt Ion:152 Resp: 97625
Ion Ratio Lower Upper
152 100
150 156.0 126.2 189.4
115 65.3 51.2 76.8



#5
2-Fluorophenol
Concen: 96.684 ng
RT: 5.404 min Scan# 564
Delta R.T. 0.006 min
Lab File: BF135076.D
Acq: 01 Sep 2023 15:04

Tgt Ion:112 Resp: 611073
Ion Ratio Lower Upper
112 100
64 62.4 50.5 75.7
63 32.5 25.9 38.9









#7
Phenol-d6
Concen: 93.550 ng
RT: 6.410 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF135076.D
Acq: 01 Sep 2023 15:04




Instrument :
BNA_F
ClientSampleId :
SB-7(12-12.5)


Tgt Ion: 99 Resp: 736975
Ion Ratio Lower Upper
99 100
42 20.4 16.6 25.0
71 35.5 27.0 40.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.051 min Scan# 1014
Delta R.T. -0.006 min
Lab File: BF135076.D
Acq: 01 Sep 2023 15:04

Tgt Ion: 136 Resp: 380807
Ion Ratio Lower Upper
136 100
137 10.7 8.8 13.2
54 8.0 7.0 10.4
68 5.5 4.6 6.8









#23
Nitrobenzene-d5
Concen: 69.003 ng
RT: 7.334 min Scan# 894
Delta R.T. -0.012 min
Lab File: BF135076.D
Acq: 01 Sep 2023 15:04




Instrument :
BNA_F
ClientSampleId :
SB-7(12-12.5)


Tgt Ion: 82 Resp: 467720
Ion Ratio Lower Upper
82 100
128 45.4 37.8 56.8
54 55.5 45.0 67.6



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.804 min Scan# 1312
Delta R.T. -0.012 min
Lab File: BF135076.D
Acq: 01 Sep 2023 15:04

Tgt Ion: 164 Resp: 175960
Ion Ratio Lower Upper
164 100
162 101.6 79.5 119.3
160 46.4 36.0 54.0





#42

2,4,6-Tribromophenol

Concen: 90.003 ng

RT: 10.598 min Scan# 1447

Delta R.T. -0.012 min

Lab File: BF135076.D

Acq: 01 Sep 2023 15:04

Instrument :

BNA_F

ClientSampleId :

SB-7(12-12.5)





Tgt Ion:330 Resp: 167996

Ion Ratio Lower Upper

330 100

332 94.0 77.6 116.4

141 31.2 26.3 39.5



#45

2-Fluorobiphenyl

Concen: 76.343 ng

RT: 9.128 min Scan# 1197

Delta R.T. -0.012 min

Lab File: BF135076.D

Acq: 01 Sep 2023 15:04




Tgt Ion:172 Resp: 825087


Ion Ratio Lower Upper

172 100

171 35.5 28.2 42.2

170 23.1 19.0 28.4









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.298 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF135076.D
Acq: 01 Sep 2023 15:04




Instrument :
BNA_F
ClientSampleId :
SB-7(12-12.5)


Tgt Ion:188 Resp: 269950
Ion Ratio Lower Upper
188 100
94 9.5 7.0 10.4
80 9.0 7.4 11.2



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.951 min Scan# 2017
Delta R.T. -0.012 min
Lab File: BF135076.D
Acq: 01 Sep 2023 15:04


Tgt Ion:240 Resp: 210365
Ion Ratio Lower Upper
240 100
120 11.9 10.2 15.2
236 25.8 21.3 31.9








#79
 Terphenyl-d14
 Concen: 54.660 ng
 RT: 12.898 min Scan# 1838
 Delta R.T. -0.006 min
 Lab File: BF135076.D
 Acq: 01 Sep 2023 15:04

Instrument :
 BNA_F
 ClientSampleId :
 SB-7(12-12.5)



Tgt Ion:244 Resp: 704616
 Ion Ratio Lower Upper
 244 100
 212 6.5 5.6 8.4
 122 9.9 9.8 14.6



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.421 min Scan# 2267
 Delta R.T. -0.006 min
 Lab File: BF135076.D
 Acq: 01 Sep 2023 15:04

Tgt Ion:264 Resp: 229305
 Ion Ratio Lower Upper
 264 100
 260 23.6 19.0 28.6
 265 21.0 18.2 27.2

