

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF090518\
 Data File : BF108813.D
 Acq On : 6 Sep 2018 9:24
 Operator : JU/SJ
 Sample : J4724-07
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 EP1-SUT-UST-06

Quant Time: Sep 06 11:30:39 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF090518.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 05 18:03:31 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.74	152	279902	20.00	ng	0.00
21) Naphthalene-d8	8.02	136	1048790	20.00	ng	0.00
38) Acenaphthene-d10	9.77	164	485914	20.00	ng	0.00
63) Phenanthrene-d10	11.24	188	811607	20.00	ng	0.00
75) Chrysene-d12	13.87	240	608951	20.00	ng	0.00
86) Perylene-d12	15.27	264	606485	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.34	112	992896	58.77	ng	0.00
7) Phenol-d6	6.37	99	1274371	58.62	ng	0.00
23) Nitrobenzene-d5	7.29	82	769804	45.93	ng	-0.01
41) 2,4,6-Tribromophenol	10.55	330	270161	58.24	ng	0.00
44) 2-Fluorobiphenyl	9.10	172	1444257	50.71	ng	0.00
78) Terphenyl-d14	12.82	244	1133562	43.41	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.48	163	577741	16.999	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF090518\
Data File : BF108813.D
Acq On : 6 Sep 2018 9:24
Operator : JU/SJ
Sample : J4724-07
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
EP1-SUT-UST-06

Quant Time: Sep 06 11:30:39 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF090518.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 05 18:03:31 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.74 min Scan# 748
Delta R.T. -0.00 min
Lab File: BF108813.D
Acq: 6 Sep 2018 9:24

Instrument :
BNA_F
ClientSampleId :
EP1-SUT-UST-06

Tot Ion	Ratio	Lower	Upper
152	100		
150	153.4	124.6	186.8
115	59.6	50.1	75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 58.767 ng
RT: 5.34 min Scan# 511
Delta R.T. 0.01 min
Lab File: BF108813.D
Acq: 6 Sep 2018 9:24

Tgt Ion	Ratio	Lower	Upper
112	100		
64	58.2	47.9	71.9
63	29.3	23.7	35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 58.622 ng

RT: 6.37 min Scan# 685

Delta R.T. -0.00 min

Lab File: BF108813.D

Acq: 6 Sep 2018 9:24

Instrument :

BNA_F

ClientSampleId :

EP1-SUT-UST-06


Tot Ion: 99 Resp: 1274371

Ion Ratio Lower Upper




99 100

42 18.7 14.5 21.7

71 33.4 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.02 min Scan# 966

Delta R.T. -0.00 min

Lab File: BF108813.D

Acq: 6 Sep 2018 9:24

Tgt Ion: 136 Resp: 1048790


Ion Ratio Lower Upper

136 100



137 11.3 8.9 13.3


54 7.7 6.6 9.8

68 6.6 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 45.934 ng
 RT: 7.29 min Scan# 842
 Delta R.T. -0.01 min
 Lab File: BF108813.D
 Acq: 6 Sep 2018 9:24




Instrument :
 BNA_F
 ClientSampleId :
 EP1-SUT-UST-06


Tot Ion	82	Resp	769804
Ion Ratio	Lower	Upper	
82	100		
128	43.5	36.1	54.1
54	48.3	41.4	62.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.77 min Scan# 1263
 Delta R.T. -0.00 min
 Lab File: BF108813.D
 Acq: 6 Sep 2018 9:24

Tgt Ion	164	Resp	485914
Ion Ratio	Lower	Upper	
164	100		
162	101.7	86.1	129.1
160	46.5	38.3	57.5





#41

2,4,6-Tribromophenol

Concen: 58.240 ng

RT: 10.55 min Scan# 1396

Delta R.T. -0.01 min

Lab File: BF108813.D

Acq: 6 Sep 2018 9:24

Instrument :

BNA_F

ClientSampleId :

EP1-SUT-UST-06


Tot Ion:330 Resp: 270161

Ion Ratio Lower Upper

330 100

332 94.9 77.0 115.6




141 32.6 29.9 44.9



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 50.706 ng

RT: 9.10 min Scan# 1149

Delta R.T. -0.00 min

Lab File: BF108813.D

Acq: 6 Sep 2018 9:24


Tgt Ion:172 Resp: 1444257

Ion Ratio Lower Upper

172 100

171 36.6 29.7 44.5



170 24.6 19.6 29.4




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 16.999 ng

RT: 9.48 min Scan# 1215

Delta R.T. -0.01 min

Lab File: BF108813.D

Acq: 6 Sep 2018 9:24

Instrument :

BNA_F

ClientSampleId :

EP1-SUT-UST-06


Tot Ion:163 Resp: 577741

Ion Ratio Lower Upper

163 100

194 3.5 2.7 4.1




164 10.2 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.24 min Scan# 1514

Delta R.T. -0.00 min

Lab File: BF108813.D

Acq: 6 Sep 2018 9:24


Tgt Ion:188 Resp: 811607

Ion Ratio Lower Upper

188 100

94 10.9 8.5 12.7



80 11.5 9.2 13.8




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.87 min Scan# 1960

Delta R.T. -0.00 min

Lab File: BF108813.D

Acq: 6 Sep 2018 9:24

Instrument :

BNA_F

ClientSampleId :

EP1-SUT-UST-06


Tot Ion:240 Resp: 608951

Ion Ratio Lower Upper

240 100

120 12.7 9.5 14.3




236 26.2 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 43.408 ng

RT: 12.82 min Scan# 1783

Delta R.T. 0.00 min

Lab File: BF108813.D

Acq: 6 Sep 2018 9:24


Tgt Ion:244 Resp: 1133562

Ion Ratio Lower Upper

244 100

212 7.0 5.4 8.0



122 12.2 11.0 16.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.27 min Scan# 2199
Delta R.T. 0.01 min
Lab File: BF108813.D
Acq: 6 Sep 2018 9:24

Instrument :
BNA_F
ClientSampleId :
EP1-SUT-UST-06

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.4	19.2	28.8
265	22.6	17.5	26.3



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

