

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF090519\
 Data File : BF116845.D
 Acq On : 5 Sep 2019 18:28
 Operator : HP/JU
 Sample : K4694-19
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 T3-1-3-(0-1.5)

Integration Parameters: rteint.p

Integrator: RTE

Smoothing : ON

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 3 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF083019.M

Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	5.463	570	574	589	rVB	1339855	1209837	76.19%	6.739%
2	6.481	742	747	759	rBV	1483800	1377087	86.73%	7.670%
3	6.616	766	770	774	rBV	1598038	1369773	86.27%	7.630%
4	6.845	806	809	813	rBV	670685	528042	33.25%	2.941%
5	7.004	832	836	839	rBV	1268019	1011114	63.68%	5.632%
6	7.404	900	904	907	rBV	981804	798320	50.28%	4.447%
7	8.128	1023	1027	1035	rBV	888192	736914	46.41%	4.105%
8	8.839	1146	1148	1153	rBV	86890	75408	4.75%	0.420%
9	8.886	1153	1156	1162	rVV	42164	52749	3.32%	0.294%
10	9.198	1205	1209	1213	rBV	1791718	1587861	100.00%	8.844%
11	9.545	1264	1268	1273	rBV2	39331	43648	2.75%	0.243%
12	9.586	1273	1275	1280	rVB	157917	140247	8.83%	0.781%
13	9.880	1321	1325	1328	rBV	1064273	835770	52.63%	4.655%
14	10.022	1345	1349	1355	rBV	19941	18839	1.19%	0.105%
15	10.239	1381	1386	1391	rBV2	18663	29607	1.86%	0.165%
16	10.669	1455	1459	1462	rBV	983340	885345	55.76%	4.931%
17	11.027	1516	1520	1524	rBV5	17141	24626	1.55%	0.137%
18	11.169	1541	1544	1548	rBV2	18503	19605	1.23%	0.109%
19	11.221	1550	1553	1557	rBV3	49787	74173	4.67%	0.413%
20	11.257	1557	1559	1562	rVV2	29239	30186	1.90%	0.168%
21	11.321	1566	1570	1572	rBV4	11265	18402	1.16%	0.102%
22	11.363	1573	1577	1580	rBV	898750	815517	51.36%	4.542%
23	11.386	1580	1581	1584	rVV	199806	117321	7.39%	0.653%
24	11.439	1588	1590	1593	rVB	40047	35528	2.24%	0.198%
25	11.492	1596	1599	1602	rBV	48314	45895	2.89%	0.256%
26	11.521	1602	1604	1606	rBV	36882	28968	1.82%	0.161%
27	11.592	1613	1616	1619	rBV2	61399	59188	3.73%	0.330%
28	11.663	1625	1628	1630	rBV2	27820	30031	1.89%	0.167%
29	11.757	1642	1644	1646	rBV2	45029	38274	2.41%	0.213%
30	11.786	1646	1649	1651	rVB2	39980	36062	2.27%	0.201%
31	11.810	1651	1653	1655	rBV2	27585	26448	1.67%	0.147%
32	11.892	1663	1667	1673	rBV4	449909	484439	30.51%	2.698%
33	12.574	1780	1783	1785	rBV	291309	223170	14.05%	1.243%
34	12.674	1797	1800	1805	rBV4	173310	195889	12.34%	1.091%

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF090519\
Data File : BF116845.D
Acq On : 5 Sep 2019 18:28
Operator : HP/JU
Sample : K4694-19
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
T3-1-3-(0-1.5)

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF083019.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

35	12.804	1819	1822	1824	rBV	223411	151074	9.51%	0.841%
36	12.945	1842	1846	1849	rBV	1532066	1291887	81.36%	7.196%
37	13.839	1995	1998	2003	rBV3	240900	306415	19.30%	1.707%
38	13.998	2022	2025	2028	rVB	647843	626853	39.48%	3.492%
39	14.162	2051	2053	2058	rBV3	76975	69646	4.39%	0.388%
40	14.462	2102	2104	2109	rVB3	87924	103937	6.55%	0.579%
41	14.521	2110	2114	2120	rVV	524262	512429	32.27%	2.854%
42	14.768	2154	2156	2160	rVB	88256	71835	4.52%	0.400%
43	14.845	2166	2169	2173	rVB	406157	405813	25.56%	2.260%
44	15.033	2198	2201	2209	rVB	141649	230948	14.54%	1.286%
45	15.104	2210	2213	2217	rVB	118848	121607	7.66%	0.677%
46	15.392	2260	2262	2266	rBV	57576	70967	4.47%	0.395%
47	15.462	2270	2274	2284	rVB	388901	624551	39.33%	3.479%
48	15.909	2347	2350	2355	rVB	83486	124201	7.82%	0.692%
49	17.262	2575	2580	2589	rVB4	111709	236776	14.91%	1.319%


Sum of corrected areas: 17953222

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF090519\
Data File : BF116845.D
Acq On : 5 Sep 2019 18:28
Operator : HP/JU
Sample : K4694-19
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
T3-1-3-(0-1.5)

Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF083019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF090519\
Data File : BF116845.D
Acq On : 5 Sep 2019 18:28
Operator : HP/JU
Sample : K4694-19
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
T3-1-3-(0-1.5)










Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF083019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

Peak Number 1 unknown6.62 Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
6.62	51.88 ng	1369770	1,4-Dichlorobenzene-d4	6.85

Hit#	of	Tentative ID	MW	MolForm	CAS#	Qual
1	5	Tranvlcypromine-propionyl	189	C12H15NO	1000123-86-3	10
2		Bicyclo[4.2.0]octa-1,3,5-triene,...	132	C10H12	028749-81-7	9
3		(E)-3-Chloro-2-methyl-2-pentenal	132	C6H9ClO	031357-76-3	9
4		Xenon	132	Xe	007440-63-3	9
5		2H-Cyclopenta[d]pyridazine, 2-me...	132	C8H8N2	022291-85-6	9



Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF090519\
Data File : BF116845.D
Acq On : 5 Sep 2019 18:28
Operator : HP/JU
Sample : K4694-19
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
T3-1-3-(0-1.5)










Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF083019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

Peak Number 3 Benzene, 1,2-dichloro-4-iso... Concentration Rank 14

R.T.	EstConc	Area	Relative to ISTD	R.T.
8.84	2.05 ng	75408	Napthalene-d8	8.13

Hit#	of	Tentative ID	MW	MolForm	CAS#	Qual
1	5	Benzene, 1,2-dichloro-4-isocyanato-	187	C7H3Cl2NO	000102-36-3	97
2		Benzene, 1,4-dichloro-2-isocyanato-	187	C7H3Cl2NO	005392-82-5	97
3		3,5-Dichlorophenyl isocyanate	187	C7H3Cl2NO	034893-92-0	95
4		Benzene, 1,2-dichloro-3-isocyanato-	187	C7H3Cl2NO	041195-90-8	95
5		Benzene, 1,3-dichloro-2-isocyanato-	187	C7H3Cl2NO	039920-37-1	94



Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF090519\
 Data File : BF116845.D
 Acq On : 5 Sep 2019 18:28
 Operator : HP/JU
 Sample : K4694-19
 Misc :
 ALS Vial : 19 Sample Multiplier: 1










Instrument :
 BNA_F
 ClientSampleId :
 T3-1-3-(0-1.5)

Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF083019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\DATABASE\NIST11.L
 TIC Integration Parameters: LSCINT.P

 Peak Number 4 n-Hexadecanoic acid Concentration Rank 5

R.T.	EstConc	Area	Relative to ISTD		R.T.	
11.89	11.88 ng	484439	Phenanthrene-d10		11.36	
Hit# of	5	Tentative ID	MW	MolForm	CAS#	Qual
1		n-Hexadecanoic acid	256	C16H32O2	000057-10-3	98
2		Tetradecanoic acid	228	C14H28O2	000544-63-8	80
3		Octadecanoic acid	284	C18H36O2	000057-11-4	74
4		Pentadecanoic acid	242	C15H30O2	001002-84-2	68
5		Isopropyl palmitate	298	C19H38O2	000142-91-6	64



Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF090519\
Data File : BF116845.D
Acq On : 5 Sep 2019 18:28
Operator : HP/JU
Sample : K4694-19
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
T3-1-3-(0-1.5)










Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF083019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

Peak Number 5 Octadecanoic acid Concentration Rank 8

R.T.	EstConc	Area	Relative to ISTD	R.T.
12.67	4.80 ng	195889	Phenanthrene-d10	11.36

Hit#	of	Tentative ID	MW	MolForm	CAS#	Qual
1	5	Octadecanoic acid	284	C18H36O2	000057-11-4	99
2		Octadecanoic acid, 2-(2-hydroxyve...	372	C22H44O4	000106-11-6	91
3		Tetradecanoic acid	228	C14H28O2	000544-63-8	90
4		Pentadecanoic acid	242	C15H30O2	001002-84-2	74
5		Tridecanoic acid	214	C13H26O2	000638-53-9	64



Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF090519\
Data File : BF116845.D
Acq On : 5 Sep 2019 18:28
Operator : HP/JU
Sample : K4694-19
Misc :
ALS Vial : 19 Sample Multiplier: 1










Instrument :
BNA_F
ClientSampleId :
T3-1-3-(0-1.5)

Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF083019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

Peak Number 6 Cyclohexadecane Concentration Rank 6

R.T.	EstConc	Area	Relative to ISTD	R.T.
13.84	9.78 ng	306415	Chrysene-d12	14.00
Hit# of	5	Tentative ID	MW MolForm	CAS# Qual
1		Cyclohexadecane	224 C16H32	000295-65-8 97
2		Cyclopentadecane	210 C15H30	000295-48-7 93
3		Behenic alcohol	326 C22H46O	000661-19-8 93
4		1-Heneicosanol	312 C21H44O	015594-90-8 93
5		Heptadecyl heptafluorobutyrate	452 C21H35F7O2	959085-66-6 90



Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF090519\
Data File : BF116845.D
Acq On : 5 Sep 2019 18:28
Operator : HP/JU
Sample : K4694-19
Misc :
ALS Vial : 19 Sample Multiplier: 1










Instrument :
BNA_F
ClientSampleId :
T3-1-3-(0-1.5)

Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF083019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

Peak Number 7 Decane, 1-iodo- Concentration Rank 13

R.T.	EstConc	Area	Relative to ISTD	R.T.		
14.16	2.22 ng	69646	Chrysene-d12	14.00		
Hit# of	5	Tentative ID	MW	MolForm	CAS#	Qual
1	Decane, 1-iodo-		268	C10H21I	002050-77-3	70
2	Tetracosane		338	C24H50	000646-31-1	68
3	Octadecane, 1-chloro-		288	C18H37Cl	003386-33-2	68
4	2-methyloctacosane		408	C29H60	1000376-72-8	59
5	Nonadecane		268	C19H40	000629-92-5	58



Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF090519\
Data File : BF116845.D
Acq On : 5 Sep 2019 18:28
Operator : HP/JU
Sample : K4694-19
Misc :
ALS Vial : 19 Sample Multiplier: 1










Instrument :
BNA_F
ClientSampleId :
T3-1-3-(0-1.5)

Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF083019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

Peak Number 8 Octadecane Concentration Rank 11

R.T.	EstConc	Area	Relative to ISTD		R.T.
14.46	3.32 ng	103937	Chrysene-d12		14.00
Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Octadecane	254	C18H38	000593-45-3	91
2	Heneicosane	296	C21H44	000629-94-7	87
3	10-Methylnonadecane	282	C20H42	056862-62-5	87
4	2-Bromotetradecane	276	C14H29Br	074036-95-6	86
5	Tetracosane	338	C24H50	000646-31-1	78



Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF090519\
Data File : BF116845.D
Acq On : 5 Sep 2019 18:28
Operator : HP/JU
Sample : K4694-19
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
T3-1-3-(0-1.5)










Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF083019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

Peak Number 9 unknown14.52 Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
14.52	16.35 ng	512429	Chrysene-d12	14.00

Hit#	of	Tentative ID	MW	MolForm	CAS#	Qual
1	5	Acetic acid, 2-[5-(4-nitrophenyl)-1-imidazolyl]-,...	275	C13H13N3O4	351064-45-4	49
2		1-Methyl-5'-phenylspiro(indoline-3,3'-(3H)pyrazol-5-one)-2-carboxylic acid	275	C17H13N3O	015970-21-5	43
3		8H-Benzo[<i>g</i>]-1,3-benzodioxolo[6,5- <i>b</i>]-pyrazole	275	C17H9N3O3	000475-75-2	38
4		5H-[1]Benzopyrano[4,3- <i>d</i>]pyrimidin-2(1H)-one	275	C16H9N3O2	1000337-49-1	38
5		Ethyl 2-cyano-2-(9-fluorenylidene)-1,3-dioxane-5-carboxylate	275	C18H13N3O2	014003-25-9	35



Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF090519\
 Data File : BF116845.D
 Acq On : 5 Sep 2019 18:28
 Operator : HP/JU
 Sample : K4694-19
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 T3-1-3-(0-1.5)










Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF083019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\DATABASE\NIST11.L
 TIC Integration Parameters: LSCINT.P

 Peak Number 10 Tridecane, 7-hexyl- Concentration Rank 12

R.T.	EstConc	Area	Relative to ISTD	R.T.
14.77	2.30 ng	71835	Perylene-d12	15.46

Hit#	of	Tentative ID	MW	MolForm	CAS#	Qual
1	5	Tridecane, 7-hexyl-	268	C19H40	007225-66-3	80
2		Heptacosane	380	C27H56	000593-49-7	80
3		Tridecane, 6-propyl-	226	C16H34	055045-10-8	80
4		Tetracosane	338	C24H50	000646-31-1	80
5		Heneicosane	296	C21H44	000629-94-7	52



Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF090519\
Data File : BF116845.D
Acq On : 5 Sep 2019 18:28
Operator : HP/JU
Sample : K4694-19
Misc :
ALS Vial : 19 Sample Multiplier: 1










Instrument :
BNA_F
ClientSampleId :
T3-1-3-(0-1.5)

Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF083019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

Peak Number 11 Phthalic acid, di(6-methylh... Concentration Rank 4

R.T.	EstConc	Area	Relative to ISTD	R.T.		
14.84	13.00 ng	405813	Perylene-d12	15.46		
Hit# of	5	Tentative ID	MW	MolForm	CAS#	Qual
1	Phthalic acid, di(6-methylhept-2...	390	C24H38O4	1000377-97-3	72	
2	Phthalic acid, di(oct-3-yl) ester	390	C24H38O4	1000377-72-3	72	
3	Phthalic acid, di(2-propylpentyl...	390	C24H38O4	1000377-93-5	72	
4	Phthalic acid, cycloheptyl isohex...	346	C21H30O4	1000322-83-1	64	
5	Phthalic acid, hept-4-yl isohexy...	348	C21H32O4	1000356-78-6	64	



Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF090519\
Data File : BF116845.D
Acq On : 5 Sep 2019 18:28
Operator : HP/JU
Sample : K4694-19
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
T3-1-3-(0-1.5)










Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF083019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

Peak Number 12 Nonadecane Concentration Rank 10

R.T.	EstConc	Area	Relative to ISTD	R.T.
15.10	3.89 ng	121607	Perylene-d12	15.46

Hit#	of	5	Tentative ID	MW	MolForm	CAS#	Qual
1			Nonadecane	268	C19H40	000629-92-5	95
2			Dodecane, 2-methyl-	184	C13H28	001560-97-0	90
3			2-methyloctacosane	408	C29H60	1000376-72-8	90
4			Heneicosane	296	C21H44	000629-94-7	87
5			Hexadecane	226	C16H34	000544-76-3	87



Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF090519\
 Data File : BF116845.D
 Acq On : 5 Sep 2019 18:28
 Operator : HP/JU
 Sample : K4694-19
 Misc :
 ALS Vial : 19 Sample Multiplier: 1










Instrument :
 BNA_F
 ClientSampleId :
 T3-1-3-(0-1.5)

Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF083019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\DATABASE\NIST11.L
 TIC Integration Parameters: LSCINT.P

 Peak Number 13 Tetracosane, 11-decyl- Concentration Rank 9

R.T.	EstConc	Area	Relative to ISTD	R.T.
15.91	3.98 ng	124201	Perylene-d12	15.46
Hit# of	5	Tentative ID	MW MolForm	CAS# Qual
1		Tetracosane, 11-decyl-	479 C34H70	055429-84-0 80
2		Tridecanol, 2-ethyl-2-methyl-	242 C16H34O	1000115-66-1 74
3		Octacosane	394 C28H58	000630-02-4 74
4		Tridecane, 1-iodo-	310 C13H27I	035599-77-0 72
5		Heptacosane	380 C27H56	000593-49-7 72



Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF090519\
Data File : BF116845.D
Acq On : 5 Sep 2019 18:28
Operator : HP/JU
Sample : K4694-19
Misc :
ALS Vial : 19 Sample Multiplier: 1










Instrument :
BNA_F
ClientSampleId :
T3-1-3-(0-1.5)

Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF083019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

Peak Number 14 1,3a-Ethano-3aH-indene, 1,2... Concentration Rank 7

R.T.	EstConc	Area	Relative to ISTD	R.T.		
17.26	7.58 ng	236776	Perylene-d12	15.46		
Hit# of	5	Tentative ID	MW	MolForm	CAS#	Qual
1	1,3a-Ethano-3aH-indene, 1,2,3,6,...	204	C15H24		004545-68-0	52
2	1R,4R,7R,11R-1,3,4,7-Tetramethyl...	204	C15H24		137235-59-7	49
3	1H-Cyclopropafalnaphthalene, 1a,...	204	C15H24		000489-29-2	49
4	3,4-Dihydrocoumarin, 4,4,7,8-tet...	204	C13H16O2		040614-36-6	38
5	Hop-22(29)-en-3.beta.-ol	426	C30H50O		058801-23-3	35



Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF090519\
 Data File : BF116845.D
 Acq On : 5 Sep 2019 18:28
 Operator : HP/JU
 Sample : K4694-19
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 T3-1-3-(0-1.5)

Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF083019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\DATABASE\NIST11.L
 TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
unknown6.62	6.62	51.9	ng	1369770	1	6.85	528042	20.0
Benzene, 1,2-dich...	8.84	2.0	ng	75408	2	8.13	736914	20.0
n-Hexadecanoic acid	11.89	11.9	ng	484439	4	11.36	815517	20.0
Octadecanoic acid	12.67	4.8	ng	195889	4	11.36	815517	20.0
Cyclohexadecane	13.84	9.8	ng	306415	5	14.00	626853	20.0
Decane, 1-iodo-	14.16	2.2	ng	69646	5	14.00	626853	20.0
Octadecane	14.46	3.3	ng	103937	5	14.00	626853	20.0
unknown14.52	14.52	16.4	ng	512429	5	14.00	626853	20.0
Tridecane, 7-hexyl-	14.77	2.3	ng	71835	6	15.46	624551	20.0
Phthalic acid, di...	14.84	13.0	ng	405813	6	15.46	624551	20.0
Nonadecane	15.10	3.9	ng	121607	6	15.46	624551	20.0
Tetracosane, 11-d...	15.91	4.0	ng	124201	6	15.46	624551	20.0
1,3a-Ethano-3aH-i...	17.26	7.6	ng	236776	6	15.46	624551	20.0