

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF091223\
 Data File : BF135185.D
 Acq On : 12 Sep 2023 17:07
 Operator : CG\JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Sep 13 02:39:25 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 12 00:19:07 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.763	152	107423	20.000	ng	0.00
21) Naphthalene-d8	8.045	136	447969	20.000	ng	0.00
39) Acenaphthene-d10	9.804	164	224882	20.000	ng	0.00
64) Phenanthrene-d10	11.292	188	432893	20.000	ng	0.00
76) Chrysene-d12	13.945	240	248182	20.000	ng	0.00
86) Perylene-d12	15.404	264	205742	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.387	112	520867	78.862	ng	0.00
7) Phenol-d6	6.404	99	662728	78.912	ng	0.00
23) Nitrobenzene-d5	7.334	82	630352	76.449	ng	0.00
42) 2,4,6-Tribromophenol	10.598	330	179512	80.326	ng	0.00
45) 2-Fluorobiphenyl	9.122	172	1145088	76.823	ng	0.00
79) Terphenyl-d14	12.892	244	1196637	74.744	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.469	88	115402	39.857	ng	99
3) Pyridine	3.216	79	316690	40.640	ng	98
4) n-Nitrosodimethylamine	3.187	42	167322	40.463	ng	98
6) Aniline	6.434	93	432109	39.236	ng	98
8) 2-Chlorophenol	6.551	128	280492	39.783	ng	99
9) Benzaldehyde	6.322	77	182502	38.146	ng	99
10) Phenol	6.422	94	364264	39.555	ng	94
11) bis(2-Chloroethyl)ether	6.510	93	272682	39.474	ng	99
12) 1,3-Dichlorobenzene	6.704	146	282425	39.415	ng	98
13) 1,4-Dichlorobenzene	6.781	146	287577	39.447	ng	99
14) 1,2-Dichlorobenzene	6.934	146	265592	39.230	ng	98
15) Benzyl Alcohol	6.910	79	242286	40.203	ng	100
16) 2,2'-oxybis(1-Chloropr...	7.039	45	519004	39.860	ng	99
17) 2-Methylphenol	7.022	107	248711	39.973	ng	99
18) Hexachloroethane	7.269	117	108309	40.209	ng	91
19) n-Nitroso-di-n-propyla...	7.186	70	201378	38.712	ng	98
20) 3+4-Methylphenols	7.175	107	291109	38.910	ng	94
22) Acetophenone	7.181	105	381923	37.291	ng	97
24) Nitrobenzene	7.351	77	318068	39.028	ng	98
25) Isophorone	7.586	82	574967	37.975	ng	98
26) 2-Nitrophenol	7.663	139	156619	40.041	ng	98
27) 2,4-Dimethylphenol	7.704	122	251920	38.317	ng	99
28) bis(2-Chloroethoxy)met...	7.798	93	356010	39.285	ng	99
29) 2,4-Dichlorophenol	7.904	162	239351	39.288	ng	98
30) 1,2,4-Trichlorobenzene	7.986	180	246973	38.785	ng	100
31) Naphthalene	8.069	128	856426	39.348	ng	99
32) Benzoic acid	7.833	122	176264	35.603	ng	98
33) 4-Chloroaniline	8.122	127	376569	39.434	ng	98
34) Hexachlorobutadiene	8.181	225	150723	39.255	ng	98
35) Caprolactam	8.498	113	84651	41.402	ng	94
36) 4-Chloro-3-methylphenol	8.604	107	261906	38.681	ng	99
37) 2-Methylnaphthalene	8.757	142	550725	37.642	ng	99
38) 1-Methylnaphthalene	8.857	142	526591	38.443	ng	99
40) 1,2,4,5-Tetrachloroben...	8.922	216	262934	40.358	ng	100
41) Hexachlorocyclopentadiene	8.910	237	98779	38.617	ng	99
43) 2,4,6-Trichlorophenol	9.039	196	173201	40.604	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF091223\
 Data File : BF135185.D
 Acq On : 12 Sep 2023 17:07
 Operator : CG\JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1


Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Sep 13 02:39:25 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 12 00:19:07 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.080	196	200320	40.779	ng	97
46) 1,1'-Biphenyl	9.222	154	689593	39.903	ng	99
47) 2-Chloronaphthalene	9.251	162	495738	39.536	ng	99
48) 2-Nitroaniline	9.351	65	202920	41.656	ng	98
49) Acenaphthylene	9.663	152	829360	39.799	ng	100
50) Dimethylphthalate	9.533	163	607339	39.945	ng	100
51) 2,6-Dinitrotoluene	9.592	165	136451	40.967	ng	98
52) Acenaphthene	9.839	154	488723	39.700	ng	96
53) 3-Nitroaniline	9.763	138	163484	41.814	ng	98
54) 2,4-Dinitrophenol	9.875	184	72108	41.405	ng	98
55) Dibenzofuran	10.010	168	746133	39.718	ng	99
56) 4-Nitrophenol	9.927	139	111952	45.054	ng	99
57) 2,4-Dinitrotoluene	10.004	165	172195	41.296	ng	96
58) Fluorene	10.351	166	564193	39.067	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.127	232	153529	40.629	ng	99
60) Diethylphthalate	10.233	149	615038	40.307	ng	99
61) 4-Chlorophenyl-phenyle...	10.345	204	270865	39.045	ng	99
62) 4-Nitroaniline	10.380	138	159537	42.450	ng	96
63) Azobenzene	10.510	77	610324	40.869	ng	100
65) 4,6-Dinitro-2-methylph...	10.410	198	101226	44.026	ng	98
66) n-Nitrosodiphenylamine	10.469	169	532228	40.610	ng	99
67) 4-Bromophenyl-phenylether	10.839	248	178579	41.478	ng	98
68) Hexachlorobenzene	10.898	284	178981	40.805	ng	# 90
69) Atrazine	10.998	200	144725	41.041	ng	98
70) Pentachlorophenol	11.098	266	113821	43.372	ng	98
71) Phenanthrene	11.316	178	805195	39.328	ng	99
72) Anthracene	11.369	178	825636	39.232	ng	100
73) Carbazole	11.527	167	766419	40.006	ng	99
74) Di-n-butylphthalate	11.863	149	944064	41.820	ng	100
75) Fluoranthene	12.510	202	871360	40.844	ng	99
77) Benzidine	12.639	184	205381	40.394	ng	98
78) Pyrene	12.739	202	887544	37.562	ng	99
80) Butylbenzylphthalate	13.368	149	355275	42.705	ng	99
81) Benzo(a)anthracene	13.939	228	623780	38.924	ng	100
82) 3,3'-Dichlorobenzidine	13.904	252	201990	40.352	ng	98
83) Chrysene	13.974	228	616155	38.671	ng	99
84) Bis(2-ethylhexyl)phtha...	13.933	149	371813	43.553	ng	99
85) Di-n-octyl phthalate	14.551	149	563637	41.545	ng	99
87) Indeno(1,2,3-cd)pyrene	16.880	276	537975	39.880	ng	99
88) Benzo(b)fluoranthene	14.980	252	478390	42.953	ng	99
89) Benzo(k)fluoranthene	15.009	252	429449	39.034	ng	99
90) Benzo(a)pyrene	15.345	252	434538	40.913	ng	99
91) Dibenzo(a,h)anthracene	16.898	278	440474	39.907	ng	99
92) Benzo(g,h,i)perylene	17.327	276	462005	40.079	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quant Time: Sep 13 02:39:25 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 12 00:19:07 2023
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.763 min Scan# 79
 Delta R.T. -0.000 min
 Lab File: BF135185.D
 Acq: 12 Sep 2023 17:07

Instrument :
 BNA_F
 ClientSampleId :






Tgt Ion:152 Resp: 107423
 Ion Ratio Lower Upper
 152 100
 150 153.6 127.8 191.6
 115 57.8 49.8 74.8



#2
 1,4-Dioxane
 Concen: 39.857 ng
 RT: 2.469 min Scan# 65
 Delta R.T. 0.000 min
 Lab File: BF135185.D
 Acq: 12 Sep 2023 17:07


Tgt Ion: 88 Resp: 115402
 Ion Ratio Lower Upper
 88 100
 58 96.4 78.3 117.5
 43 36.2 29.4 44.0








#3
 Pyridine
 Concen: 40.640 ng
 RT: 3.216 min Scan# 192
 Delta R.T. 0.000 min
 Lab File: BF135185.D
 Acq: 12 Sep 2023 17:07

Instrument :
 BNA_F
 ClientSampleId :



Tgt Ion: 79 Resp: 316690




Ion	Ratio	Lower	Upper
79	100		
52	95.0	74.1	111.1
51	46.1	35.8	53.8



#4
 n-Nitrosodimethylamine
 Concen: 40.463 ng
 RT: 3.187 min Scan# 187
 Delta R.T. 0.000 min
 Lab File: BF135185.D
 Acq: 12 Sep 2023 17:07

Tgt Ion: 42 Resp: 167322


Ion	Ratio	Lower	Upper
42	100		
74	107.9	87.7	131.5
44	6.8	5.6	8.4








#5
2-Fluorophenol
Concen: 78.862 ng
RT: 5.387 min Scan# 50
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07


Instrument :
BNA_F
ClientSampleId :





Tgt Ion:112 Resp: 520867
Ion Ratio Lower Upper
112 100
64 69.1 55.9 83.9
63 35.1 29.0 43.6




#6
Aniline
Concen: 39.236 ng
RT: 6.434 min Scan# 739
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07



Tgt Ion: 93 Resp: 432109
Ion Ratio Lower Upper
93 100
66 42.8 35.4 53.0
65 22.9 17.8 26.8









#7
Phenol-d6
Concen: 78.912 ng
RT: 6.404 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07




Instrument :
BNA_F
ClientSampleId :

Tgt Ion: 99 Resp: 662728
Ion Ratio Lower Upper
99 100
42 22.3 17.9 26.9
71 33.9 27.0 40.6



#8
2-Chlorophenol
Concen: 39.783 ng
RT: 6.551 min Scan# 759
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07

Tgt Ion:128 Resp: 280492
Ion Ratio Lower Upper
128 100
130 32.3 12.7 52.7
64 54.7 35.9 75.9





#9

Benzaldehyde

Concen: 38.146 ng

RT: 6.322 min Scan# 720

Delta R.T. 0.000 min


Lab File: BF135185.D

Acq: 12 Sep 2023 17:07

Instrument :

BNA_F

ClientSampleId :






Tgt Ion: 77 Resp: 182502

Ion Ratio Lower Upper

77 100

105 101.7 81.4 121.4

106 98.7 76.9 116.9



#10

Phenol

Concen: 39.555 ng

RT: 6.422 min Scan# 737

Delta R.T. 0.000 min

Lab File: BF135185.D

Acq: 12 Sep 2023 17:07




Tgt Ion: 94 Resp: 364264

Ion Ratio Lower Upper

94 100

65 38.7 15.9 55.9


66 54.3 29.8 69.8








#11
bis(2-Chloroethyl)ether
Concen: 39.474 ng
RT: 6.510 min Scan# 752
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07

Instrument :
BNA_F
ClientSampleId :






Tgt Ion: 93 Resp: 272682
Ion Ratio Lower Upper
93 100
63 87.0 67.3 107.3
95 33.8 12.7 52.7



#12
1,3-Dichlorobenzene
Concen: 39.415 ng
RT: 6.704 min Scan# 785
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07

Tgt Ion:146 Resp: 282425
Ion Ratio Lower Upper
146 100
148 62.9 51.3 76.9
75 33.0 27.4 41.2





#13

1,4-Dichlorobenzene

Concen: 39.447 ng

RT: 6.781 min Scan# 798

Delta R.T. 0.000 min

Lab File: BF135185.D

Acq: 12 Sep 2023 17:07

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:146 Resp: 287577

Ion Ratio Lower Upper

146 100

148 63.5 51.3 76.9

111 45.1 35.1 52.7



#14

1,2-Dichlorobenzene

Concen: 39.230 ng

RT: 6.934 min Scan# 824

Delta R.T. 0.000 min

Lab File: BF135185.D

Acq: 12 Sep 2023 17:07




Tgt Ion:146 Resp: 265592


Ion Ratio Lower Upper

146 100

148 64.0 49.7 74.5

111 46.1 37.4 56.2








#15
Benzyl Alcohol
Concen: 40.203 ng
RT: 6.910 min Scan# 81
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07




Instrument :
BNA_F
ClientSampleId :


Tgt Ion: 79 Resp: 242286
Ion Ratio Lower Upper
79 100
108 76.5 61.2 91.8
77 62.4 50.5 75.7



#16
2,2'-oxybis(1-Chloropropane)
Concen: 39.860 ng
RT: 7.039 min Scan# 842
Delta R.T. -0.006 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07

Tgt Ion: 45 Resp: 519004
Ion Ratio Lower Upper
45 100
77 11.3 0.0 30.6
79 8.5 0.0 28.3









#17
2-Methylphenol
Concen: 39.973 ng
RT: 7.022 min Scan# 811
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:107 Resp: 248711
Ion Ratio Lower Upper
107 100
108 115.2 92.0 138.0
77 47.2 36.7 55.1
79 46.1 36.3 54.5



#18
Hexachloroethane
Concen: 40.209 ng
RT: 7.269 min Scan# 881
Delta R.T. -0.006 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07

Tgt Ion:117 Resp: 108309
Ion Ratio Lower Upper
117 100
119 96.9 74.7 112.1
201 88.4 81.8 122.8









#19
n-Nitroso-di-n-propylamine
Concen: 38.712 ng
RT: 7.186 min Scan# 80
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07




Instrument :
BNA_F
ClientSampleId :


Tgt Ion: 70 Resp: 201378
Ion Ratio Lower Upper
70 100
42 67.8 55.4 83.0
101 9.9 7.7 11.5
130 22.8 17.0 25.6



#20
3+4-Methylphenols
Concen: 38.910 ng
RT: 7.175 min Scan# 865
Delta R.T. -0.006 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07

Tgt Ion: 107 Resp: 291109
Ion Ratio Lower Upper
107 100
108 88.0 74.7 114.7
77 117.6 102.0 142.0
79 27.1 11.7 51.7









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.045 min Scan# 1013
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07




Instrument :
BNA_F
ClientSampleId :

Tgt Ion:136	Resp: 447969
Ion Ratio	Lower Upper
136 100	
137 11.0	8.8 13.2
54 9.5	7.7 11.5
68 5.6	4.6 6.8



#22
Acetophenone
Concen: 37.291 ng
RT: 7.181 min Scan# 866
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07

Tgt	Ion:105	Resp:	381923
Ion	Ratio	Lower	Upper
105	100		
71	8.2	5.8	8.6
51	43.2	37.0	55.4
120	22.1	17.0	25.6





#23

Nitrobenzene-d5

Concen: 76.449 ng

RT: 7.334 min Scan# 892

Delta R.T. 0.000 min


Lab File: BF135185.D

Acq: 12 Sep 2023 17:07

Instrument :

BNA_F

ClientSampleId :






Tgt Ion: 82 Resp: 630352

Ion Ratio Lower Upper

82 100

128 45.3 35.8 53.6

54 63.0 50.6 76.0



#24

Nitrobenzene

Concen: 39.028 ng

RT: 7.351 min Scan# 895

Delta R.T. 0.000 min

Lab File: BF135185.D

Acq: 12 Sep 2023 17:07




Tgt Ion: 77 Resp: 318068


Ion Ratio Lower Upper

77 100

123 48.3 37.6 56.4

65 15.5 12.2 18.4








#25
Isophorone
Concen: 37.975 ng
RT: 7.586 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07




Instrument :
BNA_F
ClientSampleId :

Tgt Ion: 82 Resp: 574967
Ion Ratio Lower Upper
82 100
95 7.0 6.0 9.0
138 17.2 14.5 21.7



#26
2-Nitrophenol
Concen: 40.041 ng
RT: 7.663 min Scan# 948
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07

Tgt Ion:139 Resp: 156619
Ion Ratio Lower Upper
139 100
109 28.9 22.6 33.8
65 56.5 47.0 70.4





#27

2,4-Dimethylphenol

Concen: 38.317 ng

RT: 7.704 min Scan# 91

Delta R.T. 0.000 min


Lab File: BF135185.D

Acq: 12 Sep 2023 17:07

Instrument :

BNA_F

ClientSampleId :






Tgt Ion:122 Resp: 251920

Ion Ratio Lower Upper

122 100

107 111.7 90.2 135.4

121 57.5 46.3 69.5



#28

bis(2-Chloroethoxy)methane

Concen: 39.285 ng

RT: 7.798 min Scan# 971

Delta R.T. 0.000 min

Lab File: BF135185.D

Acq: 12 Sep 2023 17:07




Tgt Ion: 93 Resp: 356010

Ion Ratio Lower Upper

93 100

95 33.2 26.2 39.2


123 11.5 8.8 13.2








#29
2,4-Dichlorophenol
Concen: 39.288 ng
RT: 7.904 min Scan# 989
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07


Instrument :
BNA_F
ClientSampleId :





Tgt Ion:162 Resp: 239351
Ion Ratio Lower Upper
162 100
164 62.5 44.1 84.1
98 38.8 20.3 60.3



#30
1,2,4-Trichlorobenzene
Concen: 38.785 ng
RT: 7.986 min Scan# 1003
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07



Tgt Ion:180 Resp: 246973
Ion Ratio Lower Upper
180 100
182 96.1 76.9 115.3
145 29.8 24.5 36.7









#31
Naphthalene
Concen: 39.348 ng
RT: 8.069 min Scan# 1017
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:128 Resp: 856426
Ion Ratio Lower Upper
128 100
129 10.7 8.7 13.1
127 13.0 10.7 16.1



#32
Benzoic acid
Concen: 35.603 ng
RT: 7.833 min Scan# 977
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07

Tgt Ion:122 Resp: 176264
Ion Ratio Lower Upper
122 100
105 122.9 99.9 139.9
77 89.5 70.0 110.0








#33
4-Chloroaniline
Concen: 39.434 ng
RT: 8.122 min Scan# 1026
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:	127	Resp:	376569
Ion	Ratio	Lower	Upper
127	100		
129	31.9	25.8	38.8
65	31.6	26.6	39.8
92	18.1	15.4	23.2



#34
Hexachlorobutadiene
Concen: 39.255 ng
RT: 8.181 min Scan# 1036
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07

Tgt Ion:	225	Resp:	150723
Ion	Ratio	Lower	Upper
225	100		
223	61.2	50.6	75.8
227	62.1	50.8	76.2









#35
 Caprolactam
 Concen: 41.402 ng
 RT: 8.498 min Scan# 1090
 Delta R.T. 0.000 min
 Lab File: BF135185.D
 Acq: 12 Sep 2023 17:07




Instrument :
 BNA_F
 ClientSampleId :


Tgt Ion:113 Resp: 84651
 Ion Ratio Lower Upper
 113 100
 55 231.5 199.3 239.3
 56 172.8 146.3 186.3



#36
 4-Chloro-3-methylphenol
 Concen: 38.681 ng
 RT: 8.604 min Scan# 1108
 Delta R.T. 0.000 min
 Lab File: BF135185.D
 Acq: 12 Sep 2023 17:07

Tgt Ion:107 Resp: 261906
 Ion Ratio Lower Upper
 107 100
 144 24.5 19.0 28.4
 142 74.5 60.2 90.2









#37
2-Methylnaphthalene
Concen: 37.642 ng
RT: 8.757 min Scan# 1134
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:142 Resp: 550725
Ion Ratio Lower Upper
142 100
141 88.0 71.0 106.6



#38
1-Methylnaphthalene
Concen: 38.443 ng
RT: 8.857 min Scan# 1151
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07

Tgt Ion:142 Resp: 526591
Ion Ratio Lower Upper
142 100
141 91.3 72.4 108.6









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.804 min Scan# 1162
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07




Instrument :
BNA_F
ClientSampleId :

Tgt Ion:164 Resp: 224882
Ion Ratio Lower Upper
164 100
162 103.8 81.0 121.4
160 46.0 37.0 55.4



#40
1,2,4,5-Tetrachlorobenzene
Concen: 40.358 ng
RT: 8.922 min Scan# 1162
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07

Tgt Ion:216 Resp: 262934
Ion Ratio Lower Upper
216 100
214 79.2 63.7 95.5
179 20.6 16.7 25.1
108 18.7 14.9 22.3









#41
Hexachlorocyclopentadiene
Concen: 38.617 ng
RT: 8.910 min Scan# 1160
Delta R.T. -0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:237 Resp: 98779
Ion Ratio Lower Upper
237 100
235 61.2 41.8 81.8
272 13.7 0.0 33.6



#42
2,4,6-Tribromophenol
Concen: 80.326 ng
RT: 10.598 min Scan# 1447
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07

Tgt Ion:330 Resp: 179512
Ion Ratio Lower Upper
330 100
332 95.9 77.3 115.9
141 32.5 25.8 38.8





#43

2,4,6-Trichlorophenol

Concen: 40.604 ng

RT: 9.039 min Scan# 1182

Delta R.T. 0.000 min

Lab File: BF135185.D

Acq: 12 Sep 2023 17:07

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:196 Resp: 173201

Ion Ratio Lower Upper

196 100

198 97.5 77.0 115.6

200 31.0 24.5 36.7



#44

2,4,5-Trichlorophenol

Concen: 40.779 ng

RT: 9.080 min Scan# 1189

Delta R.T. 0.000 min

Lab File: BF135185.D

Acq: 12 Sep 2023 17:07

Tgt Ion:196 Resp: 200320




Ion Ratio Lower Upper


196 100

198 94.5 77.5 116.3

97 48.4 40.5 60.7

132 27.7 23.3 34.9





#45

2-Fluorobiphenyl

Concen: 76.823 ng

RT: 9.122 min Scan# 1197

Delta R.T. -0.006 min

Lab File: BF135185.D

Acq: 12 Sep 2023 17:07

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:172 Resp: 1145088

Ion Ratio Lower Upper

172 100

171 35.6 28.4 42.6

170 23.9 19.0 28.4



#46

1,1'-Biphenyl

Concen: 39.903 ng

RT: 9.222 min Scan# 1213

Delta R.T. -0.006 min

Lab File: BF135185.D

Acq: 12 Sep 2023 17:07




Tgt Ion:154 Resp: 689593


Ion Ratio Lower Upper

154 100

153 39.7 19.6 59.6

76 13.0 0.0 31.0









#47
2-Chloronaphthalene
Concen: 39.536 ng
RT: 9.251 min Scan# 1218
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07




Instrument :
BNA_F
ClientSampleId :

Tgt Ion:162 Resp: 495738
Ion Ratio Lower Upper
162 100
127 40.4 32.6 48.8
164 33.8 26.2 39.2



#48
2-Nitroaniline
Concen: 41.656 ng
RT: 9.351 min Scan# 1235
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07

Tgt Ion: 65 Resp: 202920
Ion Ratio Lower Upper
65 100
92 61.6 49.4 74.0
138 93.3 77.4 116.0









#49
Acenaphthylene
Concen: 39.799 ng
RT: 9.663 min Scan# 1288
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:152 Resp: 829360
Ion Ratio Lower Upper
152 100
151 20.3 16.4 24.6
153 13.0 10.4 15.6



#50
Dimethylphthalate
Concen: 39.945 ng
RT: 9.533 min Scan# 1266
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07

Tgt Ion:163 Resp: 607339
Ion Ratio Lower Upper
163 100
194 4.0 3.1 4.7
164 9.9 8.1 12.1





#51

2,6-Dinitrotoluene

Concen: 40.967 ng

RT: 9.592 min Scan# 1276

Delta R.T. 0.000 min

Lab File: BF135185.D

Acq: 12 Sep 2023 17:07

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:165 Resp: 136451

Ion Ratio Lower Upper

165 100

63 71.6 59.4 89.2

89 61.8 49.8 74.8



#52

Acenaphthene

Concen: 39.700 ng

RT: 9.839 min Scan# 1318

Delta R.T. 0.000 min

Lab File: BF135185.D

Acq: 12 Sep 2023 17:07




Tgt Ion:154 Resp: 488723


Ion Ratio Lower Upper

154 100

153 109.5 92.1 138.1

152 53.6 43.1 64.7





#53

3-Nitroaniline

Concen: 41.814 ng

RT: 9.763 min Scan# 1305

Delta R.T. 0.000 min


Lab File: BF135185.D

Acq: 12 Sep 2023 17:07

Instrument :

BNA_F

ClientSampleId :






Tgt Ion:138 Resp: 163484

Ion Ratio Lower Upper

138 100

108 11.0 8.5 12.7

92 116.7 95.4 143.0



#54

2,4-Dinitrophenol

Concen: 41.405 ng

RT: 9.875 min Scan# 1324

Delta R.T. 0.001 min

Lab File: BF135185.D

Acq: 12 Sep 2023 17:07




Tgt Ion:184 Resp: 72108


Ion Ratio Lower Upper

184 100

63 68.0 55.1 82.7


154 58.2 48.4 72.6








#55
Dibenzenofuran
Concen: 39.718 ng
RT: 10.010 min Scan# 1347
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:168 Resp: 746133
Ion Ratio Lower Upper
168 100
139 36.6 29.0 43.6
169 13.3 10.4 15.6



#56
4-Nitrophenol
Concen: 45.054 ng
RT: 9.927 min Scan# 1333
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07


Tgt Ion:139 Resp: 111952
Ion Ratio Lower Upper
139 100
109 71.1 49.8 89.8
65 112.5 92.7 132.7








#57
2,4-Dinitrotoluene
Concen: 41.296 ng
RT: 10.004 min Scan# 1346
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07


Instrument :
BNA_F
ClientSampleId :





Tgt Ion:165 Resp: 172195
Ion Ratio Lower Upper
165 100
63 65.3 50.1 75.1
89 77.5 59.3 88.9
182 2.8 2.3 3.5



#58
Fluorene
Concen: 39.067 ng
RT: 10.351 min Scan# 1405
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07




Tgt Ion:166 Resp: 564193
Ion Ratio Lower Upper
166 100
165 93.0 74.3 111.5
167 14.3 10.9 16.3








#59
2,3,4,6-Tetrachlorophenol
Concen: 40.629 ng
RT: 10.127 min Scan# 1367
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07


Instrument :
BNA_F
ClientSampleId :





Tgt Ion:232 Resp: 153529
Ion Ratio Lower Upper
232 100
131 44.7 35.4 53.2
130 2.1 1.8 2.8
166 30.2 24.3 36.5




#60
Diethylphthalate
Concen: 40.307 ng
RT: 10.233 min Scan# 1385
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07



Tgt Ion:149 Resp: 615038
Ion Ratio Lower Upper
149 100
177 21.9 17.8 26.6
150 12.2 10.0 15.0









#61
4-Chlorophenyl-phenylether
Concen: 39.045 ng
RT: 10.345 min Scan# 1404
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:204 Resp: 270865
Ion Ratio Lower Upper
204 100
206 33.3 26.7 40.1
141 62.5 50.6 75.8



#62
4-Nitroaniline
Concen: 42.450 ng
RT: 10.380 min Scan# 1410
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07

Tgt Ion:138 Resp: 159537
Ion Ratio Lower Upper
138 100
92 52.5 31.8 71.8
108 77.3 52.0 92.0





#63

Azobenzene

Concen: 40.869 ng

RT: 10.510 min Scan# 1432

Delta R.T. 0.000 min


Lab File: BF135185.D

Acq: 12 Sep 2023 17:07

Instrument :

BNA_F

ClientSampleId :



Tgt Ion: 77 Resp: 610324




Ion Ratio Lower Upper

77 100

182 26.5 6.4 46.4

105 23.6 3.1 43.1

51 36.4 16.1 56.1



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.292 min Scan# 1565

Delta R.T. 0.000 min

Lab File: BF135185.D

Acq: 12 Sep 2023 17:07




Tgt Ion: 188 Resp: 432893


Ion Ratio Lower Upper

188 100

94 8.9 7.0 10.6

80 9.5 7.5 11.3









#65
4,6-Dinitro-2-methylphenol
Concen: 44.026 ng
RT: 10.410 min Scan# 1415
Delta R.T. -0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:198 Resp: 101226
Ion Ratio Lower Upper
198 100
51 66.8 47.7 87.7
105 49.7 27.4 67.4



#66
n-Nitrosodiphenylamine
Concen: 40.610 ng
RT: 10.469 min Scan# 1425
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07

Tgt Ion:169 Resp: 532228
Ion Ratio Lower Upper
169 100
168 64.7 52.8 79.2
167 36.1 29.0 43.6









#67
4-Bromophenyl-phenylether
Concen: 41.478 ng
RT: 10.839 min Scan# 1488
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:248 Resp: 178579
Ion Ratio Lower Upper
248 100
250 97.1 78.6 117.8
141 64.2 54.2 81.2



#68
Hexachlorobenzene
Concen: 40.805 ng
RT: 10.898 min Scan# 1498
Delta R.T. -0.006 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07

Tgt Ion:284 Resp: 178981
Ion Ratio Lower Upper
284 100
142 35.8 22.2 33.4#
249 30.2 22.5 33.7





#69

Atrazine

Concen: 41.041 ng

RT: 10.998 min Scan# 1515

Delta R.T. 0.000 min


Lab File: BF135185.D

Acq: 12 Sep 2023 17:07

Instrument :

BNA_F

ClientSampleId :






Tgt Ion:200 Resp: 144725

Ion Ratio Lower Upper

200 100

173 28.1 7.4 47.4

215 47.1 28.6 68.6



#70

Pentachlorophenol

Concen: 43.372 ng

RT: 11.098 min Scan# 1532

Delta R.T. 0.000 min

Lab File: BF135185.D

Acq: 12 Sep 2023 17:07




Tgt Ion:266 Resp: 113821


Ion Ratio Lower Upper

266 100

268 62.3 52.1 78.1

264 64.3 50.8 76.2





#71

Phenanthrene

Concen: 39.328 ng

RT: 11.316 min Scan# 1569

Delta R.T. -0.006 min

Lab File: BF135185.D

Acq: 12 Sep 2023 17:07

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:178 Resp: 805195

Ion Ratio Lower Upper

178 100

176 20.0 15.6 23.4

179 15.5 12.0 18.0



#72

Anthracene

Concen: 39.232 ng

RT: 11.369 min Scan# 1578

Delta R.T. 0.000 min

Lab File: BF135185.D

Acq: 12 Sep 2023 17:07




Tgt Ion:178 Resp: 825636


Ion Ratio Lower Upper

178 100

176 18.9 15.4 23.2


179 15.8 12.6 19.0








#73
 Carbazole
 Concen: 40.006 ng
 RT: 11.527 min Scan# 1605
 Delta R.T. 0.000 min
 Lab File: BF135185.D
 Acq: 12 Sep 2023 17:07


Instrument :
 BNA_F
 ClientSampleId :





Tgt Ion:167 Resp: 766419
 Ion Ratio Lower Upper
 167 100
 166 21.2 17.4 26.0
 139 13.3 10.6 15.8




#74
 Di-n-butylphthalate
 Concen: 41.820 ng
 RT: 11.863 min Scan# 1662
 Delta R.T. 0.000 min
 Lab File: BF135185.D
 Acq: 12 Sep 2023 17:07



Tgt Ion:149 Resp: 944064
 Ion Ratio Lower Upper
 149 100
 150 9.3 7.4 11.0
 104 4.7 3.6 5.4









#75
Fluoranthene
Concen: 40.844 ng
RT: 12.510 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:202 Resp: 871360
Ion Ratio Lower Upper
202 100
101 11.5 0.0 31.3
203 17.9 0.0 37.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.945 min Scan# 2016
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07

Tgt Ion:240 Resp: 248182
Ion Ratio Lower Upper
240 100
120 11.9 9.4 14.2
236 26.4 19.8 29.8





#77

Benzidine

Concen: 40.394 ng

RT: 12.639 min Scan# 1794

Delta R.T. 0.000 min


Lab File: BF135185.D

Acq: 12 Sep 2023 17:07

Instrument :

BNA_F

ClientSampleId :






Tgt Ion:184 Resp: 205381

Ion Ratio Lower Upper

184 100

185 15.0 11.7 17.5

183 11.3 8.2 12.4



#78

Pyrene

Concen: 37.562 ng

RT: 12.739 min Scan# 1811

Delta R.T. 0.000 min

Lab File: BF135185.D

Acq: 12 Sep 2023 17:07




Tgt Ion:202 Resp: 887544


Ion Ratio Lower Upper

202 100

200 19.7 16.2 24.2

203 17.7 14.2 21.4





#79

Terphenyl-d14

Concen: 74.744 ng

RT: 12.892 min Scan# 11

Delta R.T. 0.000 min


Lab File: BF135185.D

Acq: 12 Sep 2023 17:07

Instrument :

BNA_F

ClientSampleId :






Tgt Ion:244 Resp: 1196637

Ion Ratio Lower Upper

244 100

212 6.4 5.1 7.7

122 10.0 7.9 11.9



#80

Butylbenzylphthalate

Concen: 42.705 ng

RT: 13.368 min Scan# 1918

Delta R.T. 0.000 min

Lab File: BF135185.D

Acq: 12 Sep 2023 17:07




Tgt Ion:149 Resp: 355275


Ion Ratio Lower Upper

149 100

91 68.3 54.7 82.1

206 22.0 16.3 24.5





#81

Benzo(a)anthracene

Concen: 38.924 ng

RT: 13.939 min Scan# 2015

Delta R.T. 0.000 min

Lab File: BF135185.D

Acq: 12 Sep 2023 17:07

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:228 Resp: 623780

Ion Ratio Lower Upper

228 100

226 27.0 21.7 32.5

229 19.7 15.8 23.8



#82

3,3'-Dichlorobenzidine

Concen: 40.352 ng

RT: 13.904 min Scan# 2009

Delta R.T. 0.000 min

Lab File: BF135185.D

Acq: 12 Sep 2023 17:07




Tgt Ion:252 Resp: 201990


Ion Ratio Lower Upper

252 100

254 65.3 51.0 76.4

126 10.0 7.8 11.8





#83

Chrysene

Concen: 38.671 ng

RT: 13.974 min Scan# 2021

Delta R.T. 0.000 min

Lab File: BF135185.D

Acq: 12 Sep 2023 17:07

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:228 Resp: 616155

Ion Ratio Lower Upper

228 100

226 30.0 24.3 36.5

229 19.7 16.0 24.0



#84

Bis(2-ethylhexyl)phthalate

Concen: 43.553 ng

RT: 13.933 min Scan# 2014

Delta R.T. 0.000 min

Lab File: BF135185.D

Acq: 12 Sep 2023 17:07




Tgt Ion:149 Resp: 371813


Ion Ratio Lower Upper

149 100

167 27.1 21.9 32.9

279 3.9 3.3 4.9





#85

Di-n-octyl phthalate

Concen: 41.545 ng

RT: 14.551 min Scan# 2119

Delta R.T. 0.000 min

Lab File: BF135185.D

Acq: 12 Sep 2023 17:07

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:149 Resp: 563637

Ion Ratio Lower Upper

149 100

167 1.5 1.1 1.7

43 12.0 9.8 14.6



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.404 min Scan# 2264

Delta R.T. -0.006 min

Lab File: BF135185.D

Acq: 12 Sep 2023 17:07




Tgt Ion:264 Resp: 205742


Ion Ratio Lower Upper

264 100

260 23.5 19.8 29.6


265 22.3 17.0 25.4








#87
Indeno(1,2,3-cd)pyrene
Concen: 39.880 ng
RT: 16.880 min Scan# 2115
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:276 Resp: 537975
Ion Ratio Lower Upper
276 100
138 23.5 19.2 28.8
277 24.6 19.7 29.5



#88
Benzo(b)fluoranthene
Concen: 42.953 ng
RT: 14.980 min Scan# 2192
Delta R.T. -0.006 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07


Tgt Ion:252 Resp: 478390
Ion Ratio Lower Upper
252 100
253 21.4 17.2 25.8
125 10.5 7.1 10.7








#89
Benzo(k)fluoranthene
Concen: 39.034 ng
RT: 15.009 min Scan# 2198
Delta R.T. -0.006 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:252 Resp: 429449
Ion Ratio Lower Upper
252 100
253 21.8 17.4 26.0
125 10.3 7.2 10.8



#90
Benzo(a)pyrene
Concen: 40.913 ng
RT: 15.345 min Scan# 2254
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07


Tgt Ion:252 Resp: 434538
Ion Ratio Lower Upper
252 100
253 21.4 17.5 26.3
125 11.1 9.2 13.8








#91
Dibenzo(a,h)anthracene
Concen: 39.907 ng
RT: 16.898 min Scan# 2518
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07


Instrument :
BNA_F
ClientSampleId :



Tgt Ion:278 Resp: 440474
Ion Ratio Lower Upper
278 100
139 15.3 13.4 20.0
279 23.8 19.0 28.6



#92
Benzo(g,h,i)perylene
Concen: 40.079 ng
RT: 17.327 min Scan# 2591
Delta R.T. 0.000 min
Lab File: BF135185.D
Acq: 12 Sep 2023 17:07



Tgt Ion:276 Resp: 462005
Ion Ratio Lower Upper
276 100
277 23.6 18.8 28.2
138 20.2 16.9 25.3

