

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF091423\
 Data File : BF135264.D
 Acq On : 14 Sep 2023 20:37
 Operator : CG\JU
 Sample : 04412-01
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 WC-1

Quant Time: Sep 15 01:36:29 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 12 00:19:07 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.763	152	125999	20.000	ng	0.00
21) Naphthalene-d8	8.039	136	466028	20.000	ng	0.00
39) Acenaphthene-d10	9.798	164	218555	20.000	ng	0.00
64) Phenanthrene-d10	11.292	188	329290	20.000	ng	# 0.00
76) Chrysene-d12	13.951	240	229960	20.000	ng	0.00
86) Perylene-d12	15.415	264	250717	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.392	112	546179	70.503	ng	0.00
7) Phenol-d6	6.410	99	729171	74.023	ng	0.00
23) Nitrobenzene-d5	7.328	82	414458	48.317	ng	0.00
42) 2,4,6-Tribromophenol	10.592	330	140457	64.670	ng	0.00
45) 2-Fluorobiphenyl	9.122	172	769145	53.095	ng	0.00
79) Terphenyl-d14	12.892	244	576690	38.875	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF091423\
Data File : BF135264.D
Acq On : 14 Sep 2023 20:37
Operator : CG\JU
Sample : 04412-01
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
WC-1

Quant Time: Sep 15 01:36:29 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 12 00:19:07 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.763 min Scan# 795
Delta R.T. -0.000 min
Lab File: BF135264.D
Acq: 14 Sep 2023 20:37




Instrument :
BNA_F
ClientSampleId :
WC-1


Tgt Ion:152 Resp: 125999
Ion Ratio Lower Upper
152 100
150 157.4 127.8 191.6
115 60.0 49.8 74.8



#5
2-Fluorophenol
Concen: 70.503 ng
RT: 5.392 min Scan# 562
Delta R.T. 0.006 min
Lab File: BF135264.D
Acq: 14 Sep 2023 20:37

Tgt Ion:112 Resp: 546179
Ion Ratio Lower Upper
112 100
64 69.7 55.9 83.9
63 36.1 29.0 43.6









#7
Phenol-d6
Concen: 74.023 ng
RT: 6.410 min Scan# 71
Delta R.T. 0.006 min
Lab File: BF135264.D
Acq: 14 Sep 2023 20:37




Instrument :
BNA_F
ClientSampleId :
WC-1

Tgt Ion: 99 Resp: 729171
Ion Ratio Lower Upper
99 100
42 21.6 17.9 26.9
71 33.6 27.0 40.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.039 min Scan# 1012
Delta R.T. -0.006 min
Lab File: BF135264.D
Acq: 14 Sep 2023 20:37

Tgt Ion: 136 Resp: 466028
Ion Ratio Lower Upper
136 100
137 10.8 8.8 13.2
54 10.5 7.7 11.5
68 6.0 4.6 6.8









#23
Nitrobenzene-d5
Concen: 48.317 ng
RT: 7.328 min Scan# 891
Delta R.T. -0.006 min
Lab File: BF135264.D
Acq: 14 Sep 2023 20:37




Instrument :
BNA_F
ClientSampleId :
WC-1

Tgt Ion: 82 Resp: 414458
Ion Ratio Lower Upper
82 100
128 46.0 35.8 53.6
54 60.9 50.6 76.0



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.798 min Scan# 1311
Delta R.T. -0.006 min
Lab File: BF135264.D
Acq: 14 Sep 2023 20:37

Tgt Ion: 164 Resp: 218555
Ion Ratio Lower Upper
164 100
162 98.7 81.0 121.4
160 46.2 37.0 55.4









#42
2,4,6-Tribromophenol
Concen: 64.670 ng
RT: 10.592 min Scan# 1447
Delta R.T. -0.006 min
Lab File: BF135264.D
Acq: 14 Sep 2023 20:37




Instrument :
BNA_F
ClientSampleId :
WC-1


Tgt Ion:330 Resp: 140457
Ion Ratio Lower Upper
330 100
332 95.8 77.3 115.9
141 32.7 25.8 38.8



#45
2-Fluorobiphenyl
Concen: 53.095 ng
RT: 9.122 min Scan# 1196
Delta R.T. -0.006 min
Lab File: BF135264.D
Acq: 14 Sep 2023 20:37

Tgt Ion:172 Resp: 769145
Ion Ratio Lower Upper
172 100
171 34.8 28.4 42.6
170 23.7 19.0 28.4





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.292 min Scan# 1

Delta R.T. 0.000 min

Lab File: BF135264.D

Acq: 14 Sep 2023 20:37

Instrument :

BNA_F

ClientSampleId :

WC-1





Tgt Ion:188 Resp: 329290

Ion Ratio Lower Upper

188 100

94 11.5 7.0 10.6#

80 12.4 7.5 11.3#



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.951 min Scan# 2017

Delta R.T. 0.006 min

Lab File: BF135264.D

Acq: 14 Sep 2023 20:37




Tgt Ion:240 Resp: 229960


Ion Ratio Lower Upper

240 100

120 10.5 9.4 14.2

236 27.1 19.8 29.8









#79
 Terphenyl-d14
 Concen: 38.875 ng
 RT: 12.892 min Scan# 1837
 Delta R.T. 0.000 min
 Lab File: BF135264.D
 Acq: 14 Sep 2023 20:37

Instrument :
 BNA_F
 ClientSampleId :
 WC-1

Tgt Ion:244 Resp: 576690
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.1 7.7
 122 11.1 7.9 11.9



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.415 min Scan# 2266
 Delta R.T. 0.006 min
 Lab File: BF135264.D
 Acq: 14 Sep 2023 20:37

Tgt Ion:264 Resp: 250717
 Ion Ratio Lower Upper
 264 100
 260 23.7 19.8 29.6
 265 21.4 17.0 25.4

