

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF091718\
 Data File : BF109072.D
 Acq On : 18 Sep 2018 3:05
 Operator : JU/SJ
 Sample : J4936-11
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 132-1-VOLT

Quant Time: Sep 18 05:52:06 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF091418.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 14 13:26:52 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.72	152	116516	20.00	ng	0.00
21) Naphthalene-d8	8.00	136	381055	20.00	ng	0.00
38) Acenaphthene-d10	9.75	164	160909	20.00	ng	0.00
63) Phenanthrene-d10	11.22	188	316466	20.00	ng	0.00
75) Chrysene-d12	13.85	240	326869	20.00	ng	0.00
86) Perylene-d12	15.25	264	232395	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.33	112	739928	105.47	ng	0.00
7) Phenol-d6	6.36	99	917921	101.47	ng	0.00
23) Nitrobenzene-d5	7.28	82	565784	83.28	ng	-0.01
41) 2,4,6-Tribromophenol	10.54	330	204118	116.89	ng	0.00
44) 2-Fluorobiphenyl	9.08	172	924813	90.05	ng	0.00
78) Terphenyl-d14	12.81	244	1028003	74.54	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.47	163	80863	7.031	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF091718\
Data File : BF109072.D
Acq On : 18 Sep 2018 3:05
Operator : JU/SJ
Sample : J4936-11
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
132-1-VOLT

Quant Time: Sep 18 05:52:06 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF091418.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 14 13:26:52 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.72 min Scan# 745
Delta R.T. -0.01 min
Lab File: BF109072.D
Acq: 18 Sep 2018 3:05

Instrument :
BNA_F
ClientSampleId :
132-1-VOLT

Tot Ion:152 Resp: 116516
Ion Ratio Lower Upper
152 100
150 156.9 124.6 186.8
115 62.6 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 105.473 ng
RT: 5.33 min Scan# 509
Delta R.T. 0.01 min
Lab File: BF109072.D
Acq: 18 Sep 2018 3:05

Tgt Ion:112 Resp: 739928
Ion Ratio Lower Upper
112 100
64 60.7 47.9 71.9
63 31.4 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 101.474 ng

RT: 6.36 min Scan# 684

Delta R.T. -0.00 min

Lab File: BF109072.D

Acq: 18 Sep 2018 3:05

Instrument :

BNA_F

ClientSampleId :

132-1-VOLT


Tot Ion: 99 Resp: 917921

Ion Ratio Lower Upper




99 100

42 17.9 14.5 21.7

71 33.5 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.00 min Scan# 963

Delta R.T. -0.01 min

Lab File: BF109072.D

Acq: 18 Sep 2018 3:05

Tgt Ion: 136 Resp: 381055


Ion Ratio Lower Upper

136 100



137 11.2 8.9 13.3


54 7.3 6.6 9.8

68 5.9 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 83.279 ng
 RT: 7.28 min Scan# 840
 Delta R.T. -0.01 min
 Lab File: BF109072.D
 Acq: 18 Sep 2018 3:05

Instrument :
 BNA_F
 ClientSampleId :
 132-1-VOLT

Tot Ion	82	Resp	565784
Ion Ratio	Lower	Upper	
82	100		
128	43.1	36.1	54.1
54	48.7	41.4	62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF1






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.75 min Scan# 1260
 Delta R.T. -0.01 min
 Lab File: BF109072.D
 Acq: 18 Sep 2018 3:05

Tgt Ion	164	Resp	160909
Ion Ratio	Lower	Upper	
164	100		
162	102.6	86.1	129.1
160	46.4	38.3	57.5



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 116.887 ng
 RT: 10.54 min Scan# 1394
 Delta R.T. -0.01 min
 Lab File: BF109072.D
 Acq: 18 Sep 2018 3:05




Instrument :
 BNA_F
 ClientSampleId :
 132-1-VOLT


Tot Ion	Ratio	Lower	Upper
330	100		
332	95.1	77.0	115.6
141	32.3	29.9	44.9



#44
 2-Fluorobiphenyl
 Concen: 90.047 ng
 RT: 9.08 min Scan# 1146
 Delta R.T. -0.01 min
 Lab File: BF109072.D
 Acq: 18 Sep 2018 3:05

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.0	29.7	44.5
170	24.4	19.6	29.4





#49

Dimethylphthalate

Concen: 7.031 ng

RT: 9.47 min Scan# 1212

Delta R.T. -0.02 min

Lab File: BF109072.D

Acq: 18 Sep 2018 3:05

Instrument :

BNA_F

ClientSampleId :

132-1-VOLT


Tot Ion:163 Resp: 80863

Ion Ratio Lower Upper




163 100

194 3.7 2.7 4.1

164 10.1 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.22 min Scan# 1511

Delta R.T. -0.01 min

Lab File: BF109072.D

Acq: 18 Sep 2018 3:05


Tgt Ion:188 Resp: 316466

Ion Ratio Lower Upper



188 100


94 11.0 8.5 12.7

80 11.8 9.2 13.8



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.85 min Scan# 1958

Delta R.T. -0.01 min

Lab File: BF109072.D

Acq: 18 Sep 2018 3:05

Instrument :

BNA_F

ClientSampleId :

132-1-VOLT


Tot Ion:240 Resp: 326869

Ion Ratio Lower Upper




240 100

120 10.7 9.5 14.3

236 25.6 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 74.545 ng

RT: 12.81 min Scan# 1781

Delta R.T. -0.00 min

Lab File: BF109072.D

Acq: 18 Sep 2018 3:05


Tgt Ion:244 Resp: 1028003

Ion Ratio Lower Upper



244 100


212 7.1 5.4 8.0

122 11.5 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.25 min Scan# 2196
Delta R.T. -0.00 min
Lab File: BF109072.D
Acq: 18 Sep 2018 3:05

Instrument :
BNA_F
ClientSampleId :
132-1-VOLT

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.2	19.2	28.8
265	22.1	17.5	26.3



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

