

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF091719\
 Data File : BF117123.D
 Acq On : 17 Sep 2019 22:37
 Operator : HP/JU
 Sample : K4924-14
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-44-COMP

Quant Time: Sep 18 05:11:34 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF091319.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 13 16:23:17 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.82	152	63640	20.00	ng	0.00
21) Naphthalene-d8	8.10	136	252209	20.00	ng	0.00
39) Acenaphthene-d10	9.85	164	131881	20.00	ng	0.00
64) Phenanthrene-d10	11.33	188	221518	20.00	ng	0.00
76) Chrysene-d12	13.97	240	158451	20.00	ng	0.00
87) Perylene-d12	15.42	264	142990	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.45	112	417512	102.43	ng	0.01
7) Phenol-d6	6.46	99	570988	108.39	ng	0.00
23) Nitrobenzene-d5	7.38	82	342153	71.28	ng	0.00
42) 2,4,6-Tribromophenol	10.64	330	109107	98.99	ng	0.00
45) 2-Fluorobiphenyl	9.17	172	617218	73.18	ng	0.00
79) Terphenyl-d14	12.91	244	597924	70.54	ng	0.00
Target Compounds						
50) Dimethylphthalate	9.57	163	138056	14.785	ng	Qvalue 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF091719\
Data File : BF117123.D
Acq On : 17 Sep 2019 22:37
Operator : HP/JU
Sample : K4924-14
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-44-COMP

Quant Time: Sep 18 05:11:34 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF091319.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 13 16:23:17 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.82 min Scan# 805
Delta R.T. -0.00 min
Lab File: BF117123.D
Acq: 17 Sep 2019 22:37

Instrument :
BNA_F
ClientSampleId :
SB-44-COMP

Tot Ion:152 Resp: 63640
Ion Ratio Lower Upper
152 100
150 157.4 127.5 191.3
115 66.5 55.0 82.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 102.426 ng
RT: 5.45 min Scan# 572
Delta R.T. 0.01 min
Lab File: BF117123.D
Acq: 17 Sep 2019 22:37

Tgt Ion:112 Resp: 417512
Ion Ratio Lower Upper
112 100
64 52.4 45.7 68.5
63 28.4 24.9 37.3



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 108.389 ng

RT: 6.46 min Scan# 744

Delta R.T. 0.01 min

Lab File: BF117123.D

Acq: 17 Sep 2019 22:37

Instrument :

BNA_F

ClientSampleId :

SB-44-COMP


Tot Ion: 99 Resp: 570988

Ion Ratio Lower Upper




99 100

42 14.0 12.2 18.2

71 36.7 29.8 44.8



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.10 min Scan# 1023

Delta R.T. -0.00 min

Lab File: BF117123.D

Acq: 17 Sep 2019 22:37

Tgt Ion: 136 Resp: 252209


Ion Ratio Lower Upper

136 100



137 10.5 9.0 13.4

54 5.2 4.5 6.7

68 4.4 4.0 6.0



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 71.280 ng
 RT: 7.38 min Scan# 900
 Delta R.T. -0.01 min
 Lab File: BF117123.D
 Acq: 17 Sep 2019 22:37




Instrument :
 BNA_F
 ClientSampleId :
 SB-44-COMP

Tot Ion	82	Resp	342153
Ion Ratio	100	Lower	Upper
128	39.8	32.3	48.5
54	42.3	33.3	49.9



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.85 min Scan# 1320
 Delta R.T. -0.01 min
 Lab File: BF117123.D
 Acq: 17 Sep 2019 22:37

Tgt Ion	164	Resp	131881
Ion Ratio	100	Lower	Upper
162	105.6	83.4	125.2
160	44.5	36.4	54.6





#42

2,4,6-Tribromophenol

Concen: 98.988 ng

RT: 10.64 min Scan# 1454

Delta R.T. -0.01 min

Lab File: BF117123.D

Acq: 17 Sep 2019 22:37

Instrument :

BNA_F

ClientSampleId :

SB-44-COMP


Tot Ion:330 Resp: 109107

Ion Ratio Lower Upper

330 100

332 96.1 78.0 117.0

141 44.6 35.8 53.6






Abundance

Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 73.177 ng

RT: 9.17 min Scan# 1205

Delta R.T. -0.00 min

Lab File: BF117123.D

Acq: 17 Sep 2019 22:37


Tgt Ion:172 Resp: 617218

Ion Ratio Lower Upper

172 100

171 35.8 28.2 42.2

170 23.7 18.9 28.3






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#50
Dimethylphthalate
Concen: 14.785 ng
RT: 9.57 min Scan# 1272
Delta R.T. -0.01 min
Lab File: BF117123.D
Acq: 17 Sep 2019 22:37

Instrument :
BNA_F
ClientSampleId :
SB-44-COMP

Tot Ion	Ratio	Lower	Upper
163	100		
194	3.5	2.9	4.3
164	9.7	8.2	12.4




Abundance Ion 163.00 (162.70 to 163.70): E
150000
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.33 min Scan# 1572
Delta R.T. -0.00 min
Lab File: BF117123.D
Acq: 17 Sep 2019 22:37

Tgt Ion	Ratio	Lower	Upper
188	100		
94	9.6	8.2	12.2
80	10.1	9.0	13.6



Abundance Ion 188.00 (187.70 to 188.70): E
250000
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1









#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.97 min Scan# 2020
Delta R.T. -0.01 min
Lab File: BF117123.D
Acq: 17 Sep 2019 22:37




Instrument :
BNA_F
ClientSampleId :
SB-44-COMP


Tot Ion	Ratio	Lower	Upper
240	100		
120	9.8	8.3	12.5
236	24.3	20.3	30.5



#79
Terphenyl-d14
Concen: 70.536 ng
RT: 12.91 min Scan# 1840
Delta R.T. -0.01 min
Lab File: BF117123.D
Acq: 17 Sep 2019 22:37

Tgt Ion	Ratio	Lower	Upper
244	100		
212	7.2	5.8	8.8
122	13.1	11.3	16.9





#87
Pervlene-d12
Concen: 20.000 ng
RT: 15.42 min Scan# 2266
Delta R.T. -0.01 min
Lab File: BF117123.D
Acq: 17 Sep 2019 22:37

Instrument :
BNA_F
ClientSampleId :
SB-44-COMP

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.7	17.6	26.4
265	21.5	16.6	24.8

