

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF091719\
 Data File : BF117129.D
 Acq On : 18 Sep 2019 1:17
 Operator : HP/JU
 Sample : K4924-02
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-48-COMP

Quant Time: Sep 18 05:29:39 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF091319.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 13 16:23:17 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.82	152	59474	20.00	ng	0.00
21) Naphthalene-d8	8.10	136	242804	20.00	ng	0.00
39) Acenaphthene-d10	9.85	164	127751	20.00	ng	0.00
64) Phenanthrene-d10	11.33	188	222591	20.00	ng	0.00
76) Chrysene-d12	13.97	240	162390	20.00	ng	0.00
87) Perylene-d12	15.42	264	146112	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.45	112	298668	78.40	ng	0.00
7) Phenol-d6	6.46	99	411697	83.63	ng	0.00
23) Nitrobenzene-d5	7.38	82	261549	56.60	ng	0.00
42) 2,4,6-Tribromophenol	10.64	330	88959	83.32	ng	0.00
45) 2-Fluorobiphenyl	9.17	172	454303	55.60	ng	0.00
79) Terphenyl-d14	12.91	244	448901	51.67	ng	0.00
Target Compounds						
50) Dimethylphthalate	9.57	163	79913	8.835	ng	Qvalue 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF091719\
Data File : BF117129.D
Acq On : 18 Sep 2019 1:17
Operator : HP/JU
Sample : K4924-02
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-48-COMP

Quant Time: Sep 18 05:29:39 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF091319.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 13 16:23:17 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.82 min Scan# 805
 Delta R.T. 0.00 min
 Lab File: BF117129.D
 Acq: 18 Sep 2019 1:17

Instrument :
 BNA_F
 ClientSampleId :
 SB-48-COMP

Tot Ion:152 Resp: 59474
 Ion Ratio Lower Upper
 152 100
 150 157.9 127.5 191.3
 115 62.7 55.0 82.4




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
 Concen: 78.403 ng
 RT: 5.45 min Scan# 571
 Delta R.T. 0.01 min
 Lab File: BF117129.D
 Acq: 18 Sep 2019 1:17

Tgt Ion:112 Resp: 298668
 Ion Ratio Lower Upper
 112 100
 64 55.2 45.7 68.5
 63 28.8 24.9 37.3



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF1
 Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 83.626 ng

RT: 6.46 min Scan# 743

Delta R.T. 0.00 min

Lab File: BF117129.D

Acq: 18 Sep 2019 1:17

Instrument :

BNA_F

ClientSampleId :

SB-48-COMP


Tot Ion: 99 Resp: 411697

Ion Ratio Lower Upper




99 100

42 14.8 12.2 18.2

71 38.0 29.8 44.8



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.10 min Scan# 1023

Delta R.T. 0.00 min

Lab File: BF117129.D

Acq: 18 Sep 2019 1:17

Tgt Ion: 136 Resp: 242804


Ion Ratio Lower Upper

136 100



137 10.7 9.0 13.4

54 5.4 4.5 6.7

68 4.9 4.0 6.0



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 56.599 ng
 RT: 7.38 min Scan# 900
 Delta R.T. -0.01 min
 Lab File: BF117129.D
 Acq: 18 Sep 2019 1:17




Instrument :
 BNA_F
 ClientSampleId :
 SB-48-COMP

Tot Ion	82	Resp	261549
Ion Ratio	Lower	Upper	
82	100		
128	39.6	32.3	48.5
54	41.0	33.3	49.9



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.85 min Scan# 1320
 Delta R.T. -0.01 min
 Lab File: BF117129.D
 Acq: 18 Sep 2019 1:17

Tgt Ion	164	Resp	127751
Ion Ratio	Lower	Upper	
164	100		
162	104.4	83.4	125.2
160	45.7	36.4	54.6









#42
 2,4,6-Tribromophenol
 Concen: 83.318 ng
 RT: 10.64 min Scan# 1454
 Delta R.T. -0.01 min
 Lab File: BF117129.D
 Acq: 18 Sep 2019 1:17

Instrument :
 BNA_F
 ClientSampleId :
 SB-48-COMP

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.4	78.0	117.0
141	43.7	35.8	53.6




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 55.603 ng
 RT: 9.17 min Scan# 1205
 Delta R.T. 0.00 min
 Lab File: BF117129.D
 Acq: 18 Sep 2019 1:17

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.3	28.2	42.2
170	23.6	18.9	28.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#50
Dimethylphthalate
Concen: 8.835 ng
RT: 9.57 min Scan# 1272
Delta R.T. -0.01 min
Lab File: BF117129.D
Acq: 18 Sep 2019 1:17

Instrument :
BNA_F
ClientSampleId :
SB-48-COMP

Tot Ion:163 Resp: 79913
Ion Ratio Lower Upper
163 100
194 3.9 2.9 4.3
164 10.6 8.2 12.4




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.33 min Scan# 1572
Delta R.T. 0.00 min
Lab File: BF117129.D
Acq: 18 Sep 2019 1:17

Tgt Ion:188 Resp: 222591
Ion Ratio Lower Upper
188 100
94 9.1 8.2 12.2
80 10.3 9.0 13.6



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1









#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.97 min Scan# 2020
Delta R.T. -0.01 min
Lab File: BF117129.D
Acq: 18 Sep 2019 1:17

Instrument :
BNA_F
ClientSampleId :
SB-48-COMP

Tot Ion	Ratio	Lower	Upper
240	100		
120	10.5	8.3	12.5
236	24.9	20.3	30.5




Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E






#79
Terphenyl-d14
Concen: 51.672 ng
RT: 12.91 min Scan# 1840
Delta R.T. -0.01 min
Lab File: BF117129.D
Acq: 18 Sep 2019 1:17

Tgt Ion	Ratio	Lower	Upper
244	100		
212	6.9	5.8	8.8
122	12.1	11.3	16.9



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E





#87
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.42 min Scan# 2266
 Delta R.T. -0.01 min
 Lab File: BF117129.D
 Acq: 18 Sep 2019 1:17

Instrument :
 BNA_F
 ClientSampleId :
 SB-48-COMP

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.1	17.6	26.4
265	22.1	16.6	24.8

