

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF091819\
 Data File : BF117141.D
 Acq On : 18 Sep 2019 12:01
 Operator : HP/JU
 Sample : PB123115BL
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB123115BL

Quant Time: Sep 19 07:24:45 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF091319.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 13 16:23:17 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.82	152	78594	20.00	ng	0.00
21) Naphthalene-d8	8.10	136	311693	20.00	ng	0.00
39) Acenaphthene-d10	9.85	164	161945	20.00	ng	0.00
64) Phenanthrene-d10	11.33	188	265818	20.00	ng	0.00
76) Chrysene-d12	13.97	240	170812	20.00	ng	0.00
87) Perylene-d12	15.42	264	132329	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.46	112	716659	142.36	ng	0.02
7) Phenol-d6	6.47	99	962443	147.94	ng	0.01
23) Nitrobenzene-d5	7.39	82	615775	103.80	ng	0.00
42) 2,4,6-Tribromophenol	10.64	330	213297	157.59	ng	0.00
45) 2-Fluorobiphenyl	9.17	172	1102051	106.40	ng	0.00
79) Terphenyl-d14	12.92	244	1059973	115.99	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF091819\
Data File : BF117141.D
Acq On : 18 Sep 2019 12:01
Operator : HP/JU
Sample : PB123115BL
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB123115BL

Quant Time: Sep 19 07:24:45 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF091319.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 13 16:23:17 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.82 min Scan# 805
Delta R.T. 0.00 min
Lab File: BF117141.D
Acq: 18 Sep 2019 12:01

Instrument :
BNA_F
ClientSampleId :
PB123115BL

Tot Ion:152 Resp: 78594
Ion Ratio Lower Upper
152 100
150 159.2 127.5 191.3
115 64.9 55.0 82.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 142.362 ng
RT: 5.46 min Scan# 573
Delta R.T. 0.02 min
Lab File: BF117141.D
Acq: 18 Sep 2019 12:01

Tgt Ion:112 Resp: 716659
Ion Ratio Lower Upper
112 100
64 57.5 45.7 68.5
63 31.2 24.9 37.3



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 147.936 ng

RT: 6.47 min Scan# 745

Delta R.T. 0.01 min

Lab File: BF117141.D

Acq: 18 Sep 2019 12:01

Instrument :

BNA_F

ClientSampleId :

PB123115BL


Tot Ion: 99 Resp: 962443

Ion Ratio Lower Upper




99 100

42 15.1 12.2 18.2

71 36.8 29.8 44.8



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.10 min Scan# 1023

Delta R.T. 0.00 min

Lab File: BF117141.D

Acq: 18 Sep 2019 12:01

Tgt Ion: 136 Resp: 311693


Ion Ratio Lower Upper

136 100



137 10.6 9.0 13.4

54 4.9 4.5 6.7

68 4.4 4.0 6.0



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 103.802 ng
 RT: 7.39 min Scan# 901
 Delta R.T. 0.00 min
 Lab File: BF117141.D
 Acq: 18 Sep 2019 12:01

Instrument :
 BNA_F
 ClientSampleId :
 PB123115BL

Tot Ion	82	Resp	615775
Ion Ratio	100	Lower	Upper
128	42.1	32.3	48.5
54	40.8	33.3	49.9




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF1





#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.85 min Scan# 1320
 Delta R.T. -0.01 min
 Lab File: BF117141.D
 Acq: 18 Sep 2019 12:01

Tgt Ion	164	Resp	161945
Ion Ratio	100	Lower	Upper
162	101.8	83.4	125.2
160	42.8	36.4	54.6



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E





#42

2,4,6-Tribromophenol

Concen: 157.590 ng

RT: 10.64 min Scan# 1454

Delta R.T. -0.01 min

Lab File: BF117141.D

Acq: 18 Sep 2019 12:01

Instrument :

BNA_F

ClientSampleId :

PB123115BL


Tot Ion:330 Resp: 213297

Ion Ratio Lower Upper

330 100

332 96.3 78.0 117.0




141 42.9 35.8 53.6



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 106.403 ng

RT: 9.17 min Scan# 1205

Delta R.T. 0.00 min

Lab File: BF117141.D

Acq: 18 Sep 2019 12:01


Tgt Ion:172 Resp: 1102051

Ion Ratio Lower Upper

172 100

171 35.5 28.2 42.2



170 23.8 18.9 28.3




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.33 min Scan# 1572
Delta R.T. 0.00 min
Lab File: BF117141.D
Acq: 18 Sep 2019 12:01

Instrument :
BNA_F
ClientSampleId :
PB123115BL

Tot Ion:188 Resp: 265818
Ion Ratio Lower Upper
188 100
94 8.7 8.2 12.2
80 10.2 9.0 13.6




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1






#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.97 min Scan# 2020
Delta R.T. -0.01 min
Lab File: BF117141.D
Acq: 18 Sep 2019 12:01

Tgt Ion:240 Resp: 170812
Ion Ratio Lower Upper
240 100
120 11.9 8.3 12.5
236 25.1 20.3 30.5



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 115.994 ng

RT: 12.92 min Scan# 1841

Delta R.T. 0.00 min

Lab File: BF117141.D

Acq: 18 Sep 2019 12:01

Instrument :

BNA_F

ClientSampled :

PB123115BL


Tot Ion:244 Resp: 1059973

Ion Ratio Lower Upper

244 100

212 7.1 5.8 8.8




122 13.8 11.3 16.9



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.42 min Scan# 2267

Delta R.T. 0.00 min

Lab File: BF117141.D

Acq: 18 Sep 2019 12:01


Tgt Ion:264 Resp: 132329

Ion Ratio Lower Upper

264 100

260 23.0 17.6 26.4

265 21.3 16.6 24.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

