

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF091819\
 Data File : BF117144.D
 Acq On : 18 Sep 2019 13:26
 Operator : HP/JU
 Sample : PB123129TB
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB123129TB

Quant Time: Sep 19 07:27:49 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF091319.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 13 16:23:17 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.82	152	85702	20.00	ng	0.00
21) Naphthalene-d8	8.10	136	347070	20.00	ng	0.00
39) Acenaphthene-d10	9.85	164	180632	20.00	ng	0.00
64) Phenanthrene-d10	11.33	188	300955	20.00	ng	0.00
76) Chrysene-d12	13.97	240	198744	20.00	ng	0.00
87) Perylene-d12	15.43	264	155902	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.46	112	647710	117.99	ng	0.02
7) Phenol-d6	6.46	99	868028	122.36	ng	0.00
23) Nitrobenzene-d5	7.39	82	556077	84.18	ng	0.00
42) 2,4,6-Tribromophenol	10.64	330	188152	124.63	ng	0.00
45) 2-Fluorobiphenyl	9.17	172	991092	85.79	ng	0.00
79) Terphenyl-d14	12.92	244	973604	91.57	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF091819\
Data File : BF117144.D
Acq On : 18 Sep 2019 13:26
Operator : HP/JU
Sample : PB123129TB
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB123129TB

Quant Time: Sep 19 07:27:49 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF091319.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 13 16:23:17 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.82 min Scan# 805
Delta R.T. 0.00 min
Lab File: BF117144.D
Acq: 18 Sep 2019 13:26

Instrument :
BNA_F
ClientSampleId :
PB123129TB

Tot Ion:152 Resp: 85702
Ion Ratio Lower Upper
152 100
150 163.5 127.5 191.3
115 67.4 55.0 82.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 117.994 ng
RT: 5.46 min Scan# 573
Delta R.T. 0.02 min
Lab File: BF117144.D
Acq: 18 Sep 2019 13:26

Tgt Ion:112 Resp: 647710
Ion Ratio Lower Upper
112 100
64 55.8 45.7 68.5
63 30.3 24.9 37.3



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 122.358 ng

RT: 6.46 min Scan# 744

Delta R.T. 0.01 min

Lab File: BF117144.D

Acq: 18 Sep 2019 13:26

Instrument :

BNA_F

ClientSampleId :

PB123129TB


Tot Ion: 99 Resp: 868028

Ion Ratio Lower Upper




99 100

42 15.6 12.2 18.2

71 37.7 29.8 44.8



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.10 min Scan# 1023

Delta R.T. 0.00 min

Lab File: BF117144.D

Acq: 18 Sep 2019 13:26

Tgt Ion: 136 Resp: 347070


Ion Ratio Lower Upper

136 100



137 10.6 9.0 13.4


54 5.0 4.5 6.7

68 4.2 4.0 6.0



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 84.184 ng
 RT: 7.39 min Scan# 901
 Delta R.T. 0.00 min
 Lab File: BF117144.D
 Acq: 18 Sep 2019 13:26




Instrument :
 BNA_F
 ClientSampleId :
 PB123129TB


Tot Ion	82	Resp	556077
Ion Ratio	100	Lower	Upper
128	44.0	32.3	48.5
54	39.8	33.3	49.9



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.85 min Scan# 1320
 Delta R.T. -0.01 min
 Lab File: BF117144.D
 Acq: 18 Sep 2019 13:26

Tgt Ion	164	Resp	180632
Ion Ratio	100	Lower	Upper
162	104.5	83.4	125.2
160	45.1	36.4	54.6





#42

2,4,6-Tribromophenol

Concen: 124.631 ng

RT: 10.64 min Scan# 1454

Delta R.T. -0.01 min

Lab File: BF117144.D

Acq: 18 Sep 2019 13:26

Instrument :

BNA_F

ClientSampleId :

PB123129TB


Tot Ion:330 Resp: 188152

Ion Ratio Lower Upper

330 100

332 95.5 78.0 117.0




141 42.1 35.8 53.6



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 85.790 ng

RT: 9.17 min Scan# 1205

Delta R.T. 0.00 min

Lab File: BF117144.D

Acq: 18 Sep 2019 13:26


Tgt Ion:172 Resp: 991092

Ion Ratio Lower Upper

172 100

171 35.4 28.2 42.2



170 23.6 18.9 28.3




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.33 min Scan# 1572
Delta R.T. 0.00 min
Lab File: BF117144.D
Acq: 18 Sep 2019 13:26

Instrument :
BNA_F
ClientSampleId :
PB123129TB

Tot Ion	Ratio	Lower	Upper
188	100		
94	8.9	8.2	12.2
80	10.4	9.0	13.6




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1






#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.97 min Scan# 2021
Delta R.T. 0.00 min
Lab File: BF117144.D
Acq: 18 Sep 2019 13:26

Tgt Ion	Ratio	Lower	Upper
240	100		
120	10.1	8.3	12.5
236	24.6	20.3	30.5



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 91.569 ng

RT: 12.92 min Scan# 1841

Delta R.T. 0.00 min

Lab File: BF117144.D

Acq: 18 Sep 2019 13:26

Instrument :

BNA_F

ClientSampleId :

PB123129TB


Tot Ion:244 Resp: 973604

Ion Ratio Lower Upper

244 100

212 7.0 5.8 8.8




122 12.4 11.3 16.9



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.43 min Scan# 2269

Delta R.T. 0.01 min

Lab File: BF117144.D

Acq: 18 Sep 2019 13:26


Tgt Ion:264 Resp: 155902

Ion Ratio Lower Upper

264 100

260 21.6 17.6 26.4

265 19.9 16.6 24.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

