

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF091823\
 Data File : BF135316.D
 Acq On : 18 Sep 2023 20:17
 Operator : CG\JU
 Sample : 04399-02MSD
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Sep 19 00:15:53 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 12 00:19:07 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.757	152	115818	20.000	ng	0.00
21) Naphthalene-d8	8.039	136	434584	20.000	ng	0.00
39) Acenaphthene-d10	9.798	164	210660	20.000	ng	0.00
64) Phenanthrene-d10	11.286	188	363910	20.000	ng	0.00
76) Chrysene-d12	13.945	240	176001	20.000	ng	0.00
86) Perylene-d12	15.404	264	243518	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.410	112	901212	126.558	ng	0.02
7) Phenol-d6	6.410	99	1066232	117.755	ng	0.00
23) Nitrobenzene-d5	7.328	82	793860	99.244	ng	0.00
42) 2,4,6-Tribromophenol	10.592	330	274294	131.025	ng	0.00
45) 2-Fluorobiphenyl	9.122	172	1356022	97.117	ng	0.00
79) Terphenyl-d14	12.880	244	984487	86.712	ng	-0.01
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.681	88	137209	43.954	ng	# 82
3) Pyridine	3.404	79	302817	36.043	ng	98
4) n-Nitrosodimethylamine	3.334	42	238335	53.458	ng	92
6) Aniline	6.428	93	222641	18.751	ng	# 10
8) 2-Chlorophenol	6.551	128	390586	51.382	ng	96
9) Benzaldehyde	6.316	77	31976	6.199	ng	98
10) Phenol	6.422	94	397624	40.047	ng	97
11) bis(2-Chloroethyl)ether	6.504	93	372521	50.018	ng	98
12) 1,3-Dichlorobenzene	6.698	146	364780	47.218	ng	98
13) 1,4-Dichlorobenzene	6.775	146	373113	47.471	ng	99
14) 1,2-Dichlorobenzene	6.928	146	351191	48.114	ng	98
15) Benzyl Alcohol	6.910	79	340640	52.426	ng	96
16) 2,2'-oxybis(1-Chloropr...	7.039	45	715460	50.965	ng	94
17) 2-Methylphenol	7.022	107	298760	44.537	ng	95
18) Hexachloroethane	7.263	117	143431	49.388	ng	92
19) n-Nitroso-di-n-propyla...	7.181	70	257635	45.937	ng	93
20) 3+4-Methylphenols	7.175	107	346771	42.990	ng	89
22) Acetophenone	7.169	105	510175	51.348	ng	# 96
24) Nitrobenzene	7.345	77	411100	51.997	ng	99
25) Isophorone	7.586	82	761734	51.860	ng	100
26) 2-Nitrophenol	7.657	139	201261	53.039	ng	95
27) 2,4-Dimethylphenol	7.698	122	305737	47.935	ng	99
28) bis(2-Chloroethoxy)met...	7.792	93	474875	54.016	ng	99
29) 2,4-Dichlorophenol	7.904	162	312625	52.896	ng	97
30) 1,2,4-Trichlorobenzene	7.980	180	321622	52.064	ng	99
31) Naphthalene	8.063	128	1078358	51.070	ng	100
32) Benzoic acid	7.845	122	248655	51.772	ng	96
33) 4-Chloroaniline	8.110	127	130047	14.038	ng	97
34) Hexachlorobutadiene	8.175	225	184321	49.484	ng	99
35) Caprolactam	8.492	113	58242	29.363	ng	94
36) 4-Chloro-3-methylphenol	8.610	107	343385	52.276	ng	97
37) 2-Methylnaphthalene	8.751	142	685571	48.302	ng	99
38) 1-Methylnaphthalene	8.851	142	659380	49.620	ng	99
40) 1,2,4,5-Tetrachloroben...	8.916	216	328568	53.837	ng	99
41) Hexachlorocyclopentadiene	8.904	237	209648	78.149	ng	99
43) 2,4,6-Trichlorophenol	9.033	196	223975	56.051	ng	98


Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF091823\
 Data File : BF135316.D
 Acq On : 18 Sep 2023 20:17
 Operator : CG\JU
 Sample : 04399-02MSD
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Sep 19 00:15:53 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 12 00:19:07 2023
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.086	196	235257	51.124	ng	99
46) 1,1'-Biphenyl	9.222	154	866575	53.529	ng	99
47) 2-Chloronaphthalene	9.245	162	650191	55.354	ng	98
48) 2-Nitroaniline	9.345	65	252688	55.374	ng	94
49) Acenaphthylene	9.657	152	1062432	54.425	ng	99
50) Dimethylphthalate	9.527	163	764556	53.680	ng	99
51) 2,6-Dinitrotoluene	9.592	165	164931	52.860	ng	95
52) Acenaphthene	9.833	154	616619	53.471	ng	97
53) 3-Nitroaniline	9.757	138	109020	29.767	ng	99
54) 2,4-Dinitrophenol	9.874	184	166265	92.785	ng	93
55) Dibenzofuran	10.004	168	894691	50.842	ng	96
56) 4-Nitrophenol	9.939	139	204400	87.812	ng	99
57) 2,4-Dinitrotoluene	9.998	165	195052	49.935	ng	# 83
58) Fluorene	10.351	166	695708	51.426	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.127	232	190419	53.793	ng	99
60) Diethylphthalate	10.227	149	760696	53.218	ng	99
61) 4-Chlorophenyl-phenyle...	10.339	204	326073	50.176	ng	98
62) 4-Nitroaniline	10.380	138	166027	47.159	ng	98
63) Azobenzene	10.504	77	737391	52.711	ng	97
65) 4,6-Dinitro-2-methylph...	10.410	198	102681	53.124	ng	98
66) n-Nitrosodiphenylamine	10.463	169	643942	58.449	ng	100
67) 4-Bromophenyl-phenylether	10.833	248	205020	56.646	ng	98
68) Hexachlorobenzene	10.898	284	210734	57.151	ng	95
69) Atrazine	10.998	200	180305	60.823	ng	100
70) Pentachlorophenol	11.098	266	208461	94.493	ng	97
71) Phenanthrene	11.316	178	916548	53.252	ng	99
72) Anthracene	11.368	178	934035	52.796	ng	99
73) Carbazole	11.527	167	818934	50.850	ng	99
74) Di-n-butylphthalate	11.857	149	1065807	56.163	ng	99
75) Fluoranthene	12.504	202	807180	45.008	ng	99
77) Benzidine	12.633	184	73440	20.368	ng	99
78) Pyrene	12.739	202	789116	47.093	ng	99
80) Butylbenzylphthalate	13.362	149	321701	54.528	ng	100
81) Benzo(a)anthracene	13.933	228	610312	53.702	ng	99
82) 3,3'-Dichlorobenzidine	13.898	252	181561	51.146	ng	# 99
83) Chrysene	13.968	228	614593	54.392	ng	99
84) Bis(2-ethylhexyl)phtha...	13.927	149	378748	62.560	ng	100
85) Di-n-octyl phthalate	14.545	149	701782	72.941	ng	# 99
87) Indeno(1,2,3-cd)pyrene	16.886	276	663527	41.557	ng	99
88) Benzo(b)fluoranthene	14.986	252	725352	55.024	ng	99
89) Benzo(k)fluoranthene	15.015	252	644354	49.482	ng	99
90) Benzo(a)pyrene	15.351	252	641766	51.050	ng	99
91) Dibenzo(a,h)anthracene	16.903	278	559513	42.828	ng	99
92) Benzo(g,h,i)perylene	17.333	276	486739	35.675	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed






#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.757 min Scan# 795
 Delta R.T. -0.006 min
 Lab File: BF135316.D
 Acq: 18 Sep 2023 20:17

Instrument :
 BNA_F
 ClientSampleId :







Tgt Ion:152 Resp: 115818
 Ion Ratio Lower Upper
 152 100
 150 156.4 127.8 191.6
 115 61.7 49.8 74.8



#2
 1,4-Dioxane
 Concen: 43.954 ng
 RT: 2.681 min Scan# 101
 Delta R.T. 0.212 min
 Lab File: BF135316.D
 Acq: 18 Sep 2023 20:17


Tgt Ion: 88 Resp: 137209
 Ion Ratio Lower Upper
 88 100
 58 95.8 78.3 117.5
 43 0.0 29.4 44.0#








#3
Pyridine
Concen: 36.043 ng
RT: 3.404 min Scan# 212
Delta R.T. 0.188 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17

Instrument :
BNA_F
ClientSampleId :







Tgt Ion: 79 Resp: 302817
Ion Ratio Lower Upper
79 100
52 93.3 74.1 111.1
51 47.2 35.8 53.8



#4
n-Nitrosodimethylamine
Concen: 53.458 ng
RT: 3.334 min Scan# 212
Delta R.T. 0.147 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17

Tgt Ion: 42 Resp: 238335
Ion Ratio Lower Upper
42 100
74 100.2 87.7 131.5
44 7.1 5.6 8.4









#5
2-Fluorophenol
Concen: 126.558 ng
RT: 5.410 min Scan# 501
Delta R.T. 0.024 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:112 Resp: 901212
Ion Ratio Lower Upper
112 100
64 69.8 55.9 83.9
63 36.8 29.0 43.6



#6
Aniline
Concen: 18.751 ng
RT: 6.428 min Scan# 738
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17

Tgt Ion: 93 Resp: 222641
Ion Ratio Lower Upper
93 100
66 101.9 35.4 53.0#
65 66.3 17.8 26.8#









#7
Phenol-d6
Concen: 117.755 ng
RT: 6.410 min Scan# 734
Delta R.T. 0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17




Instrument :
BNA_F
ClientSampleId :


Tgt Ion: 99 Resp: 1066232
Ion Ratio Lower Upper
99 100
42 24.9 17.9 26.9
71 35.3 27.0 40.6



#8
2-Chlorophenol
Concen: 51.382 ng
RT: 6.551 min Scan# 759
Delta R.T. 0.000 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17


Tgt Ion:128 Resp: 390586
Ion Ratio Lower Upper
128 100
130 32.5 12.7 52.7
64 51.5 35.9 75.9








#9
Benzaldehyde
Concen: 6.199 ng
RT: 6.316 min Scan# 719
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17

Instrument :
BNA_F
ClientSampleId :







Tgt Ion: 77 Resp: 31976
Ion Ratio Lower Upper
77 100
105 103.5 81.4 121.4
106 95.8 76.9 116.9



#10
Phenol
Concen: 40.047 ng
RT: 6.422 min Scan# 737
Delta R.T. 0.000 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17

Tgt Ion: 94 Resp: 397624
Ion Ratio Lower Upper
94 100
65 37.7 15.9 55.9
66 52.2 29.8 69.8









#11
bis(2-Chloroethyl)ether
Concen: 50.018 ng
RT: 6.504 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17




Instrument :
BNA_F
ClientSampleId :


Tgt Ion: 93 Resp: 372521
Ion Ratio Lower Upper
93 100
63 89.8 67.3 107.3
95 33.0 12.7 52.7



#12
1,3-Dichlorobenzene
Concen: 47.218 ng
RT: 6.698 min Scan# 784
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17

Tgt Ion:146 Resp: 364780
Ion Ratio Lower Upper
146 100
148 62.9 51.3 76.9
75 35.9 27.4 41.2





#13

1,4-Dichlorobenzene

Concen: 47.471 ng

RT: 6.775 min Scan# 798

Delta R.T. -0.006 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:146 Resp: 373113

Ion Ratio Lower Upper

146 100

148 62.7 51.3 76.9

111 44.3 35.1 52.7



#14

1,2-Dichlorobenzene

Concen: 48.114 ng

RT: 6.928 min Scan# 823

Delta R.T. -0.006 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17




Tgt Ion:146 Resp: 351191


Ion Ratio Lower Upper

146 100

148 63.9 49.7 74.5


111 45.4 37.4 56.2








#15
Benzyl Alcohol
Concen: 52.426 ng
RT: 6.910 min Scan# 81
Delta R.T. 0.000 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17

Instrument :
BNA_F
ClientSampleId :







Tgt Ion: 79 Resp: 340640
Ion Ratio Lower Upper
79 100
108 81.1 61.2 91.8
77 61.6 50.5 75.7



#16
2,2'-oxybis(1-Chloropropane)
Concen: 50.965 ng
RT: 7.039 min Scan# 842
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17


Tgt Ion: 45 Resp: 715460
Ion Ratio Lower Upper
45 100
77 12.7 0.0 30.6
79 10.2 0.0 28.3








#17
2-Methylphenol
Concen: 44.537 ng
RT: 7.022 min Scan# 81
Delta R.T. 0.000 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17


Instrument :
BNA_F
ClientSampleId :





Tgt Ion:107 Resp: 298760
Ion Ratio Lower Upper
107 100
108 116.9 92.0 138.0
77 52.6 36.7 55.1
79 50.7 36.3 54.5




#18
Hexachloroethane
Concen: 49.388 ng
RT: 7.263 min Scan# 880
Delta R.T. -0.012 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17



Tgt Ion:117 Resp: 143431
Ion Ratio Lower Upper
117 100
119 95.2 74.7 112.1
201 89.0 81.8 122.8





#19

n-Nitroso-di-n-propylamine

Concen: 45.937 ng

RT: 7.181 min Scan# 8

Delta R.T. -0.006 min


Lab File: BF135316.D

Acq: 18 Sep 2023 20:17

Instrument :

BNA_F

ClientSampleId :



Tgt Ion: 70 Resp: 257635




Ion Ratio Lower Upper

70 100

42 76.5 55.4 83.0

101 9.1 7.7 11.5

130 19.9 17.0 25.6



#20

3+4-Methylphenols

Concen: 42.990 ng

RT: 7.175 min Scan# 865

Delta R.T. -0.006 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17

Tgt Ion: 107 Resp: 346771




Ion Ratio Lower Upper


107 100

108 90.2 74.7 114.7

77 141.3 102.0 142.0

79 29.5 11.7 51.7





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.039 min Scan# 1012

Delta R.T. -0.006 min


Lab File: BF135316.D

Acq: 18 Sep 2023 20:17

Instrument :

BNA_F

ClientSampleId :



Tgt Ion:136 Resp: 434584




Ion Ratio Lower Upper

136 100

137 11.0 8.8 13.2

54 9.5 7.7 11.5

68 5.7 4.6 6.8



#22

Acetophenone

Concen: 51.348 ng

RT: 7.169 min Scan# 864

Delta R.T. -0.012 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17

Tgt Ion:105 Resp: 510175




Ion Ratio Lower Upper


105 100

71 5.2 5.8 8.6#

51 42.7 37.0 55.4

120 21.2 17.0 25.6





#23

Nitrobenzene-d5

Concen: 99.244 ng

RT: 7.328 min Scan# 891

Delta R.T. -0.006 min


Lab File: BF135316.D

Acq: 18 Sep 2023 20:17




Instrument :

BNA_F

ClientSampleId :



Tgt Ion:	82	Resp:	793860
Ion Ratio	Lower	Upper	
82	100		
128	44.2	35.8	53.6
54	65.7	50.6	76.0



#24

Nitrobenzene

Concen: 51.997 ng




RT: 7.345 min Scan# 894


Delta R.T. -0.006 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17

Tgt Ion:	77	Resp:	411100
Ion Ratio	Lower	Upper	
77	100		
123	46.6	37.6	56.4
65	15.9	12.2	18.4









#25
Isophorone
Concen: 51.860 ng
RT: 7.586 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17




Instrument :
BNA_F
ClientSampleId :


Tgt Ion: 82 Resp: 761734
Ion Ratio Lower Upper
82 100
95 7.3 6.0 9.0
138 18.2 14.5 21.7



#26
2-Nitrophenol
Concen: 53.039 ng
RT: 7.657 min Scan# 947
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17

Tgt Ion:139 Resp: 201261
Ion Ratio Lower Upper
139 100
109 30.4 22.6 33.8
65 62.9 47.0 70.4





#27

2,4-Dimethylphenol

Concen: 47.935 ng

RT: 7.698 min Scan# 91

Delta R.T. -0.006 min


Lab File: BF135316.D

Acq: 18 Sep 2023 20:17

Instrument :

BNA_F

ClientSampleId :






Tgt Ion:122 Resp: 305737

Ion Ratio Lower Upper

122 100

107 114.5 90.2 135.4

121 57.6 46.3 69.5



#28

bis(2-Chloroethoxy)methane

Concen: 54.016 ng

RT: 7.792 min Scan# 970

Delta R.T. -0.006 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17




Tgt Ion: 93 Resp: 474875


Ion Ratio Lower Upper

93 100

95 32.5 26.2 39.2


123 11.6 8.8 13.2








#29
2,4-Dichlorophenol
Concen: 52.896 ng
RT: 7.904 min Scan# 989
Delta R.T. 0.000 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17


Instrument :
BNA_F
ClientSampleId :





Tgt Ion:162 Resp: 312625
Ion Ratio Lower Upper
162 100
164 62.9 44.1 84.1
98 36.8 20.3 60.3




#30
1,2,4-Trichlorobenzene
Concen: 52.064 ng
RT: 7.980 min Scan# 1002
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17



Tgt Ion:180 Resp: 321622
Ion Ratio Lower Upper
180 100
182 94.4 76.9 115.3
145 30.8 24.5 36.7





#31

Naphthalene

Concen: 51.070 ng

RT: 8.063 min Scan# 1016

Delta R.T. -0.006 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:128 Resp: 1078358

Ion Ratio Lower Upper

128 100

129 11.1 8.7 13.1

127 13.3 10.7 16.1



#32

Benzoic acid

Concen: 51.772 ng

RT: 7.845 min Scan# 979

Delta R.T. 0.012 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17




Tgt Ion:122 Resp: 248655


Ion Ratio Lower Upper

122 100

105 125.9 99.9 139.9

77 91.5 70.0 110.0









#33
4-Chloroaniline
Concen: 14.038 ng
RT: 8.110 min Scan# 1024
Delta R.T. -0.012 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:	127	Resp:	130047
Ion	Ratio	Lower	Upper
127	100		
129	30.0	25.8	38.8
65	34.0	26.6	39.8
92	18.1	15.4	23.2



#34
Hexachlorobutadiene
Concen: 49.484 ng
RT: 8.175 min Scan# 1035
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17


Tgt Ion:	225	Resp:	184321
Ion	Ratio	Lower	Upper
225	100		
223	63.2	50.6	75.8
227	64.6	50.8	76.2








#35
Caprolactam
Concen: 29.363 ng
RT: 8.492 min Scan# 1089
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:113 Resp: 58242
Ion Ratio Lower Upper
113 100
55 236.4 199.3 239.3
56 165.6 146.3 186.3



#36
4-Chloro-3-methylphenol
Concen: 52.276 ng
RT: 8.610 min Scan# 1109
Delta R.T. 0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17

Tgt Ion:107 Resp: 343385
Ion Ratio Lower Upper
107 100
144 24.7 19.0 28.4
142 77.5 60.2 90.2





#37

2-Methylnaphthalene

Concen: 48.302 ng

RT: 8.751 min Scan# 1134

Delta R.T. -0.006 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17

Instrument :

BNA_F





ClientSampleId :

Tgt Ion:142 Resp: 685571

Ion Ratio Lower Upper

142 100

141 87.7 71.0 106.6



#38

1-Methylnaphthalene

Concen: 49.620 ng

RT: 8.851 min Scan# 1150

Delta R.T. -0.006 min

Lab File: BF135316.D




Acq: 18 Sep 2023 20:17


Tgt Ion:142 Resp: 659380

Ion Ratio Lower Upper

142 100


141 91.1 72.4 108.6








#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.798 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17


Instrument :
BNA_F
ClientSampleId :





Tgt Ion:164 Resp: 210660
Ion Ratio Lower Upper
164 100
162 102.1 81.0 121.4
160 47.2 37.0 55.4




#40
1,2,4,5-Tetrachlorobenzene
Concen: 53.837 ng
RT: 8.916 min Scan# 1161
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17



Tgt Ion:216 Resp: 328568
Ion Ratio Lower Upper
216 100
214 79.6 63.7 95.5
179 20.4 16.7 25.1
108 20.1 14.9 22.3









#41
Hexachlorocyclopentadiene
Concen: 78.149 ng
RT: 8.904 min Scan# 1159
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:237 Resp: 209648
Ion Ratio Lower Upper
237 100
235 62.4 41.8 81.8
272 13.3 0.0 33.6



#42
2,4,6-Tribromophenol
Concen: 131.025 ng
RT: 10.592 min Scan# 1446
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17

Tgt Ion:330 Resp: 274294
Ion Ratio Lower Upper
330 100
332 96.2 77.3 115.9
141 34.1 25.8 38.8





#43

2,4,6-Trichlorophenol

Concen: 56.051 ng

RT: 9.033 min Scan# 1181

Delta R.T. -0.006 min


Lab File: BF135316.D

Acq: 18 Sep 2023 20:17

Instrument :

BNA_F

ClientSampleId :






Tgt Ion:196 Resp: 223975

Ion Ratio Lower Upper

196 100

198 94.0 77.0 115.6

200 29.7 24.5 36.7



#44

2,4,5-Trichlorophenol

Concen: 51.124 ng

RT: 9.086 min Scan# 1190

Delta R.T. 0.006 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17

Tgt Ion:196 Resp: 235257




Ion Ratio Lower Upper


196 100

198 96.6 77.5 116.3

97 52.5 40.5 60.7

132 29.3 23.3 34.9





#45

2-Fluorobiphenyl

Concen: 97.117 ng

RT: 9.122 min Scan# 1196

Delta R.T. -0.006 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:172 Resp: 1356022

Ion Ratio Lower Upper

172 100

171 34.9 28.4 42.6

170 23.8 19.0 28.4



#46

1,1'-Biphenyl

Concen: 53.529 ng

RT: 9.222 min Scan# 1213

Delta R.T. -0.006 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17




Tgt Ion:154 Resp: 866575


Ion Ratio Lower Upper

154 100

153 40.2 19.6 59.6

76 11.2 0.0 31.0





#47

2-Chloronaphthalene

Concen: 55.354 ng

RT: 9.245 min Scan# 1217

Delta R.T. -0.006 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:162 Resp: 650191

Ion Ratio Lower Upper

162 100

127 42.4 32.6 48.8

164 33.6 26.2 39.2



#48

2-Nitroaniline

Concen: 55.374 ng

RT: 9.345 min Scan# 1234

Delta R.T. -0.006 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17




Tgt Ion: 65 Resp: 252688


Ion Ratio Lower Upper

65 100

92 59.9 49.4 74.0

138 89.2 77.4 116.0









#49
Acenaphthylene
Concen: 54.425 ng
RT: 9.657 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:152 Resp: 1062432
Ion Ratio Lower Upper
152 100
151 20.6 16.4 24.6
153 13.3 10.4 15.6



#50
Dimethylphthalate
Concen: 53.680 ng
RT: 9.527 min Scan# 1265
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17


Tgt Ion:163 Resp: 764556
Ion Ratio Lower Upper
163 100
194 4.0 3.1 4.7
164 10.5 8.1 12.1








#51
2,6-Dinitrotoluene
Concen: 52.860 ng
RT: 9.592 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17


Instrument :
BNA_F
ClientSampleId :





Tgt Ion:165 Resp: 164931
Ion Ratio Lower Upper
165 100
63 68.8 59.4 89.2
89 59.8 49.8 74.8




#52
Acenaphthene
Concen: 53.471 ng
RT: 9.833 min Scan# 1317
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17



Tgt Ion:154 Resp: 616619
Ion Ratio Lower Upper
154 100
153 111.4 92.1 138.1
152 53.0 43.1 64.7









#53
3-Nitroaniline
Concen: 29.767 ng
RT: 9.757 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:138 Resp: 109020
Ion Ratio Lower Upper
138 100
108 10.6 8.5 12.7
92 120.9 95.4 143.0



#54
2,4-Dinitrophenol
Concen: 92.785 ng
RT: 9.874 min Scan# 1324
Delta R.T. 0.000 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17

Tgt Ion:184 Resp: 166265
Ion Ratio Lower Upper
184 100
63 78.2 55.1 82.7
154 62.7 48.4 72.6









#55
Dibenzenofuran
Concen: 50.842 ng
RT: 10.004 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:168 Resp: 894691
Ion Ratio Lower Upper
168 100
139 38.7 29.0 43.6
169 13.9 10.4 15.6



#56
4-Nitrophenol
Concen: 87.812 ng
RT: 9.939 min Scan# 1335
Delta R.T. 0.012 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17


Tgt Ion:139 Resp: 204400
Ion Ratio Lower Upper
139 100
109 71.9 49.8 89.8
65 111.8 92.7 132.7








#57
2,4-Dinitrotoluene
Concen: 49.935 ng
RT: 9.998 min Scan# 1345
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:165 Resp: 195052
Ion Ratio Lower Upper
165 100
63 76.4 50.1 75.1#
89 88.5 59.3 88.9
182 2.7 2.3 3.5



#58
Fluorene
Concen: 51.426 ng
RT: 10.351 min Scan# 1405
Delta R.T. 0.000 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17

Tgt Ion:166 Resp: 695708
Ion Ratio Lower Upper
166 100
165 91.9 74.3 111.5
167 13.2 10.9 16.3









#59
2,3,4,6-Tetrachlorophenol
Concen: 53.793 ng
RT: 10.127 min Scan# 1367
Delta R.T. 0.000 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:232 Resp: 190419
Ion Ratio Lower Upper
232 100
131 44.7 35.4 53.2
130 2.4 1.8 2.8
166 29.3 24.3 36.5



#60
Diethylphthalate
Concen: 53.218 ng
RT: 10.227 min Scan# 1384
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17

Tgt Ion:149 Resp: 760696
Ion Ratio Lower Upper
149 100
177 21.4 17.8 26.6
150 12.8 10.0 15.0









#61
4-Chlorophenyl-phenylether
Concen: 50.176 ng
RT: 10.339 min Scan# 1403
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:204 Resp: 326073
Ion Ratio Lower Upper
204 100
206 32.4 26.7 40.1
141 64.2 50.6 75.8



#62
4-Nitroaniline
Concen: 47.159 ng
RT: 10.380 min Scan# 1410
Delta R.T. 0.000 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17

Tgt Ion:138 Resp: 166027
Ion Ratio Lower Upper
138 100
92 51.8 31.8 71.8
108 75.0 52.0 92.0





#63

Azobenzene

Concen: 52.711 ng

RT: 10.504 min Scan# 1432

Delta R.T. -0.006 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17

Instrument :

BNA_F

ClientSampleId :

Tgt Ion: 77 Resp: 737391





Ion Ratio Lower Upper

77 100

182 25.0 6.4 46.4

105 22.6 3.1 43.1

51 38.5 16.1 56.1



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.286 min Scan# 1564

Delta R.T. -0.006 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17




Tgt Ion:188 Resp: 363910


Ion Ratio Lower Upper

188 100

94 9.5 7.0 10.6

80 9.8 7.5 11.3









#65
4,6-Dinitro-2-methylphenol
Concen: 53.124 ng
RT: 10.410 min Scan# 1415
Delta R.T. -0.000 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:198 Resp: 102681
Ion Ratio Lower Upper
198 100
51 68.1 47.7 87.7
105 50.1 27.4 67.4



#66
n-Nitrosodiphenylamine
Concen: 58.449 ng
RT: 10.463 min Scan# 1424
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17

Tgt Ion:169 Resp: 643942
Ion Ratio Lower Upper
169 100
168 65.9 52.8 79.2
167 35.7 29.0 43.6









#67
4-Bromophenyl-phenylether
Concen: 56.646 ng
RT: 10.833 min Scan# 1488
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:248 Resp: 205020
Ion Ratio Lower Upper
248 100
250 96.4 78.6 117.8
141 69.9 54.2 81.2



#68
Hexachlorobenzene
Concen: 57.151 ng
RT: 10.898 min Scan# 1498
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17

Tgt Ion:284 Resp: 210734
Ion Ratio Lower Upper
284 100
142 31.1 22.2 33.4
249 29.6 22.5 33.7





#69

Atrazine

Concen: 60.823 ng

RT: 10.998 min Scan# 1515

Delta R.T. 0.000 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:200 Resp: 180305

Ion Ratio Lower Upper

200 100

173 27.7 7.4 47.4

215 48.8 28.6 68.6



#70

Pentachlorophenol

Concen: 94.493 ng

RT: 11.098 min Scan# 1532

Delta R.T. 0.000 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17




Tgt Ion:266 Resp: 208461


Ion Ratio Lower Upper

266 100

268 61.3 52.1 78.1

264 62.0 50.8 76.2









#71
Phenanthrene
Concen: 53.252 ng
RT: 11.316 min Scan# 1569
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:178 Resp: 916548
Ion Ratio Lower Upper
178 100
176 20.0 15.6 23.4
179 15.7 12.0 18.0



#72
Anthracene
Concen: 52.796 ng
RT: 11.368 min Scan# 1578
Delta R.T. 0.000 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17

Tgt Ion:178 Resp: 934035
Ion Ratio Lower Upper
178 100
176 18.8 15.4 23.2
179 15.0 12.6 19.0





#73

Carbazole

Concen: 50.850 ng

RT: 11.527 min Scan# 1605

Delta R.T. 0.000 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:167 Resp: 818934

Ion Ratio Lower Upper

167 100

166 21.6 17.4 26.0

139 12.3 10.6 15.8



#74

Di-n-butylphthalate

Concen: 56.163 ng

RT: 11.857 min Scan# 1661

Delta R.T. -0.006 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17




Tgt Ion:149 Resp: 1065807


Ion Ratio Lower Upper

149 100

150 9.5 7.4 11.0


104 5.2 3.6 5.4








#75
Fluoranthene
Concen: 45.008 ng
RT: 12.504 min Scan# 1772
Delta R.T. -0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17


Instrument :
BNA_F
ClientSampleId :





Tgt Ion:202 Resp: 807180
Ion Ratio Lower Upper
202 100
101 11.6 0.0 31.3
203 17.9 0.0 37.4




#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.945 min Scan# 2016
Delta R.T. 0.000 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17



Tgt Ion:240 Resp: 176001
Ion Ratio Lower Upper
240 100
120 10.8 9.4 14.2
236 26.1 19.8 29.8





#77

Benzidine

Concen: 20.368 ng

RT: 12.633 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:184 Resp: 73440

Ion Ratio Lower Upper

184 100

185 14.9 11.7 17.5

183 10.5 8.2 12.4



#78

Pyrene

Concen: 47.093 ng

RT: 12.739 min Scan# 1811

Delta R.T. 0.000 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17




Tgt Ion:202 Resp: 789116


Ion Ratio Lower Upper

202 100

200 20.1 16.2 24.2

203 17.4 14.2 21.4





#79

Terphenyl-d14

Concen: 86.712 ng

RT: 12.880 min Scan# 11

Delta R.T. -0.012 min


Lab File: BF135316.D

Acq: 18 Sep 2023 20:17

Instrument :

BNA_F

ClientSampleId :






Tgt Ion:244 Resp: 984487

Ion Ratio Lower Upper

244 100

212 7.1 5.1 7.7

122 12.1 7.9 11.9#



#80

Butylbenzylphthalate

Concen: 54.528 ng

RT: 13.362 min Scan# 1917

Delta R.T. -0.006 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17




Tgt Ion:149 Resp: 321701


Ion Ratio Lower Upper

149 100

91 68.2 54.7 82.1

206 19.8 16.3 24.5





#81

Benzo(a)anthracene

Concen: 53.702 ng

RT: 13.933 min Scan# 2015

Delta R.T. -0.006 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:228 Resp: 610312

Ion Ratio Lower Upper

228 100

226 27.8 21.7 32.5

229 20.6 15.8 23.8



#82

3,3'-Dichlorobenzidine

Concen: 51.146 ng

RT: 13.898 min Scan# 2008

Delta R.T. -0.006 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17




Tgt Ion:252 Resp: 181561


Ion Ratio Lower Upper

252 100

254 63.8 51.0 76.4

126 12.7 7.8 11.8#





#83

Chrysene

Concen: 54.392 ng

RT: 13.968 min Scan# 2013

Delta R.T. -0.006 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:228 Resp: 614593

Ion Ratio Lower Upper

228 100

226 30.9 24.3 36.5

229 19.4 16.0 24.0



#84

Bis(2-ethylhexyl)phthalate

Concen: 62.560 ng

RT: 13.927 min Scan# 2013

Delta R.T. -0.006 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17




Tgt Ion:149 Resp: 378748


Ion Ratio Lower Upper

149 100

167 27.5 21.9 32.9

279 4.0 3.3 4.9





#85

Di-n-octyl phthalate

Concen: 72.941 ng

RT: 14.545 min Scan# 2118

Delta R.T. -0.006 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:149 Resp: 701782

Ion Ratio Lower Upper

149 100

167 1.7 1.1 1.7#

43 12.5 9.8 14.6



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.404 min Scan# 2264

Delta R.T. -0.006 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17




Tgt Ion:264 Resp: 243518


Ion Ratio Lower Upper

264 100

260 23.8 19.8 29.6

265 21.3 17.0 25.4





#87

Indeno(1,2,3-cd)pyrene

Concen: 41.557 ng

RT: 16.886 min Scan# 2515

Delta R.T. 0.006 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:276 Resp: 663527

Ion Ratio Lower Upper

276 100

138 24.7 19.2 28.8

277 24.8 19.7 29.5



#88

Benzo(b)fluoranthene

Concen: 55.024 ng

RT: 14.986 min Scan# 2193

Delta R.T. 0.000 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17




Tgt Ion:252 Resp: 725352


Ion Ratio Lower Upper

252 100

253 21.0 17.2 25.8

125 9.1 7.1 10.7





#89

Benzo(k)fluoranthene

Concen: 49.482 ng

RT: 15.015 min Scan# 2198

Delta R.T. 0.000 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:252 Resp: 644354

Ion Ratio Lower Upper

252 100

253 22.0 17.4 26.0

125 9.2 7.2 10.8



#90

Benzo(a)pyrene

Concen: 51.050 ng

RT: 15.351 min Scan# 2255

Delta R.T. 0.006 min

Lab File: BF135316.D

Acq: 18 Sep 2023 20:17




Tgt Ion:252 Resp: 641766


Ion Ratio Lower Upper

252 100

253 21.9 17.5 26.3


125 10.6 9.2 13.8








#91
Dibenzo(a,h)anthracene
Concen: 42.828 ng
RT: 16.903 min Scan# 2518
Delta R.T. 0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17


Instrument :
BNA_F
ClientSampleId :



Tgt Ion:278 Resp: 559513
Ion Ratio Lower Upper
278 100
139 15.7 13.4 20.0
279 23.5 19.0 28.6



#92
Benzo(g,h,i)perylene
Concen: 35.675 ng
RT: 17.333 min Scan# 2592
Delta R.T. 0.006 min
Lab File: BF135316.D
Acq: 18 Sep 2023 20:17



Tgt Ion:276 Resp: 486739
Ion Ratio Lower Upper
276 100
277 23.3 18.8 28.2
138 22.1 16.9 25.3

