

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF091823\
 Data File : BF135324.D
 Acq On : 19 Sep 2023 00:28
 Operator : CG\JU
 Sample : 04424-01 10X
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Sep 19 00:53:00 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 12 00:19:07 2023
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.757	152	106615	20.000	ng	0.00
21) Naphthalene-d8	8.034	136	382406	20.000	ng	-0.01
39) Acenaphthene-d10	9.792	164	157735	20.000	ng	-0.01
64) Phenanthrene-d10	11.286	188	253356	20.000	ng	0.00
76) Chrysene-d12	13.945	240	200432	20.000	ng	0.00
86) Perylene-d12	15.410	264	166804	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.381	112	91479	13.955	ng	0.00
7) Phenol-d6	6.392	99	113529	13.620	ng	-0.01
23) Nitrobenzene-d5	7.316	82	64279	9.132	ng	-0.02
42) 2,4,6-Tribromophenol	10.586	330	16834	10.739	ng	-0.01
45) 2-Fluorobiphenyl	9.110	172	118973	11.380	ng	-0.02
79) Terphenyl-d14	12.874	244	94986	7.346	ng	-0.02
Target Compounds						
						Qvalue
25) Isophorone	7.316	82	64279	4.973	ng	# 65
50) Dimethylphthalate	9.792	163	32007	3.001	ng	# 1
51) 2,6-Dinitrotoluene	9.792	165	21020	8.997	ng	# 18
52) Acenaphthene	9.822	154	27830	3.223	ng	98
55) Dibenzofuran	9.998	168	30292	2.299	ng	# 95
56) 4-Nitrophenol	9.998	139	11721	6.725	ng	# 5
58) Fluorene	10.339	166	56954	5.623	ng	93
71) Phenanthrene	11.310	178	450855	37.626	ng	99
72) Anthracene	11.357	178	144824	11.758	ng	99
75) Fluoranthene	12.504	202	867787	69.502	ng	100
78) Pyrene	12.739	202	819777	42.959	ng	100
81) Benzo(a)anthracene	13.933	228	431028	33.303	ng	99
83) Chrysene	13.968	228	338782	26.328	ng	97
87) Indeno(1,2,3-cd)pyrene	16.880	276	103885	9.499	ng	98
88) Benzo(b)fluoranthene	14.986	252	473275	52.413	ng	# 96
89) Benzo(k)fluoranthene	14.986	252	473275	53.059	ng	# 96
90) Benzo(a)pyrene	15.345	252	234501	27.233	ng	97
91) Dibenzo(a,h)anthracene	16.892	278	29135	3.256	ng	# 92
92) Benzo(g,h,i)perylene	17.333	276	100120	10.713	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF091823\
Data File : BF135324.D
Acq On : 19 Sep 2023 00:28
Operator : CG\JU
Sample : 04424-01 10X
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :


Quant Time: Sep 19 00:53:00 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 12 00:19:07 2023
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.757 min Scan# 795
 Delta R.T. -0.006 min
 Lab File: BF135324.D
 Acq: 19 Sep 2023 00:28

Instrument :
 BNA_F
 ClientSampleId :







Tgt Ion:152 Resp: 106615
 Ion Ratio Lower Upper
 152 100
 150 157.7 127.8 191.6
 115 58.6 49.8 74.8



#5
 2-Fluorophenol
 Concen: 13.955 ng
 RT: 5.381 min Scan# 560
 Delta R.T. -0.006 min
 Lab File: BF135324.D
 Acq: 19 Sep 2023 00:28

Tgt Ion:112 Resp: 91479
 Ion Ratio Lower Upper
 112 100
 64 65.2 55.9 83.9
 63 34.2 29.0 43.6





#7

Phenol-d6

Concen: 13.620 ng

RT: 6.392 min Scan# 71

Delta R.T. -0.012 min

Lab File: BF135324.D

Acq: 19 Sep 2023 00:28

Instrument :

BNA_F

ClientSampleId :





Tgt Ion: 99 Resp: 113529

Ion Ratio Lower Upper

99 100

42 23.4 17.9 26.9

71 32.0 27.0 40.6



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.034 min Scan# 1011

Delta R.T. -0.012 min

Lab File: BF135324.D

Acq: 19 Sep 2023 00:28

Tgt Ion:136 Resp: 382406




Ion Ratio Lower Upper


136 100

137 11.3 8.8 13.2

54 10.3 7.7 11.5

68 6.0 4.6 6.8





#23

Nitrobenzene-d5

Concen: 9.132 ng

RT: 7.316 min Scan# 889

Delta R.T. -0.018 min


Lab File: BF135324.D

Acq: 19 Sep 2023 00:28

Instrument :

BNA_F

ClientSampleId :






Tgt Ion: 82 Resp: 64279

Ion Ratio Lower Upper

82 100

128 44.2 35.8 53.6

54 64.4 50.6 76.0



#25

Isophorone

Concen: 4.973 ng

RT: 7.316 min Scan# 889

Delta R.T. -0.276 min

Lab File: BF135324.D

Acq: 19 Sep 2023 00:28




Tgt Ion: 82 Resp: 64279


Ion Ratio Lower Upper

82 100

95 0.0 6.0 9.0#

138 0.0 14.5 21.7#





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.792 min Scan# 11

Delta R.T. -0.012 min


Lab File: BF135324.D

Acq: 19 Sep 2023 00:28

Instrument :

BNA_F

ClientSampleId :






Tgt Ion:164 Resp: 157735

Ion Ratio Lower Upper

164 100

162 103.5 81.0 121.4

160 46.7 37.0 55.4



#42

2,4,6-Tribromophenol

Concen: 10.739 ng

RT: 10.586 min Scan# 1445

Delta R.T. -0.012 min

Lab File: BF135324.D

Acq: 19 Sep 2023 00:28




Tgt Ion:330 Resp: 16834


Ion Ratio Lower Upper

330 100

332 98.2 77.3 115.9

141 43.1 25.8 38.8#





#45

2-Fluorobiphenyl

Concen: 11.380 ng

RT: 9.110 min Scan# 1197

Delta R.T. -0.018 min


Lab File: BF135324.D

Acq: 19 Sep 2023 00:28

Instrument :

BNA_F

ClientSampleId :






Tgt Ion:172 Resp: 118973

Ion Ratio Lower Upper

172 100

171 34.2 28.4 42.6

170 22.1 19.0 28.4



#50

Dimethylphthalate

Concen: 3.001 ng

RT: 9.792 min Scan# 1310

Delta R.T. 0.259 min

Lab File: BF135324.D

Acq: 19 Sep 2023 00:28




Tgt Ion:163 Resp: 32007


Ion Ratio Lower Upper

163 100

194 0.0 3.1 4.7#

164 486.8 8.1 12.1#









#51
2,6-Dinitrotoluene
Concen: 8.997 ng
RT: 9.792 min Scan# 11
Delta R.T. 0.200 min
Lab File: BF135324.D
Acq: 19 Sep 2023 00:28




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:165 Resp: 21020
Ion Ratio Lower Upper
165 100
63 1.9 59.4 89.2#
89 1.4 49.8 74.8#



#52
Acenaphthene
Concen: 3.223 ng
RT: 9.822 min Scan# 1315
Delta R.T. -0.017 min
Lab File: BF135324.D
Acq: 19 Sep 2023 00:28


Tgt Ion:154 Resp: 27830
Ion Ratio Lower Upper
154 100
153 112.7 92.1 138.1
152 53.7 43.1 64.7








#55
Dibenzenofuran
Concen: 2.299 ng
RT: 9.998 min Scan# 1345
Delta R.T. -0.012 min
Lab File: BF135324.D
Acq: 19 Sep 2023 00:28


Instrument :
BNA_F
ClientSampleId :





Tgt Ion:168 Resp: 30292
Ion Ratio Lower Upper
168 100
139 38.4 29.0 43.6
169 16.1 10.4 15.6#




#56
4-Nitrophenol
Concen: 6.725 ng
RT: 9.998 min Scan# 1345
Delta R.T. 0.071 min
Lab File: BF135324.D
Acq: 19 Sep 2023 00:28




Tgt Ion:139 Resp: 11721
Ion Ratio Lower Upper
139 100
109 2.0 49.8 89.8#
65 2.2 92.7 132.7#








#58
Fluorene
Concen: 5.623 ng
RT: 10.339 min Scan# 1403
Delta R.T. -0.012 min
Lab File: BF135324.D
Acq: 19 Sep 2023 00:28

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:166 Resp: 56954
Ion Ratio Lower Upper
166 100
165 85.5 74.3 111.5
167 12.7 10.9 16.3



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.286 min Scan# 1564
Delta R.T. -0.006 min
Lab File: BF135324.D
Acq: 19 Sep 2023 00:28

Tgt Ion:188 Resp: 253356
Ion Ratio Lower Upper
188 100
94 8.2 7.0 10.6
80 8.4 7.5 11.3









#71
Phenanthrene
Concen: 37.626 ng
RT: 11.310 min Scan# 1568
Delta R.T. -0.012 min
Lab File: BF135324.D
Acq: 19 Sep 2023 00:28




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:178 Resp: 450855
Ion Ratio Lower Upper
178 100
176 19.0 15.6 23.4
179 15.2 12.0 18.0



#72
Anthracene
Concen: 11.758 ng
RT: 11.357 min Scan# 1576
Delta R.T. -0.012 min
Lab File: BF135324.D
Acq: 19 Sep 2023 00:28

Tgt Ion:178 Resp: 144824
Ion Ratio Lower Upper
178 100
176 18.3 15.4 23.2
179 15.7 12.6 19.0









#75
Fluoranthene
Concen: 69.502 ng
RT: 12.504 min Scan# 1771
Delta R.T. -0.006 min
Lab File: BF135324.D
Acq: 19 Sep 2023 00:28




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:202 Resp: 867787
Ion Ratio Lower Upper
202 100
101 11.4 0.0 31.3
203 17.5 0.0 37.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.945 min Scan# 2016
Delta R.T. 0.000 min
Lab File: BF135324.D
Acq: 19 Sep 2023 00:28

Tgt Ion:240 Resp: 200432
Ion Ratio Lower Upper
240 100
120 10.6 9.4 14.2
236 25.1 19.8 29.8





#78

Pyrene

Concen: 42.959 ng

RT: 12.739 min Scan# 1811

Delta R.T. 0.000 min

Lab File: BF135324.D

Acq: 19 Sep 2023 00:28

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:202 Resp: 819777

Ion Ratio Lower Upper

202 100

200 20.5 16.2 24.2

203 17.9 14.2 21.4



#79

Terphenyl-d14

Concen: 7.346 ng

RT: 12.874 min Scan# 1834

Delta R.T. -0.018 min

Lab File: BF135324.D

Acq: 19 Sep 2023 00:28




Tgt Ion:244 Resp: 94986


Ion Ratio Lower Upper

244 100

212 6.9 5.1 7.7

122 13.2 7.9 11.9#









#81
Benzo(a)anthracene
Concen: 33.303 ng
RT: 13.933 min Scan# 20
Delta R.T. -0.006 min
Lab File: BF135324.D
Acq: 19 Sep 2023 00:28




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:228 Resp: 431028
Ion Ratio Lower Upper
228 100
226 28.2 21.7 32.5
229 19.9 15.8 23.8



#83
Chrysene
Concen: 26.328 ng
RT: 13.968 min Scan# 2020
Delta R.T. -0.006 min
Lab File: BF135324.D
Acq: 19 Sep 2023 00:28

Tgt Ion:228 Resp: 338782
Ion Ratio Lower Upper
228 100
226 30.2 24.3 36.5
229 23.1 16.0 24.0





#86

Perylene-d12

Concen: 20.000 ng

RT: 15.410 min Scan# 21

Delta R.T. 0.000 min

Lab File: BF135324.D

Acq: 19 Sep 2023 00:28

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:264 Resp: 166804

Ion Ratio Lower Upper

264 100

260 23.7 19.8 29.6

265 23.8 17.0 25.4



#87

Indeno(1,2,3-cd)pyrene

Concen: 9.499 ng

RT: 16.880 min Scan# 2515

Delta R.T. 0.000 min

Lab File: BF135324.D

Acq: 19 Sep 2023 00:28




Tgt Ion:276 Resp: 103885


Ion Ratio Lower Upper

276 100

138 23.0 19.2 28.8

277 25.7 19.7 29.5









#88
Benzo(b)fluoranthene
Concen: 52.413 ng
RT: 14.986 min Scan# 2193
Delta R.T. 0.000 min
Lab File: BF135324.D
Acq: 19 Sep 2023 00:28




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:252 Resp: 473275
Ion Ratio Lower Upper
252 100
253 22.6 17.2 25.8
125 12.2 7.1 10.7#



#89
Benzo(k)fluoranthene
Concen: 53.059 ng
RT: 14.986 min Scan# 2193
Delta R.T. -0.029 min
Lab File: BF135324.D
Acq: 19 Sep 2023 00:28

Tgt Ion:252 Resp: 473275
Ion Ratio Lower Upper
252 100
253 22.6 17.4 26.0
125 12.2 7.2 10.8#





#90

Benzo(a)pyrene

Concen: 27.233 ng

RT: 15.345 min Scan# 21

Delta R.T. 0.000 min

Lab File: BF135324.D

Acq: 19 Sep 2023 00:28

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:252 Resp: 234501

Ion Ratio Lower Upper

252 100

253 23.5 17.5 26.3

125 12.1 9.2 13.8



#91

Dibenzo(a,h)anthracene

Concen: 3.256 ng

RT: 16.892 min Scan# 2517

Delta R.T. -0.006 min

Lab File: BF135324.D

Acq: 19 Sep 2023 00:28




Tgt Ion:278 Resp: 29135


Ion Ratio Lower Upper

278 100

139 20.2 13.4 20.0#


279 28.0 19.0 28.6





#92
 Benzo(g,h,i)perylene
 Concen: 10.713 ng
 RT: 17.333 min Scan# 21
 Delta R.T. 0.006 min
 Lab File: BF135324.D
 Acq: 19 Sep 2023 00:28

Instrument :
 BNA_F
 ClientSampleId :



Tgt Ion:276 Resp: 100120
 Ion Ratio Lower Upper
 276 100
 277 22.3 18.8 28.2
 138 20.0 16.9 25.3

