

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF092018\
 Data File : BF109186.D
 Acq On : 20 Sep 2018 17:19
 Operator : JU/SJ
 Sample : J5001-02 10X
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 BS-OILY-STONE

Quant Time: Sep 20 17:48:00 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF091418.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 14 13:26:52 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.72	152	78763	20.00	ng	0.00
21) Naphthalene-d8	8.00	136	335856	20.00	ng	0.00
38) Acenaphthene-d10	9.75	164	180285	20.00	ng	0.00
63) Phenanthrene-d10	11.22	188	316418	20.00	ng	0.00
75) Chrysene-d12	13.85	240	157973	20.00	ng	-0.01
86) Perylene-d12	15.25	264	217913	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.32	112	37974	8.01	ng	0.00
7) Phenol-d6	6.34	99	53665	8.78	ng	-0.02
23) Nitrobenzene-d5	7.27	82	31094	5.19	ng	-0.02
41) 2,4,6-Tribromophenol	10.53	330	13507	6.90	ng	-0.01
44) 2-Fluorobiphenyl	9.07	172	69996	6.08	ng	-0.01
78) Terphenyl-d14	12.81	244	87995	13.20	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF092018\
Data File : BF109186.D
Acq On : 20 Sep 2018 17:19
Operator : JU/SJ
Sample : J5001-02 10X
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
BS-OILY-STONE

Quant Time: Sep 20 17:48:00 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF091418.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 14 13:26:52 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.72 min Scan# 745
Delta R.T. -0.01 min
Lab File: BF109186.D
Acq: 20 Sep 2018 17:19

Instrument :
BNA_F
ClientSampleId :
BS-OILY-STONE

Tot Ion:152 Resp: 78763
Ion Ratio Lower Upper
152 100
150 158.3 124.6 186.8
115 66.4 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 8.008 ng
RT: 5.32 min Scan# 507
Delta R.T. -0.01 min
Lab File: BF109186.D
Acq: 20 Sep 2018 17:19

Tgt Ion:112 Resp: 37974
Ion Ratio Lower Upper
112 100
64 60.1 47.9 71.9
63 32.1 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 8.776 ng

RT: 6.34 min Scan# 681

Delta R.T. -0.02 min

Lab File: BF109186.D

Acq: 20 Sep 2018 17:19

Instrument :

BNA_F

ClientSampleId :

BS-OILY-STONE


Tot Ion: 99 Resp: 53665

Ion Ratio Lower Upper




99 100

42 20.2 14.5 21.7

71 35.4 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.00 min Scan# 963

Delta R.T. -0.01 min

Lab File: BF109186.D

Acq: 20 Sep 2018 17:19

Tgt Ion: 136 Resp: 335856


Ion Ratio Lower Upper

136 100



137 10.5 8.9 13.3


54 7.5 6.6 9.8

68 5.9 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 5.193 ng
 RT: 7.27 min Scan# 839
 Delta R.T. -0.02 min
 Lab File: BF109186.D
 Acq: 20 Sep 2018 17:19




Instrument :
 BNA_F
 ClientSampleId :
 BS-OILY-STONE


Tot Ion	Ratio	Lower	Upper
82	100		
128	38.0	36.1	54.1
54	48.5	41.4	62.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.75 min Scan# 1260
 Delta R.T. -0.01 min
 Lab File: BF109186.D
 Acq: 20 Sep 2018 17:19

Tgt Ion	Ratio	Lower	Upper
164	100		
162	102.3	86.1	129.1
160	45.2	38.3	57.5






#41
 2,4,6-Tribromophenol
 Concen: 6.903 ng
 RT: 10.53 min Scan# 1393
 Delta R.T. -0.01 min
 Lab File: BF109186.D
 Acq: 20 Sep 2018 17:19

Instrument :
 BNA_F
 ClientSampleId :
 BS-OILY-STONE

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.5	77.0	115.6
141	34.1	29.9	44.9






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44
 2-Fluorobiphenyl
 Concen: 6.083 ng
 RT: 9.07 min Scan# 1145
 Delta R.T. -0.01 min
 Lab File: BF109186.D
 Acq: 20 Sep 2018 17:19

Tgt Ion	Ratio	Lower	Upper
172	100		
171	33.5	29.7	44.5
170	22.8	19.6	29.4






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.22 min Scan# 1511
Delta R.T. -0.01 min
Lab File: BF109186.D
Acq: 20 Sep 2018 17:19




Instrument :
BNA_F
ClientSampleId :
BS-OILY-STONE


Tot Ion:188 Resp: 316418
Ion Ratio Lower Upper
188 100
94 10.2 8.5 12.7
80 11.2 9.2 13.8



#75
Chrysene-d12
Concen: 20.000 ng
RT: 13.85 min Scan# 1957
Delta R.T. -0.01 min
Lab File: BF109186.D
Acq: 20 Sep 2018 17:19

Tgt Ion:240 Resp: 157973
Ion Ratio Lower Upper
240 100
120 13.5 9.5 14.3
236 26.0 20.7 31.1





#78

Terphenyl-d14

Concen: 13.203 ng

RT: 12.81 min Scan# 1780

Delta R.T. -0.01 min

Lab File: BF109186.D

Acq: 20 Sep 2018 17:19

Instrument :

BNA_F

ClientSampleId :

BS-OILY-STONE


Tot Ion:244 Resp: 87995

Ion Ratio Lower Upper

244 100

212 6.5 5.4 8.0




122 10.3 11.0 16.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.25 min Scan# 2196

Delta R.T. -0.00 min

Lab File: BF109186.D

Acq: 20 Sep 2018 17:19


Tgt Ion:264 Resp: 217913

Ion Ratio Lower Upper

264 100

260 23.6 19.2 28.8

265 21.4 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

