

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF092018\
 Data File : BF109188.D
 Acq On : 20 Sep 2018 18:12
 Operator : JU/SJ
 Sample : J4993-06 20X
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 NS-OILY-WATER

Quant Time: Sep 20 19:28:48 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF091418.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 14 13:26:52 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.72	152	58693	20.00	ng	0.00
21) Naphthalene-d8	8.00	136	249273	20.00	ng	0.00
38) Acenaphthene-d10	9.75	164	114480	20.00	ng	0.00
63) Phenanthrene-d10	11.22	188	201836	20.00	ng	0.00
75) Chrysene-d12	13.85	240	123995	20.00	ng	-0.01
86) Perylene-d12	15.25	264	119880	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.32	112	4781	1.35	ng	0.00
7) Phenol-d6	6.35	99	4032	0.88	ng	-0.01
23) Nitrobenzene-d5	7.27	82	12302	2.77	ng	-0.02
41) 2,4,6-Tribromophenol	10.53	330	3247	2.61	ng	-0.01
44) 2-Fluorobiphenyl	9.07	172	23081	3.16	ng	-0.01
78) Terphenyl-d14	12.80	244	31571	6.04	ng	-0.01


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF092018\
Data File : BF109188.D
Acq On : 20 Sep 2018 18:12
Operator : JU/SJ
Sample : J4993-06 20X
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
NS-OILY-WATER

Quant Time: Sep 20 19:28:48 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF091418.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 14 13:26:52 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.72 min Scan# 745
Delta R.T. -0.01 min
Lab File: BF109188.D
Acq: 20 Sep 2018 18:12

Instrument :
BNA_F
ClientSampleId :
NS-OILY-WATER

Tot Ion:152 Resp: 58693
Ion Ratio Lower Upper
152 100
150 161.0 124.6 186.8
115 66.1 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 1.353 ng
RT: 5.32 min Scan# 507
Delta R.T. -0.01 min
Lab File: BF109188.D
Acq: 20 Sep 2018 18:12

Tgt Ion:112 Resp: 4781
Ion Ratio Lower Upper
112 100
64 60.2 47.9 71.9
63 28.1 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 0.885 ng

RT: 6.35 min Scan# 682

Delta R.T. -0.01 min

Lab File: BF109188.D

Acq: 20 Sep 2018 18:12

Instrument :

BNA_F

ClientSampleId :

NS-OILY-WATER


Tot Ion: 99 Resp: 4032

Ion Ratio Lower Upper




99 100

42 25.3 14.5 21.7#

71 32.9 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.00 min Scan# 963

Delta R.T. -0.01 min

Lab File: BF109188.D

Acq: 20 Sep 2018 18:12

Tgt Ion: 136 Resp: 249273


Ion Ratio Lower Upper

136 100



137 10.5 8.9 13.3


54 8.0 6.6 9.8

68 5.7 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1





#23

Nitrobenzene-d5

Concen: 2.768 ng

RT: 7.27 min Scan# 839

Delta R.T. -0.02 min

Lab File: BF109188.D

Acq: 20 Sep 2018 18:12

Instrument :

BNA_F

ClientSampleId :

NS-OILY-WATER


Tot Ion: 82 Resp: 12302

Ion Ratio Lower Upper

82 100

128 37.8 36.1 54.1




54 52.1 41.4 62.2



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): BF1

Ion 54.00 (53.70 to 54.70): BF1



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.75 min Scan# 1260

Delta R.T. -0.01 min

Lab File: BF109188.D

Acq: 20 Sep 2018 18:12


Tgt Ion: 164 Resp: 114480

Ion Ratio Lower Upper

164 100

162 101.2 86.1 129.1



160 44.3 38.3 57.5




Abundance Ion 164.00 (163.70 to 164.70): BF1

Ion 162.00 (161.70 to 162.70): BF1

Ion 160.00 (159.70 to 160.70): BF1









#41
 2,4,6-Tribromophenol
 Concen: 2.613 ng
 RT: 10.53 min Scan# 1393
 Delta R.T. -0.01 min
 Lab File: BF109188.D
 Acq: 20 Sep 2018 18:12

Instrument :
 BNA_F
 ClientSampleId :
 NS-OILY-WATER

Tot Ion:330 Resp: 3247
 Ion Ratio Lower Upper
 330 100
 332 95.6 77.0 115.6
 141 29.5 29.9 44.9#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 3.159 ng
 RT: 9.07 min Scan# 1145
 Delta R.T. -0.01 min
 Lab File: BF109188.D
 Acq: 20 Sep 2018 18:12

Tgt Ion:172 Resp: 23081
 Ion Ratio Lower Upper
 172 100
 171 34.3 29.7 44.5
 170 23.6 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.22 min Scan# 1511
 Delta R.T. -0.01 min
 Lab File: BF109188.D
 Acq: 20 Sep 2018 18:12




Instrument :
 BNA_F
 ClientSampled :
 NS-OILY-WATER


Tot Ion:188 Resp: 201836
 Ion Ratio Lower Upper
 188 100
 94 11.3 8.5 12.7
 80 12.7 9.2 13.8



#75
 Chrysene-d12
 Concen: 20.000 ng
 RT: 13.85 min Scan# 1957
 Delta R.T. -0.01 min
 Lab File: BF109188.D
 Acq: 20 Sep 2018 18:12

Tgt Ion:240 Resp: 123995
 Ion Ratio Lower Upper
 240 100
 120 13.5 9.5 14.3
 236 25.6 20.7 31.1





#78

Terphenyl-d14

Concen: 6.035 ng

RT: 12.80 min Scan# 1779

Delta R.T. -0.01 min

Lab File: BF109188.D

Acq: 20 Sep 2018 18:12

Instrument :

BNA_F

ClientSampleId :

NS-OILY-WATER





Tot Ion:244 Resp: 31571

Ion Ratio Lower Upper

244 100

212 7.4 5.4 8.0

122 14.0 11.0 16.4



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.25 min Scan# 2196

Delta R.T. -0.00 min

Lab File: BF109188.D

Acq: 20 Sep 2018 18:12

Tgt Ion:264 Resp: 119880

Ion Ratio Lower Upper

264 100

260 23.5 19.2 28.8

265 21.5 17.5 26.3

