

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092123\
 Data File : BF135385.D
 Acq On : 21 Sep 2023 17:41
 Operator : CG\JU
 Sample : 04407-02
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 306-TP-3-5-CS-2

Quant Time: Sep 22 05:58:24 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 12 00:19:07 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.757	152	147849	20.000	ng	0.00
21) Naphthalene-d8	8.034	136	530728	20.000	ng	#-0.01
39) Acenaphthene-d10	9.792	164	220267	20.000	ng	-0.01
64) Phenanthrene-d10	11.286	188	349414	20.000	ng	0.00
76) Chrysene-d12	13.939	240	271246	20.000	ng	# 0.00
86) Perylene-d12	15.410	264	212981	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.398	112	958701	105.464	ng	0.01
7) Phenol-d6	6.404	99	1200088	103.824	ng	0.00
23) Nitrobenzene-d5	7.322	82	718493	73.550	ng	-0.01
42) 2,4,6-Tribromophenol	10.586	330	183994	84.057	ng	-0.01
45) 2-Fluorobiphenyl	9.116	172	1136935	77.875	ng	-0.01
79) Terphenyl-d14	12.880	244	928887	53.087	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092123\
Data File : BF135385.D
Acq On : 21 Sep 2023 17:41
Operator : CG\JU
Sample : 04407-02
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
306-TP-3-5-CS-2

Quant Time: Sep 22 05:58:24 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 12 00:19:07 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.757 min Scan# 795
Delta R.T. -0.006 min
Lab File: BF135385.D
Acq: 21 Sep 2023 17:41




Instrument :
BNA_F
ClientSampleId :
306-TP-3-5-CS-2


Tgt Ion:152 Resp: 147849
Ion Ratio Lower Upper
152 100
150 158.4 127.8 191.6
115 61.0 49.8 74.8



#5
2-Fluorophenol
Concen: 105.464 ng
RT: 5.398 min Scan# 563
Delta R.T. 0.012 min
Lab File: BF135385.D
Acq: 21 Sep 2023 17:41

Tgt Ion:112 Resp: 958701
Ion Ratio Lower Upper
112 100
64 65.2 55.9 83.9
63 34.0 29.0 43.6









#7
Phenol-d6
Concen: 103.824 ng
RT: 6.404 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF135385.D
Acq: 21 Sep 2023 17:41

Instrument :
BNA_F
ClientSampleId :
306-TP-3-5-CS-2

Tgt Ion: 99 Resp: 1200088




Ion	Ratio	Lower	Upper
99	100		
42	23.6	17.9	26.9
71	33.0	27.0	40.6




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.034 min Scan# 1011
Delta R.T. -0.012 min
Lab File: BF135385.D
Acq: 21 Sep 2023 17:41

Tgt Ion: 136 Resp: 530728

Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.8	13.2
54	10.9	7.7	11.5
68	6.9	4.6	6.8





#23

Nitrobenzene-d5

Concen: 73.550 ng

RT: 7.322 min Scan# 89

Delta R.T. -0.012 min

Lab File: BF135385.D

Acq: 21 Sep 2023 17:41

Instrument :

BNA_F

ClientSampleId :

306-TP-3-5-CS-2





Tgt Ion: 82 Resp: 718493

Ion Ratio Lower Upper

82 100

128 45.2 35.8 53.6

54 66.4 50.6 76.0



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.792 min Scan# 1310

Delta R.T. -0.012 min

Lab File: BF135385.D

Acq: 21 Sep 2023 17:41




Tgt Ion: 164 Resp: 220267


Ion Ratio Lower Upper

164 100

162 98.8 81.0 121.4

160 46.3 37.0 55.4









#42
2,4,6-Tribromophenol
Concen: 84.057 ng
RT: 10.586 min Scan# 1445
Delta R.T. -0.012 min
Lab File: BF135385.D
Acq: 21 Sep 2023 17:41




Instrument :
BNA_F
ClientSampleId :
306-TP-3-5-CS-2


Tgt Ion:330 Resp: 183994
Ion Ratio Lower Upper
330 100
332 96.1 77.3 115.9
141 34.9 25.8 38.8



#45
2-Fluorobiphenyl
Concen: 77.875 ng
RT: 9.116 min Scan# 1195
Delta R.T. -0.012 min
Lab File: BF135385.D
Acq: 21 Sep 2023 17:41

Tgt Ion:172 Resp: 1136935
Ion Ratio Lower Upper
172 100
171 35.9 28.4 42.6
170 23.7 19.0 28.4









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.286 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF135385.D
Acq: 21 Sep 2023 17:41




Instrument :
BNA_F
ClientSampleId :
306-TP-3-5-CS-2


Tgt Ion:188 Resp: 349414
Ion Ratio Lower Upper
188 100
94 9.5 7.0 10.6
80 10.0 7.5 11.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.939 min Scan# 2015
Delta R.T. -0.006 min
Lab File: BF135385.D
Acq: 21 Sep 2023 17:41

Tgt Ion:240 Resp: 271246
Ion Ratio Lower Upper
240 100
120 14.2 9.4 14.2#
236 26.9 19.8 29.8









#79
 Terphenyl-d14
 Concen: 53.087 ng
 RT: 12.880 min Scan# 1835
 Delta R.T. -0.012 min
 Lab File: BF135385.D
 Acq: 21 Sep 2023 17:41

Instrument :
 BNA_F
 ClientSampleId :
 306-TP-3-5-CS-2

Tgt Ion:244 Resp: 928887
 Ion Ratio Lower Upper
 244 100
 212 6.9 5.1 7.7
 122 12.8 7.9 11.9#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.410 min Scan# 2265
 Delta R.T. 0.000 min
 Lab File: BF135385.D
 Acq: 21 Sep 2023 17:41

Tgt Ion:264 Resp: 212981
 Ion Ratio Lower Upper
 264 100
 260 24.5 19.8 29.6
 265 21.2 17.0 25.4

